

Ricoh ScanSnap iX1600 ADF + mechaninio padavimo skeneris 600 x 600 DPI A4 Balta

Gamintojas: **RICOH** · Modelis: **PA03770-B401** · EAN: **4939761311758** · Prekės kodas: **892901**



517,90 €

Kaina su PVM

Be PVM: **428,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Skenerio tipas: ADF + mechaninio padavimo skeneris 600 x 600 DPI
- ✓ Spalvotas nuskaitymas Abipusis skanavimas
- ✓ TFT Įmontuotas ekranas
- ✓ A4 Palaikomas skenavimo medijos tipas: Vizitinė kortelė, Post Card(JPN)
- ✓ Maksimalus skenavimo dydis: 216 x 360 mm
- ✓ Jutiklio tipas: Colour CIS
- ✓ USB prievadas „Wi-Fi“
- ✓ Maitinimo tipas: AC



Aprašymas

For those with a need for speed, the next generation iX1600 offers the ultimate in personal productivity. Busy teams can digitise and organise all your documents with one touch, and enjoy all the benefits you'd expect from ScanSnap within the fastest possible times.

The ultimate in personal productivity**Gives you even more time back**

It can be hard work keeping a business in shape, and everyone can do with a bit more time back at the end of the day.

The ScanSnap iX1600 was designed to help anyone achieve maximum productivity, with advanced organisational features that give you greater control, effortlessly.

Techninė specifikacija

Scanning	
Maximum scan size	216 x 360 mm
Optical scanning resolution	600 x 600 DPI
Duplex scanning	Yes
Colour scanning	Yes
ADF scan speed (b/w, A4)	40 ppm
Design	
Scanner type	ADF + Manual feed scanner
Built-in display	Yes
Product colour	White
Display	TFT
Display diagonal	10.9 cm (4.3")
Touchscreen	Yes
Performance	
Sensor type	Colour CIS
Light source	RGB LED
Scan file formats	JPG, PDF
Scan drivers	ISIS, ScanSnap
Input capacity	
Standard input capacity	50 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Scanning media types supported	Business Card, Post Card(JPN)
ISO A-series sizes (A0...A9)	A3, A4, A5
ISO B-series sizes (B0...B9)	B4, B5, B6
Letter	Yes
Legal	Yes
Card thickness (max)	0.76 mm
Ports & interfaces	

USB port	Yes
USB version	2.0/3.2 Gen 1 (3.1 Gen 1)
USB connector type	USB Type-B
Socket connector type	C7
Network	
Wi-Fi	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Power	
Power supply type	AC
AC input frequency	50 - 60 Hz
Input voltage	100 - 240 V
Weight & dimensions	
Width	292 mm
Depth	161 mm
Height	152 mm
Weight	3.4 kg
Packaging data	
Quantity per pack	1 pc(s)
Package width	247 mm
Package depth	399 mm
Package height	236 mm
Package weight	4.8 kg
Packaging content	
Cables included	AC
AC adapter included	Yes
Sustainability	
Sustainability certificates	ENERGY STAR
Sustainability compliance	Yes
Operational conditions	
Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%
Other features	
Compliance certificates	RoHS
Logistics data	

Country of origin	China
Pallet gross length	101.6 cm
Pallet gross width	121.9 cm
Harmonized System (HS) code	8471607000
Paper packaging weight	2.4 kg
Metal packaging weight	0 g
Wood packaging weight	0 g
Plastic packaging weight	15 g
Products per pallet (air)	60 pc(s)
Products per pallet (sea)	96 pc(s)
Pallet height (sea)	2.07 m
Pallet height (air)	135.4 cm
Cardboard packaging weight	1.2 kg
Foil packaging weight	15 g
Polystyrene (EPS/EPP) packaging weight	200 g
Glass packaging weight	0 g
Matmenys ir svoris	
Matmenys (I × P × A)	16,00cm × 29,00cm × 15,00cm
Svoris	4,54kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)
- › [Vaizdo įrašas](#) [objects.icecat.biz/objects/87899867_23709560.mp4](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Ricoh Company, Ltd.

Nakamagome 1-chome 3-6, 143-8555 Tokyo, JP
[ricoh.com](#)

ATSAKINGAS ASMUO ES

Ricoh Deutschland GmbH

Vahrenwalder Str. 315, 30179 Hannover, DE
[ricoh.com](#)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
[info@shopro.lt](#)

Saugos dokumentai

- › [Atitikties deklaracija](#)