

TP-Link VIGI NVR4064H tinklinis vaizdo įrašymo įrenginys (NVR) Juoda

Gamintojas: **TP-LINK** · Modelis: **VIGI NVR4064H** · EAN: **4895252500776** · Prekės kodas: **893034**



1 267,90 €

Kaina su PVM

Be PVM: **1 047,85 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vaizdo signalo įvesties kanalai: 64 kanalai
- ✓ Ethernet LAN (RJ-45) portų kiekis: 2 Stovo montavimas
- ✓ 3840 x 2160 pikseliai
- ✓ 48,38 W
- ✓ Įvesties pralaidumas: 320 Mbit/ai Išvesties pralaidumas: 320 Mbit/ai
- ✓ Juoda
- ✓ Didžiausia atminties apimtis: 64 TB Kietojo disko sąsaja: SATA



Aprašymas

Security Never Shuts Down

64 Channel Network Video

Feature-Packed Ports for SMB Surveillance

Dual Ethernet Ports Design

Multi-Address Mode

Allows for the implementation of two different gateways

Network Fault-Tolerance

Creates a safeguard or redundancy for your data

Port Aggregation

Realizes bandwidth stack and mutual backup

One-Click System Initialize

VIGI NVRs enable quick camera additions, HDD initialization, and storage scheduling with a single click, reducing setup expenses.

Techninė specifikacija

Performance	
Video input channels	64 channels
Maximum resolution	3840 x 2160 pixels
Alarm input channels	16
Alarm output channels	4
Number of simultaneously playbacked channels	16 channels
Video recording modes	720p, 1080p
Supported resolutions	3840x2160/30Hz, 1920x1080/60Hz, 1680x1050/60Hz, 1440x900/60Hz, 1280x1024/60Hz, 1280x720/60Hz
Video motion detection	Yes
Video loss detection	Yes
Audio formats supported	G.711 A-law, G.711 μ-law, G.726
Video formats supported	H.264, H.264+, H.265, H.265+
Backup function	Yes
Playback modes	Digital zoom, Fast play, Forward, Full screen, Pause, Play, Stop
Input bandwidth	320 Mbit/s
Output bandwidth	320 Mbit/s
Recording modes	Manual, Schedule
Audio system	2-way
Hard drive	
Number of HDDs installed	0
HDD capacity	0 GB
Maximum storage capacity	64 TB
HDD interface	SATA
Number of HDDs supported	4
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2

Ethernet LAN data rates	10,100,1000 Mbit/s
HDMI ports quantity	2
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Audio RCA inputs	1
Audio RCA outputs	1
eSATA ports quantity	1
eSATA	Yes
RS-232 ports	1
Supported network protocols	UPnP (Plug and Play), NTP (Network Timing), SMTP, DNS, TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, RTSP, SSL/TLS, RTP, IPv4, ARP
Features	
Rack mounting	Yes
Reset button	Yes
Buzzer off	Yes
Product colour	Black
Power	
Power consumption (max)	48.38 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Output current	1.5 A
System requirements	
Mobile operating systems supported	Android, iOS
Browser supported	Chrome (57+), Firefox (52+), Edge (91+)
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	10 - 90%
Technical details	
Compliance certificates	BSMI, CE, Federal Communications Commission (FCC), KC, UKCA, VCCI
Weight & dimensions	
Width	440 mm
Depth	330 mm

Height	44 mm
Weight	4 kg
Package width	440 mm
Package depth	528 mm
Package height	100 mm
Package weight	5 kg

Packaging content

Packaging content - Mouse - Installation Guide - Power Cord - HDD Power Cables - HDD Data Cables - Terminal Blocks - Mounting Brackets - Screws - Rubber Feet

Matmenys ir svoris

Svoris	5,48kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE
[tp-link.com](https://www.tp-link.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt