

Ricoh SP-1125N ADF skeneris 600 x 600 DPI A4 Pilka

Gamintojas: **RICOH** · Modelis: **PA03811-B011** · EAN: **4939761311628** · Prekės kodas: **893201**



353,90 €

Kaina su PVM

Be PVM: **292,48 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Skenerio tipas: ADF skeneris 600 x 600 DPI
- ✓ Spalvotas nuskaitymas Abipusis skanavimas
- ✓ A4
- ✓ Maksimalus skanavimo dydis: 210 x 297 mm
- ✓ Jutiklio tipas: CMOS dual CIS
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ Maitinimo tipas: AC 18 W



Aprašymas

The 2nd generation SP-1125N scanners are designed to meet the essential scanning needs of budget-conscious organisations, or those taking their first steps towards a structured scanning approach:

- Automate capture routines; scan, extract and release all at the touch of a button
- Streamline operations by integrating captured data into business workflows
- Easily create searchable PDFs, or editable Word, Excel and PowerPoint files
- Optimise scanning architecture – use any scanner from any PC

Techninė specifikacija

Scanning	
Maximum scan size	210 x 297 mm
Optical scanning resolution	600 x 600 DPI
Duplex scanning	Yes
Colour scanning	Yes
Output colour depth	24 bit
Output greyscale depth	8 bit
Output monochrome depth	1 bit
ADF scan speed (b/w, A4)	25 ppm
Design	
Scanner type	ADF scanner
Built-in display	No
Product colour	Grey
Performance	
Sensor type	CMOS dual CIS
Light source	RGB LED
Scan file formats	PDF
Scan drivers	ISIS, TWAIN
Paper handling	
Maximum ISO A-series paper size	A4
Ports & interfaces	
USB port	Yes
USB version	3.2 Gen 1 (3.1 Gen 1)
Network	
Ethernet LAN	Yes
Power	
Power supply type	AC
Power consumption (typical)	18 W
Power consumption (off)	0.3 W
Sleep mode	Yes
Input voltage	100 - 240 V
Power consumption (sleep)	2 W

Weight & dimensions

Width	298 mm
Depth	135 mm
Height	133 mm
Weight	2.5 kg

Packaging data

Quantity per pack	1 pc(s)
Package width	245 mm
Package depth	393 mm
Package height	270 mm
Package weight	4 kg

Packaging content

Cables included	AC
AC adapter included	Yes

Sustainability

Sustainability certificates	ENERGY STAR
-----------------------------	-------------

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Operating relative humidity (H-H)	20 - 80%

Logistics data

Country of origin	China
Pallet gross length	120 cm
Pallet gross width	100 cm
Harmonized System (HS) code	8471607000
Paper packaging weight	2.4 kg
Metal packaging weight	0 g
Wood packaging weight	0 g
Plastic packaging weight	15 g
Products per pallet (air)	60 pc(s)
Products per pallet (sea)	84 pc(s)
Pallet height (sea)	2.01 m
Pallet height (air)	146.8 cm
Cardboard packaging weight	1.2 kg
Foil packaging weight	15 g

Polystyrene (EPS/EPP) packaging weight	200 g
Glass packaging weight	0 g
Matmenys ir svoris	
Matmenys (I × P × A)	14,00cm × 30,00cm × 13,00cm
Svoris	3,66kg

Dokumentai ir vaizdo įrašai

- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Ricoh Company, Ltd.

Nakamagome 1-chome 3-6, 143-8555 Tokyo, JP
ricoh.com

ATSAKINGAS ASMUO ES

Ricoh Deutschland GmbH

Vahrenwalder Str. 315, 30179 Hannover, DE
ricoh.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)