

Xerox B410V_DN lazerinis spausdintuvas Spalva 1200 x 2400 DPI A4

Gamintojas: **XEROX** · Modelis: **B410V_DN** · EAN: **095205041170** · Prekės kodas: **893601**



589,90 €

Kaina su PVM

Be PVM: **487,52 €**

Sandėlyje







Prekė internetu

Nusenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Namai ir biuras Lazeris Spalva
- ✓ 1200 x 2400 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 47 ppm
- ✓ Abipusis spausdinimas Tiesioginis spausdinimas
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ LCD įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 175000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 650 lapai
- ✓ Bendra išvesties talpa: 250 lapai
- ✓ Vidinė atmintis: 1024 MB Integruotas procesorius





Aprašymas

Simple, Reliable and Secure, ready to take the hassle out of hard work? The Xerox® B410 Printer provides everything you need and nothing you don't to get more done — right-sized functionality, fast print speeds, high-quality output and optional Wi-Fi. Setup is a snap, perfect for small to midsize work teams that need dependable printing, the B410 Printer is ready for business right out of the box. The Xerox® Easy Assist App provides guided Wi-Fi setup from the convenience of your mobile phone. That means you get on with your day and start printing in minutes and not hours — all with minimal IT support.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 2400 DPI
Print speed (black, normal quality, A4/US Letter)	47 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Duplex print speed (black, normal quality, A4/US Letter)	24 ppm
Warm-up time (from sleep mode)	6.9 s
Time to first page (black, normal)	5.4 s
Print margins (top, bottom, right, left)	4.2 mm
Watermark printing	Yes
Secure printing	Yes
Booklet printing function	Yes
Features	
Maximum duty cycle	175000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	PCL 5, PCL 6, PDF 1.7, PostScript 3
Recommended duty cycle	0 - 20000 pages per month
Printer fonts	Bitmap, PCL, PostScript
Number of PCL fonts	94

Number of bitmap fonts	2
Number of scalable fonts	163
Country of origin	China
Input & output capacity	
Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	250 sheets
Paper tray 1 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum output capacity	250 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Bond paper, Card stock, Envelopes, Glossy paper, Heavy paper, Labels, Letterhead, Lightweight paper, Plain paper, Pre-printed, Recycled paper, Rough paper
ISO A-series sizes (A0...A9)	A4, A5
Maximum print size	216 x 356 mm
Multi-purpose tray media types	Bond paper, Envelopes, Glossy paper, Heavyweight paper, Labels, Letterhead, Plain paper, Preprinted forms, Recycled paper
Custom media width	105 - 216 mm
Custom media length	148 - 360 mm
Paper tray media weight	60 - 120 g/m ²
Multi-Purpose Tray media weight	60 - 216 g/m ²
Duplex media weight	60 - 120 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
USB connector	USB Type-A / USB Type-B
Optional connectivity	Wireless LAN
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s

Security algorithms	FIPS 140-2, TLS
Supported network protocols (IPv4)	Y
Supported network protocols (IPv6)	Y
Management protocols	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print, 802.1x, SNMP, ThinPrint, Universal Print, Bonjour
Mobile printing technologies	Apple AirPrint, Mopria Print Service
Performance	
Internal memory	1024 MB
Internal storage capacity	8 GB
Storage media	eMMC
Built-in processor	Yes
Sound pressure level (printing)	56 dB
Sound pressure level (duplex printing)	55 dB
Sound pressure level (quiet mode)	52 dB
Sound power level (printing)	71 dB
Design	
Market positioning	Home & office
Product colour	Grey, White
Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	10.9 cm (4.3")
Control type	Touch
Power	
Power consumption (printing)	669 W
Power consumption (standby)	7.7 W
Power consumption (off)	0.1 W
AC input voltage	220 - 240 V
AC input frequency	47-63 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra
Server operating systems supported	Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
Operational conditions	

Operating temperature (T-T)	15 - 32 °C
Storage temperature (T-T)	-40 - 40 °C
Operating relative humidity (H-H)	8 - 80%
Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT
Weight & dimensions	
Width	399 mm
Depth	373 mm
Height	308 mm
Weight	15.2 kg
Packaging data	
Package width	430 mm
Package depth	470 mm
Package height	420 mm
Package weight	18 kg
Packaging content	
Cartridge(s) included	Yes
Safety guide	Yes
Quick start guide	Yes
Documentation CD	Yes
Cables included	AC
Other features	
Box contents	- Power Cord - Installation Guide - Product Safety Sheet - Quick Use Guide - Software and Documentation CD - Pre-installed Starter Capacity Print Cartridge - Black cartridge: 6,000 print capacity)
Matmenys ir svoris	
Svoris	17,82kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Saugos duomenų lapas](#)
- › [Atitikties deklaracija](#)
- › [Vaizdo įrašas 1](#) [objects.icecat.biz/objects/113906895_63258947.mp4](#)
- › [Vaizdo įrašas 2](#) [objects.icecat.biz/objects/113906895_63258959.mp4](#)
- › [Vaizdo įrašas 3](#) [objects.icecat.biz/objects/113906895_63258969.mp4](#)
- › [Vaizdo įrašas 4](#) [objects.icecat.biz/objects/113906895_65682850.mp4](#)
- › [Vaizdo įrašas 5](#) [youtube.com/watch?v=RSITnifydGo](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Xerox

ATSAKINGAS ASMUO ES

Xerox

Lautruphøj 45660, 2750 Ballerup, DK
[xerox.com](#)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
[info@shopro.lt](#)

Saugos dokumentai

- › [Atitikties deklaracija](#)
- › [Saugos duomenų lapas](#)