HP Color LaserJet Pro 4202dn Printer

Gamintojas: **HP INC** · Modelis: **4RA87F#B19** · EAN: **196068345600** · Prekės kodas: **893869**



388,89 €

Kaina su PVM

Be PVM: **321,40 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Spalva
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda, Žydras, Rausvai raudona, Geltona
- ✓ A4 33 ppm
- ✓ Abipusis spauzdinimas
- ✓ USB prievadas Ethernet LAN jungtis
- ✓ LCD Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 50000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 2 Bendra įvesties talpa: 300 lapai Bendra išvesties talpa: 150 lapai
- ✓ Vidinė atmintis: 512 MB Integruotas procesorius 1200 MHz











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.





Aprašymas

Fast colour printing and easy set up. Get a blazing fast colour printer and easy set up with LaserJet Pro.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	33 ppm
Duplex printing mode	Auto
Print resolution colour	600 x 600 DPI
Print resolution black	600 x 600 DPI
Print speed (colour, normal quality, A4/US Letter)	33 ppm
Warm-up time	50 s
Time to first page (black, normal)	9.5 s
Time to first page (colour, normal)	10.5 s
Print margins (top, bottom, right, left)	4.23 mm
Watermark printing	Yes
Features	
Maximum duty cycle	50000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PostScript 3, PDF, PWG, URF, PCL 5e, PCL 5c, PCL 6
Recommended duty cycle	750 - 4000 pages per month
Printer fonts	Scalable, TrueType

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Country of origin	Vietnam
Replacement cartridges	HP 220A Black Original LaserJet Toner Cartridge (~2,000 pages) W2200A; HP 220A Cyan Original LaserJet Toner Cartridge (~1,800 pages) W2201A; HP 220A Yellow Original LaserJet Toner Cartridge (~1,800 pages) W2202A; HP 220A Magenta Original LaserJet Toner Cartridge (~1,800 pages) W2203A; HP 220X Black Original LaserJet Toner Cartridge (~7,500 pages) W2200X; HP 220X Cyan Original LaserJet Toner Cartridge (~5,500 pages) W2201X; HP 220X Yellow Original LaserJet Toner Cartridge (~5,500 pages) W2202X; HP 220X Magenta Original LaserJet Toner Cartridge (~5,500 pages) W2203X
HP segment	Business

Input & output capacity

Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	50 sheets
Paper tray 2 input capacity	250 sheets
Paper tray 3 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	850 sheets
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Photo paper, Recycled paper, Envelopes, Labels, Rough paper, Postcard, Letterhead
ISO A-series sizes (A0...A9)	A4, A6, A5
Non-ISO print media sizes	16K, Oficio
JIS B-series sizes (B0...B9)	B6, B5
Envelopes sizes	B5, DL, C5
Photo paper sizes	10x15 cm
Photo paper sizes (imperial)	4x6"
Custom media width	76.2 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 200 g/m²

Ports & interfaces

Direct printing	No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	512 MB
Maximum internal memory	512 MB
Internal storage capacity	0.5 GB
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	51 dB
Sound power level (printing)	6.2 dB
Design	
Market positioning	Business
Product colour	Blue, White
Built-in display	Yes
Display	LCD
Control type	Buttons
Certification	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.
Power	
Power consumption (printing)	580 W
Power consumption (ready)	17 W
Power consumption (PowerSave)	0.7 W
Power consumption (off)	0.07 W
Energy Star Typical Electricity Consumption (TEC)	0.37 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, MacOS
Server operating systems supported	Windows Server 2008 R2 x64, Windows Server 2012, Windows Server 2012 R2 x64, Windows Server 2016, Windows Server 2019, Windows Server 2022
Other operating systems supported	ChromeOS, Android, iOS
Operational conditions	
Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Sustainability	
Sustainability certificates	Blue Angel
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	210
Carbon emissions, manufacturing (kg of CO2e)	143
Carbon emissions, logistics (kg of CO2e)	13
Carbon emissions, end-of-life (kg of CO2e)	22
Total carbon emissions, w/o use phase (kg of CO2e)	30
Weight & dimensions	
Width	421 mm
Depth	427 mm
Height	288 mm
Weight	16.3 kg
Packaging data	
Package width	497 mm
Package depth	379 mm
Package height	583 mm
Package weight	19 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	1200 pages
Included cartridge capacity (CMY)	1000 pages
Cables included	AC
Brand-specific features	

HP Web Jetadmin	Yes
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP GTIN (EAN/UPC) with options	(ABT) 196068345563; (ABU) 197961854633; (ABY) 196068345570; (B19) 196068345600; (BAZ) 196068347529
HP GTIN (EAN/UPC)	196068345563, 197961854633, 196068345570, 196068345600, 196068347529

Logistics data

Pallet gross weight	370 kg
Layers per pallet	3 pc(s)
Products per pallet	18 pc(s)

Technical details

Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	GS mark, CCC, BIS, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-pro-4201-4203cdn-dn-dw-printer-series/model/38348055?sku=4RA87F ; https://kaas.hpcloud.hp.com/pdf-public/pdf_2962467_en-US-1.pdf

Other features

Recommended system requirements	2 GB available hard disk space; Internet connection or USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port; Internet browser.
Power supply type	Internal (built-in) Power Supply
Electromagnetic compatibility	CISPR 22:2008 (International) Class B, CISPR 32:2015 (International) Class B / EN 55032:2015 Class B + A11:2020, CISPR 35:2016 (International) / EN 55035:2017 + A11:2020, EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019 + A2:2021, FCC 47 CFR Part 15 Class B, ICES-003, Issue 7 Class B. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 15 Sequoia; Linux; Citrix; Chrome OS
Printing	Colour printing
Manufacturer warranty	One-year, onsite repair. Warranty and support options vary by product, country and local legal requirements.
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Simplex: Tray 1: 76.2 x 127 to 216 x 356 mm; Tray 2: 98 x 148 mm to 216 x 356 mm; optional Tray 3: 100 x 148 to 216 x 356 mm; Duplex (all trays): 148 x 148 mm to 216 x 356 mm
Envelope feeder	No
Acoustic power emissions (ready)	Inaudible
Typical electricity consumption (TEC) number	0.370 kWh/Week (Blue Angel)
UNSPSC-code	43212105

Box contents	HP Color LaserJet Pro 4202dn Printer; 4 preinstalled introductory HP LaserJet Toner Cartridges (Black: 1,200 pages; Cyan, Magenta, Yellow: 1,000 pages); In-box documentation (Reference guide, Setup Card), Regulatory flyer. HP printer software is available at https://www.hp.com/support; Power cord.

Matmenys ir svoris

Matmenys (I × P × A)	51,00cm × 59,00cm × 39,00cm
Svoris	19,70kg

Dokumentai ir vaizdo įrašai

- CE ženklinimas
- Vaizdo įrašas objects.icecat.biz/objects/99820704_63177279.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija