KYOCERA ECOSYS M2135dn Laser A4 1200 x 1200 DPI 35 ppm

Gamintojas: **KYOCERA** · Modelis: **1102S03NL0** · EAN: **632983040263** · Prekės kodas: **895134**



939,90 €

Kaina su PVM

Be PVM: **776,78 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Business Laser Mono printing
- ✓ 1200 x 1200 DPI
- ✓ Printing colours: Black
- ✓ A4 35 ppm
- ✓ Mono copying Colour scanning
- ✓ Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
- ✓ Direct printing
- ✓ USB port Ethernet LAN
- ✓ Internal memory: 512 MB Built-in processor ARM Cortex-A9 800 MHz
- ✓ 19 kg







Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

- Up to 35 pages per minute in A4

- Time to first copy 6.9 sec.
- 1,200 dpi printing quality
- Print, copy and colour scan functionality as standard
- Duplex unit for cost-saving double-sided printing
- Copy double-sided ID cards on a single sheet of paper with ease
- Compact design with low-noise printing
- Exceptionally low printing costs in its class

The M2135dn and M2635dn are the most affordable models in our new ECOSYS series, yet are still full of features. As extremely reliable devices with 1,200 dpi b/w print quality, duplex printing, gigabit Ethernet and overall fast scanning and copying, both are perfectly suited for demanding desktop users and small workgroups.
And you shouldn’t worry about placing these in open space offices either: Operation is remarkably quiet and, with even smaller dimensions than their predecessors, they fit on virtually every desk. Finally, thanks to many flexible paper-handling options, each device can be customised to meet your demands precisely.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	35 ppm
Duplex printing mode	Auto
Duplex print speed (black, normal quality, A4/US Letter)	17.5 ppm
Warm-up time	17 s
Time to first page (black, normal)	6.8 s
N-in-1 print function	Yes
N-up printing	2, 4
Barcode printing	Yes
Watermark printing	Yes
Secure printing	Yes
Booklet printing function	Yes
Poster printing function	Yes
Borderless printing	No
Copying	
Copying	Mono copying

Duplex copying	No
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	35 cpm
Time to first copy (black, normal)	6.9 s
Maximum number of copies	999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2, 4
Copy programming function	Yes
ID-card copy function	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	No
Optical scanning resolution	600 x 600 DPI
Scan technology	CIS
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA
Scan speed (colour)	23 ppm
Scan speed (black)	40 ppm
Image formats supported	JPEG, TIF
Document formats supported	PDF, XPS
Scan drivers	TWAIN, WIA

Fax

Faxing	No

Features

Maximum duty cycle	20000 pages per month
Duplex functions	Print
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	1000 - 2500 pages per month
Digital sender	Yes
Page description languages	Microsoft XPS, PCL 5e, PCL 6, PCL XL, PostScript 3
Number of printer fonts	93
Replacement cartridges	TK-1150 (3.000 pagina's)

Input & output capacity

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Paper input type	Cassette, Paper tray
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	850 sheets
Maximum output capacity	150 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 356 mm
ISO B-series sizes (B0...B9)	B5, B6
Non-ISO print media sizes	Legal, Letter
Custom media width	70 - 216 mm
Custom media length	148 - 356 mm
Paper tray media weight	60 - 163 g/m²
Multi-Purpose Tray media weight	60 - 220 g/m²
Duplex media weight	60 - 163 g/m²
Ports & interfaces	
Direct printing	Yes
Standard interfaces	Ethernet, USB 2.0
USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Bluetooth	No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Near Field Communication (NFC)	No
Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Performance	
Internal memory	512 MB
Maximum internal memory	1536 MB
Card reader integrated	Yes
Compatible memory cards	SD, SDHC
Built-in processor	Yes
Processor family	ARM Cortex-A9
Processor frequency	800 MHz
Sound pressure level (printing)	51 dB
Sound pressure level (copying)	51 dB
Sound pressure level (quiet mode)	47 dB
Sound power level (standby)	29 dB
Design	
Product colour	Black, White
Market positioning	Business
Built-in display	Yes
Display	LCD
Display number of lines	5 lines
Power	
Power consumption (average operating)	661 W
Power consumption (printing)	661 W
Power consumption (copying)	661 W
Power consumption (ready)	21 W
Power consumption (sleep)	1 W
Energy Star Typical Electricity Consumption (TEC)	1.47 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz
System requirements	
Windows operating systems supported	Yes
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Operational conditions	
Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C
Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 3500 m
Non-operating altitude	0.6 - 15000 m
Certificates	
Waste Electrical and Electronic Equipment (WEEE) compliance	Yes
Certification	GS, TÜV, CE, ISO 9001, ISO 14001
Sustainability	
Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Weight & dimensions	
Width	417 mm
Depth	412 mm
Height	437 mm
Weight	19 kg
Packaging data	
Package width	541 mm
Package depth	555 mm
Package height	572 mm
Package weight	25 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	1000 pages
Imaging unit included	Yes
Cables included	AC
Logistics data	
Harmonized System (HS) code	84433100
Technical details	
Compliance certificates	REACH, RoHS
Other features	
Cartridge type	TK-1150
Matmenys ir svoris	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Matmenys (I × P × A)	55,00cm × 54,00cm × 56,00cm
Svoris	23,76kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

Kyocera Group Global Network
Takeda Tobadono-cho, Fushimi-ku 6 T, 612-8501
Kyoto, JP
global.kyocera.com

ATSAKINGAS ASMUO ES

KYOCERA Document Solutions Nederland B.V.
Beechavenue 25, 1119 RA Schiphol-Rijk, NL
kyoceradocumentsolutions.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.