

# iiyama ProLite TF1634MC-B8X kompiuterio monitorius 39,6 cm (15.6") 1920 x 1080 pikseliai „Full HD“ LED Lietimui jautrus ekranas Daugybė naudotojų Juoda

Gamintojas: **IIYAMA** · Modelis: **TF1634MC-B8X** · EAN: **4948570118342** · Prekės kodas: **895785**



**528,90 €**

Kaina su PVM

Be PVM: **437,11 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 39,6 cm (15.6") Juoda
- ✓ HDMI „DisplayPort“ kiekis: 1
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 60 Hz Reakcijos laikas: 25 ms
- Atsako trukmės matavimo tipas: GTG (Gray to Gray)
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): F ErP CE, cULus, EAC, REACH, RoHS, WEEE





Aprašymas

The ProLite TF1634MC-B8X uses projective capacitive touch technology, built into an eye catching bezel with edge-to-edge glass. Featuring IPS Panel Technology and Full HD (1920x1080) resolution, it offers natural, highly accurate colours and wide viewing angles. The Touch-Through-Glass function guarantees a seamless and accurate touch response for interactive behind-glass-retail applications. In addition to the superb image quality, the screen comes with an IP65 rating, which means the screen and bezel is totally dust and water resistant, making it a perfect solution for demanding kiosk installations. For ease of integration, the TF1634MC-B8X can be equipped with optional external mounting brackets ( OMK1-1 ) making it an ideal solution for kiosk integrators and Instore Retail.

Techninė specifikacija

| Display                            |                             |
|------------------------------------|-----------------------------|
| Display diagonal                   | 39.6 cm (15.6")             |
| Display resolution                 | 1920 x 1080 pixels          |
| Native aspect ratio                | 16:9                        |
| Display technology                 | LED                         |
| Touchscreen                        | Yes                         |
| HD type                            | Full HD                     |
| Panel type                         | IPS                         |
| Response time                      | 25 ms                       |
| Screen shape                       | Flat                        |
| Contrast ratio (typical)           | 700:1                       |
| Maximum refresh rate               | 60 Hz                       |
| Display number of colours          | 16.2 million colours        |
| Touchscreen type                   | Multi-user                  |
| Touchscreen technology             | Projected capacitive system |
| Touch technology                   | Multi-touch                 |
| Number of simultaneous touchpoints | 10                          |
| Display brightness (typical)       | 450 cd/m²                   |
| Display brightness                 | 405 cd/m²                   |
| Response time measurement type     | GTG (Gray to Gray)          |
| Viewing angle, horizontal          | 178°                        |
| Viewing angle, vertical            | 178°                        |

|                                   |                                                                          |
|-----------------------------------|--------------------------------------------------------------------------|
| Pixel pitch                       | 0.179 x 0.179 mm                                                         |
| Horizontal scan range             | 30 - 84 kHz                                                              |
| Viewable size, horizontal         | 34.4 cm                                                                  |
| Viewable size, vertical           | 19.4 cm                                                                  |
| Display diagonal (metric)         | 39.5 cm                                                                  |
| Surface hardness                  | 7H                                                                       |
| Performance                       |                                                                          |
| NVIDIA G-SYNC                     | No                                                                       |
| AMD FreeSync                      | No                                                                       |
| Palm rejection                    | Yes                                                                      |
| Multimedia                        |                                                                          |
| Built-in camera                   | No                                                                       |
| Built-in microphone               | No                                                                       |
| Design                            |                                                                          |
| Product colour                    | Black                                                                    |
| Front bezel colour                | Black                                                                    |
| Glass thickness                   | 2.4 mm                                                                   |
| Ports & interfaces                |                                                                          |
| HDMI                              | Yes                                                                      |
| USB Touch port                    | Yes                                                                      |
| VGA (D-Sub) ports quantity        | 1                                                                        |
| HDMI ports quantity               | 1                                                                        |
| DisplayPorts quantity             | 1                                                                        |
| HDCP                              | Yes                                                                      |
| Ergonomics                        |                                                                          |
| VESA mounting                     | Yes                                                                      |
| Panel mounting interface          | 100 x 100 mm                                                             |
| Wall mountable                    | Yes                                                                      |
| On Screen Display (OSD)           | Yes                                                                      |
| On Screen Display (OSD) languages | Traditional Chinese, German, English, Spanish, French, Italian, Japanese |
| Number of OSD languages           | 7                                                                        |
| Power                             |                                                                          |
| Energy efficiency class (SDR)     | F                                                                        |
| Energy efficiency class (HDR)     | Not available                                                            |

|                                         |          |
|-----------------------------------------|----------|
| Energy consumption (SDR) per 1000 hours | 12.4 kWh |
| Power consumption (typical)             | 18 W     |
| Power consumption (standby)             | 1.5 W    |
| Power consumption (off)                 | 0.3 W    |
| AC adapter output voltage               | 12 V     |
| Power supply type                       | External |

#### Weight & dimensions

|                        |          |
|------------------------|----------|
| Width (with stand)     | 381 mm   |
| Depth (with stand)     | 46 mm    |
| Height (with stand)    | 230.5 mm |
| Weight (with stand)    | 2 kg     |
| Width (without stand)  | 381 mm   |
| Depth (without stand)  | 46 mm    |
| Height (without stand) | 230.5 mm |
| Weight (without stand) | 2 kg     |

#### Packaging data

|                |        |
|----------------|--------|
| Package width  | 455 mm |
| Package depth  | 290 mm |
| Package height | 365 mm |
| Package weight | 3.9 kg |

#### Packaging content

|                   |                            |
|-------------------|----------------------------|
| Cables included   | AC, USB, HDMI, DisplayPort |
| Quick start guide | Yes                        |

#### Sustainability

|                             |     |
|-----------------------------|-----|
| Sustainability certificates | ErP |
|-----------------------------|-----|

#### Other features

|                                    |                                                                                                                                                                                                                         |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| International Protection (IP) code | IP65                                                                                                                                                                                                                    |
| Compatible operating systems       | All iiyama monitors are Plug & Play and compatible with Windows and Linux. For details regarding the supported OS for the touch models, please refer to the driver instruction file available in the downloads section. |
| AC adapter included                | Yes                                                                                                                                                                                                                     |
| Display viewable area (HxV)        | 344.2 x 193.5 mm                                                                                                                                                                                                        |
| Placement supported                | Horizontal/Vertical                                                                                                                                                                                                     |
| Brightness                         | 405 cd/m <sup>2</sup>                                                                                                                                                                                                   |
| Packaging content                  | AC adapter                                                                                                                                                                                                              |

|                             |                                                                                                                                                                                                                                                     |
|-----------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Active display area (W x H) | 344.2 x 193.6 mm                                                                                                                                                                                                                                    |
| Weight                      | 2 kg                                                                                                                                                                                                                                                |
| Height                      | 230.5 mm                                                                                                                                                                                                                                            |
| Width                       | 381 mm                                                                                                                                                                                                                                              |
| Depth                       | 46 mm                                                                                                                                                                                                                                               |
| Compliance certificates     | CE, cULus, EAC, REACH, RoHS, WEEE                                                                                                                                                                                                                   |
| User controls               | picture (contrast, brightness, H-position, V-position, phase, clock, auto adjust), advanced (color temp., sharpness), OSD (timeout, position, H-position, V-position, touch switch), option (reset, language, source select, display mode, factory) |
| Touch method                | stylus, finger, glove (latex)                                                                                                                                                                                                                       |
| Control panel               | Menu, Scroll up/ Brightness, Scroll down/ Contrast, Select, Power                                                                                                                                                                                   |

#### Technical details

|                     |       |
|---------------------|-------|
| Native refresh rate | 60 Hz |
|---------------------|-------|


#### Logistics data

|                             |          |
|-----------------------------|----------|
| Products per pallet         | 78 pc(s) |
| Pallet net width            | 11.5 cm  |
| Pallet net length           | 20.4 cm  |
| Pallet net height           | 9.7 cm   |
| Harmonized System (HS) code | 85285210 |

#### Matmenys ir svoris

|                      |                             |
|----------------------|-----------------------------|
| Matmenys (I x P x A) | 64,00cm x 32,00cm x 15,00cm |
| Svoris               | 3,74kg                      |


## Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

**F** A-G

- > [Energijos etiketė](#)
- > [Gaminio informacijos lapas](#)
- > [EPREL duomenų bazė](#)



## Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Gaminio lankstinukas

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### **iiyama International**

Wijkmeerstraat 8, 2131 HA Hoofddorp, NL

[iiyama.com](https://www.iiyama.com)

### PLATINTOJAS

#### **MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)