

HP Color LaserJet Enterprise 6700dn Printer

Gamintojas: **HP INC** · Modelis: **6QN33A** · EAN: **196068676421** · Prekės kodas: **895815**



1 912,90 €

Kaina su PVM

Be PVM: **1 580,91 €**

Sandėlyje







Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Front USB flash drive port; Optional high-capacity trays; Touchscreen; TerraJet cartridge
- ✓ Print speed up to 55 ppm (black) and 55 ppm (colour)
- ✓ Print
- ✓ Up to 1200 x 1200 dpi



Aprašymas

The most advanced and customisable HP A4 LaserJet, an advanced printer with workflow solutions to modernise workforce collaboration. Transform your workflows with advanced capabilities in a compact footprint. Customisable configurations from print speeds to colour panels[9] help to meet the needs of busy workgroups. All while protecting your business against evolving security threats.

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	52 ppm
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	52 ppm
Warm-up time	120 s
Time to first page (black, normal)	6.5 s
Time to first page (colour, normal)	7.4 s
Print margins (top, bottom, right, left)	4.3 mm
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	100000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PostScript 3, PDF 1.7, URF, PCL 5c
Recommended duty cycle	2000 - 14000 pages per month
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
Country of origin	Japan

Replacement cartridges

HP 213A Black Original LaserJet Toner Cartridge (~3,500 pages) W2130A; HP 213A Cyan Original LaserJet Toner Cartridge (~3,000 pages) W2131A; HP 213A Yellow Original LaserJet Toner Cartridge (~3,000 pages) W2132A; HP 213A Magenta Original LaserJet Toner Cartridge (~3,000 pages) W2133A; HP 213X High Yield Black Original LaserJet Toner Cartridge (~9,000 pages) W2130X; HP 213X High Yield Cyan Original LaserJet Toner Cartridge (~6,000 pages) W2131X; HP 213X High Yield Yellow Original LaserJet Toner Cartridge (~6,000 pages) W2132X; HP 213X High Yield Magenta Original LaserJet Toner Cartridge (~6,000 pages) W2133X; HP 213Y Extra High Yield Black Original LaserJet Toner Cartridge, (~18,000 pages) W2130Y; HP 213Y Extra High Yield Cyan Original LaserJet Toner Cartridge (~12,000 pages) W2131Y; HP 213Y Extra High Yield Yellow Original LaserJet Toner Cartridge (~12,000 pages) W2132Y; HP 213Y Extra High Yield Magenta Original LaserJet Toner Cartridge (~12,000 pages) W2133Y; HP 214Z Ultra High Yield Black Original LaserJet Toner Cartridge (~31,000 pages) W2140Z; HP 214Z Ultra High Yield Cyan Original LaserJet Toner Cartridge (~26,000 pages) W2141Z; HP 214Z Ultra High Yield Yellow Original LaserJet Toner Cartridge (~26,000 pages) W2142Z; HP 214Z Ultra High Yield Magenta Original LaserJet Toner Cartridge (~26,000 pages) W2143Z

HP segment

Business

Input & output capacity

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	500 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	6
Maximum input capacity	3850 sheets
Maximum output capacity	500 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Bond paper, Recycled paper, Envelopes, Card stock, Labels, Transparencies, Heavy paper, Lightweight paper, Rough paper, Letterhead
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	207.4 x 1191.4 mm
ISO B-series sizes (B0...B9)	B5, B6
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Oficio, 16K
Envelopes sizes	B5, B6, C5, C6
Photo paper sizes	10x15 cm
Photo paper sizes (imperial)	5x7,5x8,4x6

Custom media width	64 - 216 mm
Custom media length	127 - 1200 mm
Paper tray media weight	60 - 220 g/m ²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
Optional connectivity	Bluetooth, Near Field Communication (NFC), Wireless LAN
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS, IPsec
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	2048 MB
Maximum internal memory	6144 MB
Memory slots	1
Internal storage capacity	16 GB
Storage media	eMMC
Built-in processor	Yes
Processor frequency	1200 MHz
Sound pressure level (printing)	54 dB
Sound power level (printing)	6.6 dB
Design	
Market positioning	Business
Product colour	White
Built-in display	Yes
Display	CGD
Colour display	Yes
Display diagonal	10.9 cm (4.3")
Control type	Touch

Certification

CISPR 22:2008 (International) - Class A; CISPR 32:2015 (International) - Class A; / EN 55032:2015+A11:2020 (EU) - Class A; CISPR 35:2016 (International); EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019+A2:2021; FCC CFR 47 Part 15 Class A; ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.

Power

Power consumption (printing)	708 W
Power consumption (ready)	47.3 W
Power consumption (PowerSave)	0.08 W
Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	0.699 kWh/week
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, MacOS
Linux operating systems supported	Yes
Other operating systems supported	ChromeOS, Android, iOS

Operational conditions

Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	10 - 80%

Sustainability

Sustainability certificates	ENERGY STAR, Blue Angel, EPEAT Gold
Sustainable technologies and materials	5% post-consumer recycled plastic; EPEAT® registered; ENERGY STAR® certified
Sustainability compliance	Yes

Carbon footprint

Total carbon footprint (kg of CO2e)	590
Carbon emissions, manufacturing (kg of CO2e)	491
Carbon emissions, logistics (kg of CO2e)	21
Carbon emissions, end-of-life (kg of CO2e)	53
Total carbon emissions, w/o use phase (kg of CO2e)	25

Weight & dimensions

Width	500 mm
Depth	460 mm

Height	415 mm
Weight	31.1 kg
Pallet dimensions (W x D x H)	1000 x 1200 x 2106 mm
Packaging data	
Package width	498 mm
Package depth	598 mm
Package height	652 mm
Package weight	34.3 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	7000 pages
Included cartridge capacity (CMY)	6000 pages
Cables included	AC
Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; 802.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentials; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Hardware-based Memory Shield™ with Control Flow Integrity (CFI) in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity Checking with self-healing capability; Whitelisting - loads only known good code (DLLs, EXEs, ...); Security management: Compatible with Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
HP GTIN (EAN/UPC) with options	(AAZ) 196068676216; (ABT) 196068676292; (ABY) 196068676322; (ACQ) 196068676384; (B13) 196068676414; (B19) 196068676421; (BAZ) 196068676438
HP GTIN (EAN/UPC)	196068676216, 196068676292, 196068676322, 196068676384, 196068676414, 196068676421, 196068676438
Logistics data	
Pallet gross weight	425.9 kg
Layers per pallet	3 pc(s)
Products per pallet	12 pc(s)
Technical details	
Master (outer) cases per pallet layer	4 pc(s)

Compliance certificates	CECP, GS mark, CCC, BIS, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-enterprise-6700dn-printer-series/model/2101004907?sku=6QN33A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_4577367_en-US-1.pdf
Other features	
Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard drive space; Internet connection; or USB port; Internet browser.
Power supply type	Built in 110V or 220 V Power Supply (not dual voltage, power supply varies by part number with option code identifier)
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A; CISPR 32:2015 (International) - Class A; / EN 55032:2015+A11:2020 (EU) - Class A; CISPR 35:2016 (International); EN 55035:2017+A11:2020; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019+A2:2021; FCC CFR 47 Part 15 Class A; ICES-003, Issue 7 Class A. Other EMC approvals as required by individual countries.
Compatible operating systems	Windows 11; Windows 10; Windows Server; Windows Client OS; Android; iOS; Mobile OS; macOS 10.15 Catalina; macOS 11 Big Sur; macOS 12 Monterey; Linux; Citrix; Chrome OS; UNIX; Novell; SAP
Printing	Colour printing
Processor frequency	1.2 GHz
Manufacturer warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements.
Recommended humidity operating range	30 - 70%
Recommended operating temperature range (T-T)	15 - 27 °C
Custom media sizes	Tray 1: 64 x 127 to 216 x 1200 mm; Tray 2, optional 1x550-sheet feeders: 101 x 148 to 216 x 356 mm; optional 2,100-sheet high-capacity feeder: custom sizes not supported in this tray
Envelope feeder	No
Pallet dimensions (W x D x H) (imperial)	1000 x 1199.9 x 2105.9 mm (39.4 x 47.2 x 82.9")
Pallet weight (imperial)	425 kg (936.9 lbs)
Acoustic power emissions (ready)	34 dB
Acoustic pressure emissions bystander (ready)	21 dB
Typical electricity consumption (TEC) number	0.699 kWh/week (Energy Star 3.0); 0.679 kWh/week (Blue Angel)
UNSPSC-code	43212105
Box contents	HP Color LaserJet Enterprise 6700dn Printer; HP Black Original LaserJet Toner Cartridge (~7,000 yield), HP Cyan, Magenta and Yellow Original LaserJet Toner Cartridges (~6,000 yield each) (toner cartridges installed); Documentation (Hardware Install Guide); Power cord
Matmenys ir svoris	
Svoris	33,00kg

Dokumentai ir vaizdo įrašai

› [Vaizdo įrašas](#) objects.icecat.biz/objects/110498367_27562512.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc

Page Mill Road 1501, CA 94304 Palo Alto,
California, US

hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.

Calle Jose Echegaray 18, 28232 Las Rozas
(Madrid), ES

hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

› [Gamintojo saugos informacija](#)