

Equip 351030 brūkšninių kodų skaitytuvas Rankinis brūkšninių kodų skaitytuvas 1D/2D CMOS Juoda

Gamintojas: **EQUIP** · Modelis: **351030** · EAN: **4015867243626** · Prekės kodas: **895933**



106,90 €

Kaina su PVM

Be PVM: **88,35 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Rankinis brūkšninių kodų skaitytuvas Akrilonitrilo butadieno stirenas (ABS) Juoda
- ✓ Skenerio tipas: 1D/2D Jutiklio tipas: CMOS
- ✓ Code 128, EAN-13, EAN-8, Code 39, UPC-A, UPC-E, Codabar, Interleaved 2 of 5, Industrial 2 of 5, Standard 2 of 5, Matrix 2 of 5, ISBN, ISSN, Code 93, GS1-128 (UCC/EAN-128), GS1 DataBar, Code 11, MSI-Plessey, Plessey QR Code, PDF417, Duomenų matrica
- ✓ Darbo atstumas: 150 cm
- ✓ Polinkio skaitymo kampas: 0 - 360°
- ✓ Bevielis Standartinės sąsajos: „Bluetooth“, Radijo dažnio belaidė
- ✓ Maitinimo šaltinio tipas: Baterija Ličio-jonų (Li-Ion) 1500 mAh





Aprašymas

The Equip Wireless 2.4Ghz + Bluetooth Dual Mode 2D Barcode Scanner with Charging Stand is a versatile and efficient scanning solution suitable for various industries. With its wireless functionality, it provides freedom of movement, making it ideal for applications in retail, warehousing, and inventory management. The included stand enables hands-free operation, enhancing productivity and reducing user fatigue.

This scanner offers exceptional performance and connectivity options, ensuring seamless integration into your existing systems. Its 2D scanning capability allows it to read a wide range of barcodes, including QR codes and Datamatrix, ensuring efficient data capture. Whether you need to scan barcodes on products, shelves, or packages, this scanner simplifies the process, streamlining operations and improving accuracy.

Techninė specifikacija

Scanning	
Type	Handheld bar code reader
Scanner type	1D/2D
Sensor type	CMOS
Linear (1D) barcodes supported	Code 128, EAN-13, EAN-8, Code 39, UPC-A, UPC-E, Codabar, Interleaved 2 of 5, Industrial 2 of 5, Standard 2 of 5, Matrix 2 of 5, ISBN, ISSN, Code 93, GS1-128 (UCC/EAN-128), GS1 DataBar, Code 11, MSI-Plessey, Plessey
2D (matrix & stacked) barcodes supported	QR Code, PDF417, Data Matrix
Trigger mode	Continuous, Manual
1D resolution (min)	4 mm
2D resolution (min)	5 mm
Working distance	150 cm
Read rate (max)	220 reads/s
Tilt reading angle	0 - 360°
Pitch reading angle	-30 - 30°
Yaw reading angle	-35 - 35°
Ports & interfaces	
Connectivity technology	Wireless
Standard interfaces	Bluetooth, RF Wireless
Operating frequency	2400 MHz
Performance	
Product colour	Black

Housing material	Acrylonitrile butadiene styrene (ABS)
International Protection (IP) code	IP54
Protection features	Drop resistant, Water resistant
Country of origin	China
Power	
Power source type	Battery
Battery voltage	3.7 V
Battery life	20 h
Weight & dimensions	
Weight	312 g
Width	78 mm
Depth	124 mm
Height	186 mm
Packaging data	
Stand included	Yes
Package width	150 mm
Package depth	207 mm
Package height	100 mm
Package weight	473 g
Operational conditions	
Operating temperature (T-T)	-20 - 60 °C
Storage temperature (T-T)	-40 - 90 °C
Operating relative humidity (H-H)	5 - 95%
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery capacity	1500 mAh
Standby time	3 month(s)
Technical details	
Compliance certificates	CE, REACH, RoHS
Logistics data	
Products per master (outer) case	30 pc(s)
Master (outer) case gross weight	15.5 kg
Master (outer) case length	485 mm
Master (outer) case width	440 mm

Master (outer) case height	525 mm
Customs product code (TARIC)	8471900000
Other features	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mobile operating systems supported	Android, iOS
Linux operating systems supported	Yes
Quick start guide	Yes
Matmenys ir svoris	
Svoris	1,00kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Atitikties deklaracija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Digital Data Communications GmbH
Im Defdahl 10 F, D-44141 Dortmund, DE
digital-data.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- › [Atitikties deklaracija](#)