

LG 50PK640S Signage Display Digital signage flat panel 127 cm (50") LED 260 cd/m² 4K Ultra HD Black Built-in processor WebOS 16/7

Gamintojas: **LG** · Modelis: **50PK640S** · EAN: **8806096558768** · Prekės kodas: **895936**



850,90 €

Kaina su PVM

Be PVM: **703,22 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Resolution : 3,840 × 2,160 (UHD)
- ✓ Backlight Life : 30,000 Hrs, 16 Hrs / 7 Days
- ✓ Brightness : 300 nits
- ✓ LG Solution Compatibility



Aprašymas

LG TV Signage with Essential Function

Superb Picture Quality with Ultra HD Resolution

With the resolution that is 4 times higher than FHD, it makes the colors and details of the content more vivid and realistic.

Slim Design

The PK640S stands out with its slim design. Its compact form not only saves space but also allows for easy installation, making it an ideal choice for a variety of settings.

Convenient webOS Platform

LG webOS 25, upgraded in SoC* and web engine, is available on PK640S series for a smooth execution of several tasks. LG webOS smart signage platform enhances user convenience with intuitive GUI.

Versatile Content Management with LG SuperSign CMS

LG SuperSign CMS is an integrated, intuitive solution for managing creative and well-organized digital signage content. It helps connect customers to a variety of services while improving the overall user experience.

Content and Group Management

The embedded Content and Group Management System lets you easily edit and play content, set playlists, and control signage with a remote control, mouse, or mobile phone—no separate PC or software required. This makes content management straightforward and user-friendly.

Real-Time Promotion

With Beacon and Bluetooth® Low Energy (BLE), shop managers can provide coupons and information in real-time.

* LG only transmits Beacon packets (iBeacon / Eddystone); The specific applications and usage scenarios are determined by the purchaser.

Content Sharing

Content mirroring between devices is available on the same Wi-Fi network.

* This function operates on devices that support Miracast.

** The performance may vary depending on the stability of wireless connectivity.

Wireless Access Point

The PK640S series functions as a virtual router, serving as a wireless access point for mobile devices.

Display Power Management Support

Display Power Management (DPM) can be set to 'On' when a TV signal is detected, allowing for more efficient power management.

Real-Time Monitoring with LG ConnectedCare

LG ConnectedCare, an optional cloud service solution, offers easy and fast maintenance by remotely monitoring the status of displays in client workplaces. It supports fault diagnosis and remote control services, helping to ensure stable operation for clients' businesses.

* The availability of the 'LG ConnectedCare' service differs by region, and it needs to be purchased separately. So please contact the LG sales representative in your region for more details.

Techninė specifikacija

Display

Display diagonal

127 cm (50")

Display technology	LED
Display resolution	3840 x 2160 pixels
Display brightness	260 cd/m²
HD type	4K Ultra HD
Touchscreen	No
LED backlight	Yes
LED backlighting type	Direct-LED
Response time	9.5 ms
Contrast ratio (typical)	5000:1
Contrast ratio (dynamic)	1000000:1
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 Pro (HDR10 Pro), Hybrid Log-Gamma (HLG)
Native refresh rate	60 Hz
Ports & interfaces	
HDMI ports quantity	1
DVI port	No
USB port	Yes
HDMI version	2
Consumer Electronics Control (CEC)	Simplink
USB ports quantity	1
USB version	2
Ethernet LAN (RJ-45) ports	1
Number of speaker outputs	1
RS-232C	Yes
Digital audio optical out	1
RF input	1
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	20 W
Design	
Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes

Panel mounting interface	200 x 300 mm
Performance	
Purpose	Universal
Analog signal format system	ATSC, NTSC
Digital signal format system	Clear QAM
Operating hours (hours/days)	16/7
Global-IPTV support	Yes
Web browser	Yes
Power	
Power consumption (typical)	116 W
Power consumption (standby)	0.5 W
Power consumption (max)	102 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Computer system	
Built-in processor	Yes
Processor model	K25Lp
Processor cores	4
Operating system installed	WebOS
Operating system version	webOS 25
Google applications	YouTube
Weight & dimensions	
Width (with stand)	1111 mm
Depth (with stand)	275 mm
Height (with stand)	700 mm
Weight (with stand)	8.7 kg
Packaging data	
Package width	1255 mm
Package depth	118 mm
Package height	765 mm
Package weight	11.8 kg
Packaging content	
Remote control included	Yes
Remote control type	L-Con, AKB75095376

Certificates

Certification	UL FCC Class B ISTA6
---------------	----------------------

Brand-specific features

LG technologies (AV/TV)	Fail over, Group Manager, Smart Energy Saving
-------------------------	---

Network

Security algorithms	SNMP
---------------------	------

Other features

RJ-45 ports quantity	1
Height (without stand)	645 mm
Weight (without stand)	8.6 kg
Depth (without stand)	59.8 mm
Teletext function	Yes
Cable length	1.5 m
Hotel mode	Yes
Panel Lock	Yes
Timer	Yes
Sleep timer	Yes
USB port lock	Yes

Matmenys ir svoris

Svoris	48,00kg
--------	---------

Gamintojo ir saugos informacija

GAMINTOJAS

LG Electronics Inc.

Magokjungang 10-ro 10, 07796 Gangseo-gu,
Seoul, KR
lg.com

ATSAKINGAS ASMUO ES

LG Electronics Deutschland

Alfred-Herrhausen-Allee 45721, 65760 Eschborn,
DE
lg.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt