HP LaserJet Enterprise MFP M430f - Multifunktionsdrucker - s/w - Laser - 216 x 297 mm (Original) - A4 (Medien) - bis zu 38 Seiten/Min. (Kopieren) - bis zu 40 Seiten/Min. (Drucken) - 350 Blatt - 33.6 Kbps - USB 2.0, Gigabit LAN, USB 2.0-Host

Gamintojas: **HP INC** · Modelis: **3PZ55A#B19** · EAN: **193905205479** · Prekės kodas: **896400**



536,90 €

Kaina su PVM

Be PVM: **443,72 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Vienpusis spausdinimas
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 38 ppm
- ✓ Vienpusis kopijavimas Spalvotas skenavimas Vienpusio fakso siuntimas
- ✓ Mopria Print Service, HP ePrint, Apple AirPrint
- ✓ USB prievadas Ethernet LAN jungtis Bluetooth
- ✓ Vidinė atmintis: 2048 MB Integruotas procesorius 800 MHz
- ✓ 13 kg










Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.









Aprašymas

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	38 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Warm-up time	180 s
Time to first page (black, normal)	6.5 s
N-in-1 print function	Yes
Watermark printing	Yes
Secure printing	Yes
Copying	
Copying	Mono copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	38 cpm
Time to first copy (black, normal)	7.2 s
Auto fit function	Yes
Scanning	
Scanning	Colour scanning

Duplex scanning	Yes
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed scanner
Maximum scan resolution	600 x 600 DPI
Maximum scan area	216 x 297 mm
Scan technology	CIS
Scan speed (colour)	20 ppm
Scan speed (black)	29 ppm
Duplex scan speed (colour)	37 ppm
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN
Fax	
Faxing	Mono faxing
Fax resolution (black)	300 x 300 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Fax delayed sending	No
Auto reduction	Yes
Features	
Maximum duty cycle	100000 pages per month
Duplex functions	Print, Copy
Number of print cartridges	1
Printing colours	Black
Recommended duty cycle	900 - 4800 pages per month
Digital sender	Yes
Page description languages	PDF 1.7, PCL 5, PCL 6
Printer fonts	Scalable, TrueType, Windows, PCL, PostScript
All-In-One-multitasking	Yes
Country of origin	China
Replacement cartridges	HP 59A Black Original LaserJet Toner Cartridge (3,000 pages) CF259A, HP 59X High Yield Black Original LaserJet Toner Cartridge (10,000 pages) CF259X

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

HP segment	Business
Input & output capacity	
Total number of input trays	2
Total input capacity	350 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	250 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	10 sheets
Maximum output capacity	150 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Bond paper, Recycled paper, Envelopes, Labels, Pre-printed, Heavy paper, Lightweight paper, Rough paper
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	212 x 352 mm
ISO B-series sizes (B0...B9)	B5
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	16K
JIS B-series sizes (B0...B9)	B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	76 - 216 mm
Custom media length	127 - 356 mm
Paper tray media weight	60 - 175 g/m²
Multi-Purpose Tray media weight	60 - 120 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	No
USB port	Yes
USB 2.0 ports quantity	3
Network	
Wi-Fi	No

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Bluetooth	Yes
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, FIPS 140, HTTPS
Mobile printing technologies	Mopria Print Service, HP ePrint, Apple AirPrint
Performance	
Internal memory	2048 MB
Maximum internal memory	2048 MB
Internal storage capacity	16 GB
Card reader integrated	No
Built-in processor	Yes
Processor frequency	800 MHz
Sound pressure level (printing)	54 dB
Sound pressure level (scanning)	48 dB
Sound power level (printing)	6.4 dB
Design	
Product colour	White
Market positioning	Business
Built-in display	Yes
Display	LCD
Display diagonal	10.9 cm (4.3")
Control type	Touch
Colour display	Yes
Power	
Power consumption (average operating)	525 W
Power consumption (PowerSave)	0.08 W
Power consumption (printing)	525 W
Power consumption (ready)	10.1 W
Power consumption (sleep)	1.2 W
Power consumption (off)	0.08 W
Energy Star Typical Electricity Consumption (TEC)	1.222 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Brand-specific features	
HP Auto-On/Auto-Off	Yes
HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate, Pre-shared Key, Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft), SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs
HP GTIN (EAN/UPC) with options	(ABT) 193905205448; (ABY) 193905205455; (ACQ) 193905205462; (B13) 193905418831; (B19) 193905205479; (BAZ) 193905205486
HP GTIN (EAN/UPC)	193905205448, 193905205455, 193905205462, 193905418831, 193905205479, 193905205486
System requirements	
Windows operating systems supported	Windows 7, Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, MacOS
Other operating systems supported	Android, iOS
Operational conditions	
Operating relative humidity (H-H)	30 - 70%
Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	15 - 32.5 °C
Recommended humidity operating range	10 - 90%
Recommended operating temperature range (T-T)	15 - 27 °C
Certificates	
Certification	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT Silver
Sustainable technologies and materials	Mercury-free
Doesn't contain	Mercury
Sustainability compliance	Yes

Carbon footprint	
Total carbon footprint (kg of CO2e)	180
Carbon emissions, manufacturing (kg of CO2e)	91
Carbon emissions, logistics (kg of CO2e)	5
Carbon emissions, end-of-life (kg of CO2e)	16
Total carbon emissions, w/o use phase (kg of CO2e)	73
Weight & dimensions	
Width	420 mm
Depth	390 mm
Height	323 mm
Weight	13 kg
Packaging data	
Package width	497 mm
Package depth	398 mm
Package height	490 mm
Package weight	14.7 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	3000 pages
Cables included	AC
Logistics data	
Harmonized System (HS) code	84433100
Pallet gross weight	441.9 kg
Layers per pallet	4 pc(s)
Products per pallet	24 pc(s)
Technical details	
Master (outer) cases per pallet layer	6 pc(s)
Compliance certificates	CECP, GS mark, cUL, UL, CE, BSMI
General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-laserjet-enterprise-mfp-m430-series/model/29252394?sku=3PZ55A&serialnumber=3PZ55A ; https://kaas.hpcloud.hp.com/pdf-public/pdf_2950398_en-US-1.pdf
Box contents	HP LaserJet Enterprise MFP M430f printer; HP Black Original LaserJet Toner Cartridge (~3,000 pages); Getting started Guide; 1 Power cord
Other features	
Number of users	10 user(s)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Power supply type	Internal (Built-in) power supply
Recommended system requirements	2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser.
Compatible operating systems	Windows 11; Windows 10; Windows 8; Windows 8.1; Windows 7; Windows Client OS; Android; iOS; Mobile OS; macOS 10.12 Sierra; macOS 10.13 High Sierra; macOS 10.14 Mojave; macOS 10.15 Catalina
Manufacturer warranty	One-year, On-site Repair 24-hour / 7 day a week phone support
Electromagnetic compatibility	CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010 +A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries.
Custom media sizes	Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 105 x 148 to 216 x 356 mm; Optional Tray: 105 x 148 to 216 x 356 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2451 mm
Pallet dimensions (W x D x H) (imperial)	1199.9 x 1000 x 2450.8 mm (47.2 x 39.4 x 96.5")
Pallet weight (imperial)	441.9 kg (974.3 lbs)
Acoustic power emissions (ready)	Inaudible
Typical electricity consumption (TEC) number	Blue Angel: 1.222 kWh/week; Energy Star 3.0: 0.463 kWh/week
UNSPSC-code	43212110
Matmenys ir svoris	
Matmenys (I × P × A)	40,00cm × 48,00cm × 50,00cm
Svoris	14,70kg

Dokumentai ir vaizdo įrašai

- CE ženklinimas
- Vaizdo įrašas 1 objects.icecat.biz/objects/87234983_63176822.mp4
- Vaizdo įrašas 2 objects.icecat.biz/objects/87234983_63176823.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Saugos dokumentai

- CE ženklinimas
- Gamintojo saugos informacija