

Xerox VersaLink B625V_DN Daugiafunkcis spausdintuvas Lazeris A4 1200 x 1200 DPI 65 ppm

Gamintojas: **XEROX** · Modelis: **B625V_DN** · EAN: **095205040876** · Prekės kodas: **896499**



2 707,90 €

Kaina su PVM

Be PVM: **2 237,93 €**

Sandėlyje





Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Verslui Lazeris Vienpusis spausdinimas
- ✓ 1200 x 1200 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 65 ppm
- ✓ Vienpusis kopijavimas Monoskenavimas Spalvoto fakso siuntimas
- ✓ Apple AirPrint, Mopria Print Service, Xerox PrintBack
- ✓ Tiesioginis spausdinimas
- ✓ USB prievadas Ethernet LAN jungtis Mažo nuotolio radijo ryšys (NFC)
- ✓ Vidinė atmintis: 4096 MB Integruotas procesorius 1200 MHz
- ✓ 44,1 kg





Aprašymas

The Xerox® VersaLink® B625 Multifunction Printer is the total package for your office environment. It is small enough to fit where you need it and fast enough to support high print and scan volumes. The VersaLink B625 delivers fast printing — up to 65/61ppm Letter/A4 with first-print-out time as fast as 4.4 seconds. So there's more than enough speed to meet your demanding department-level workload. With the VersaLink B625, your documents receive outstanding monochrome image quality and crisp text output with high-resolution output of 1200 x 1200 dpi. Use the Easy Assist App to simplify installation, monitor and manage your VersaLink right from your mobile phone. It assists with the installation of the latest driver software for your MFP on your computer, provides real-time monitoring of printer status, and delivers easy access to self-support services. With Xerox® Global Print Driver® you get a single print driver that is truly universal, it lets IT administrators install, upgrade and manage Xerox® and non-Xerox Devices from a single driver. The ConnectKey Technology Ecosystem on the VersaLink B625, opens a world of new capabilities with apps, innovative partner solutions and customization. Create customized workflows, automate complex tasks, print and scan directly to and from your cloud services.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	65 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Warm-up time	127 s
Warm-up time (from sleep mode)	2.9 s
Time to first page (black, normal)	4.1 s
N-in-1 print function	Yes
N-up printing	2, 4, 6, 8, 9, 16
Watermark printing	Yes
Secure printing	Yes
Cover page printing function	Yes
Booklet printing function	Yes
Copying	
Copying	Mono copying
Duplex copying	Yes

Maximum copy resolution	600 x 600 DPI
Duplex copying mode	Auto
Maximum copy size	A4
Time to first copy (black, normal)	4.1 s
Maximum number of copies	9999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
ID-card copy function	Yes
Edge erase function	Yes
Scanning	
Scanning	Mono scanning
Duplex scanning	Yes
Optical scanning resolution	600 x 600 DPI
Scanner type	ADF scanner
Maximum scan area	215.9 x 355.6 mm
Scan to	E-mail, E-mail Server, File, Network folder, OCR, PC, USB
Scan speed (black)	75 ppm
Image formats supported	JPEG, TIFF
Document formats supported	PDF
Output colour depth	24 bit
Output greyscale depth	8 bit
Scan drivers	TWAIN, WIA
Fax	
Faxing	Colour faxing
Fax resolution (black)	600 x 600 DPI
Fax resolution (colour)	400 x 400 DPI
Fax forwarding	Yes
Fax delayed sending	Yes
Job build function	Yes
Features	
Maximum duty cycle	300000 pages per month
Duplex functions	Copy, Fax, Print, Scan
Number of print cartridges	1
Printing colours	Black
Page description languages	PCL 5c, PCL 6, PDF, PostScript 3

Input & output capacity

Total number of input trays	2
Total input capacity	650 sheets
Total output capacity	550 sheets
Paper tray 1 input capacity	550 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	200 sheets
Maximum input capacity	3850 sheets
Maximum output capacity	550 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Bond paper, Card stock, Envelopes, Labels, Letterhead, Lightweight paper, Plain paper, Pre-printed, Recycled paper
ISO A-series sizes (A0...A9)	A4, A4+, A5
Maximum print size	216 x 356 mm
Custom media width	98.4 - 216 mm
Custom media length	191 - 356 mm
Paper tray media weight	60 - 176 g/m²
Multi-Purpose Tray media weight	60 - 176 g/m²
Auto Document Feeder (ADF) media weight	52 - 120 g/m²

Ports & interfaces

Direct printing	Yes
USB port	Yes
USB connector	USB Type-A / USB Type-B
USB 2.0 ports quantity	2
Optional connectivity	Bluetooth, Wireless LAN

Network

Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Near Field Communication (NFC)	Yes
Security algorithms	256-bit AES, 802.1x RADIUS, FIPS 140-3, HTTPS, IPSec

Supported network protocols (IPv4)	TCP/IP: HTTP/HTTPS, Internet Printing Protocol, LPR/LPD, Raw Socket Printing/Port 9100, IPv4/IPv6, WSD
Supported network protocols (IPv6)	IPv6
Management protocols	DHCP, BOOTP, SNMP, SLPv2, HTTP, HTTPS, AutoIP (Self Assigned Address), TLS, NTP, DNS, SMB, SMTP/POP3, WSD, LDAP, Multicast DNS, Bonjour, syslog (for SIEM)
Embedded web server	Yes
Mobile printing technologies	Apple AirPrint, Mopria Print Service, Xerox PrintBack
Performance	
Internal memory	4096 MB
Internal storage capacity	32 GB
Storage media	eMMC
Built-in processor	Yes
Processor frequency	1200 MHz
Processor cores	4
Sound pressure level (printing)	56 dB
Sound pressure level (copying)	56 dB
Sound pressure level (standby)	14 dB
Sound power level (printing)	72 dB
Sound power level (standby)	32 dB
Design	
Product colour	Black, Grey
Market positioning	Business
Built-in display	Yes
Display diagonal	17.8 cm (7")
Control type	Touch
Colour display	Yes
Power	
Power consumption (max)	796 W
Power consumption (standby)	31 W
Power consumption (sleep)	1.7 W
Power consumption (off)	1.7 W
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz
System requirements	
Windows operating systems supported	Windows 10, Windows 11, Windows 8, Windows 8.1

Mac operating systems supported	Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019
Operational conditions	
Operating relative humidity (H-H)	8 - 80%
Operating temperature (T-T)	10 - 32 °C
Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT
Weight & dimensions	
Width	558.8 mm
Depth	578.4 mm
Height	739.1 mm
Weight	44.1 kg
Packaging data	
Package width	550 mm
Package depth	650 mm
Package height	565 mm
Package weight	28.9 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	10000 pages
Power cord included	Yes
Quick installation guide	Yes
Other features	
Safety sheet	Yes
Maximum scan area (ADF)	216 x 355 mm
Minimum scan area (ADF)	76 x 127 mm
Current rating	5.3 A
Documentation CD	Yes
Technical details	
Box contents	- AC Power Cord - Installation Guide - Product Information Flyer - Product Safety Sheet - Software Update Flyer - Software and Documentation CD - Black Print Cartridge - 10,000 page capacity

Matmenys ir svoris

Svoris

65,21kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)
- › [Saugos duomenų lapas](#)
- › [Atitikties deklaracija](#)
- › [Vaizdo įrašas 1](#) [objects.icecat.biz/objects/118720408_63259852.mp4](#)
- › [Vaizdo įrašas 2](#) [objects.icecat.biz/objects/118720408_63259865.mp4](#)
- › [Vaizdo įrašas 3](#) [objects.icecat.biz/objects/118720408_63259847.mp4](#)
- › [Vaizdo įrašas 4](#) [youtube.com/watch?v=rtf9rTN8UkE](#)
- › [Vaizdo įrašas 5](#) [youtube.com/watch?v=2eaHZyl8ZoQ](#)
- › [Vaizdo įrašas 6](#) [youtube.com/watch?v=uzqAiqxj7Vs](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Xerox

ATSAKINGAS ASMUO ES

Xerox

Lautruphøj 45660, 2750 Ballerup, DK

[xerox.com](#)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](#)

Saugos dokumentai

- › [Atitikties deklaracija](#)
- › [Saugos duomenų lapas](#)