

# iiyama T1531SAW-B5 POS monitor 38.1 cm (15") 1024 x 768 pixels Touchscreen

Gamintojas: **IIYAMA** · Modelis: **T1531SAW-B5** · EAN: **4948570115976** · Prekės kodas: **897843**



## 292,90 €

Kaina su PVM

Be PVM: **242,07 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Aprašymas

The ProLite T1531SAW-B5X uses highly accurate Surface Acoustic Wave Touch Technology (SAW) with a pure-glass scratch resistive front, offering superior image clarity and screen durability. The screen can be touched with a soft stylus, finger or gloved hand making it suitable for a number of applications, and the solid but flexible stand ensures resilience in the most demanding environments. Menu buttons are located on the side of the screen which can be locked to prevent tampering, and include a handy function to deactivate the touchscreen for cleaning. The iiyama ProLite T1531SAW-B5X touchscreen is ideal for a wide range of applications including Point of Sale, Kiosks, Hospitality and Entertainment, Control rooms, Education, Training and many others.

## Touch technology - Surface Acoustic Wave

Surface acoustic wave uses ultrasonic waves that pass over the panel. When the panel is touched, a portion of the wave is absorbed and a touch event is registered. Because the screen is covered with a glass layer this technology offers great picture performance (high contrast and colour accuracy). It is also scratch-resistant technology and therefore ideal for use in Public Places or Schools. Even if the screen is scratched, the touch function remains unaffected. Surface Acoustic Touch screens are activated with finger or a soft stylus touch.

## Techninė specifikacija

### Display

|                    |                       |
|--------------------|-----------------------|
| Display diagonal   | 38.1 cm (15")         |
| Display resolution | 1024 x 768 pixels     |
| Touchscreen        | Yes                   |
| Display brightness | 340 cd/m <sup>2</sup> |

|                           |                  |
|---------------------------|------------------|
| Pixel pitch               | 0.297 x 0.297 mm |
| Contrast ratio (typical)  | 700:1            |
| Response time             | 8 ms             |
| Viewing angle, horizontal | 170°             |
| Viewing angle, vertical   | 160°             |
| Native aspect ratio       | 4:3              |

### Features

|                                     |       |
|-------------------------------------|-------|
| Product colour                      | Black |
| Windows operating systems supported | Yes   |
| Linux operating systems supported   | Yes   |


### Certificates

|               |                                     |
|---------------|-------------------------------------|
| Certification | CB, CE, TÜV-Bauart, CU, cULus, VCCI |
|---------------|-------------------------------------|


### Matmenys ir svoris

|        |        |
|--------|--------|
| Svoris | 6,29kg |
|--------|--------|

## Energijos efektyvumas ir ekologinis projektavimas



- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)



## Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

## Gamintojo ir saugos informacija

### GAMINTOJAS

#### **iiyama International**

Wijkmeerstraat 8, 2131 HA Hoofddorp, NL

[iiyama.com](https://www.iiyama.com)

### PLATINTOJAS

#### **MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)