

Canon imageFORMULA DR-M160II ADF skeneris 600 x 600 DPI A4 Juoda, Pilka

Gamintojas: **CANON** · Modelis: **9725B003** · EAN: **4528472106274** · Prekės kodas: **898290**



585,89 €

Kaina su PVM

Be PVM: **484,21 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Skenerio tipas: ADF skeneris 600 x 600 DPI
- ✓ Spalvotas nuskaitymas Abipusis skanavimas
- ✓ A4
- ✓ Maksimalus skanavimo dydis: 279,4 x 431,8 mm Jutiklio tipas: CMOS
- ✓ USB prievadas
- ✓ Maitinimo tipas: AC 27 W



Aprašymas

Well suited for workgroups and departments in any industry, the DR-M160II scanner provides the basis for efficient records management and helps reduce paperwork. It delivers capture capabilities that make it an ideal addition, especially in the legal, financial, healthcare, and government sectors.

The strength of the DR-M160II scanner is seen in its throughput, capacity, and overall performance. Scanning up to 60 pages per minute - both sides in a single pass - and holding up to 60 sheets in the ADF, it quickly captures and converts paperbased documents into usable, digital information.

Exceptional Performance:

- Scans up to 60 pages per minute
- Single-pass duplex scanning

- Both sides of a sheet in one pass
- Up to 60 sheet ADF

Usable Design:

- Simple hardware and features designed with the user in mind:
- Dimensions (H x W x D): 9.09" x 11.02" x 9.76" (with trays closed)
- Weight: 7.05 lb.
- LED control panel
- One-touch access to pre-configured customizable scan tasks
- Easy interior access for cleaning and maintenance

Reliable Feeding:

- Double-feed & non-feed prevention
- Weight 7.05 lb.
- LED control panel
- One-touch access to pre-configured customizable
- Can handle embossed plastic cards
- Can handle thick or thin sheets
- Can handle long or oversized documents

High Quality Scanning:

- Character Emphasis improves legibility
- Shadow Cropping
- Background Smoothing
- Auto Resolution setting for scanning mixed batches of text documents and photographs
- Optical Character Recognition (OCR) to help create searchable and editable information

Bundled Software Solutions:

- Windows ISIS / TWAIN and Mac TWAIN drivers
- Industry standard interfaces for connecting software applications and scanners
- Eases integration with third-party capture or content management systems
- Device sharing between Windows and Mac users
- Canon CaptureOnTouch (Windows or Mac)
- Pre-configure repetitive scan jobs
- One-touch scanning
- Intuitive user interface
- Full Auto mode
- Automatically adjusts multiple settings with a single click
- Scan to cloud applications
- Microsoft SharePoint
- Evernote
- Google Docs
- PDF/A format output
- Canon CapturePerfect 3.1 (Windows)
- Kofax Virtual ReScan (VRS) Elite (Windows)
- Nuance eCopy PDF Office Pro (Windows)
- PDF encryption and password protection

Environment In Mind:

- Meets ENERGY STAR guidelines
- Eu RoHS compliant

- WEEE compliant

Customer Care:

- One year warranty included - Advanced Exchange Service
- Optional eCarePAK extended service available

Techninė specifikacija

Nuskaitymas	
Maksimalus skanavimo dydis	279,4 x 431,8 mm
Optinė nuskaitymo skiriamoji geba	600 x 600 DPI
Abipusis skanavimas	Taip
Spalvotas nuskaitymas	Taip
Išvesties spalvos gylis	24 bitai
Juostos skanavimas	Ne
Pilkosios skalės lygiai	8
ADF skanavimo sparta (nespalvotas, A4)	60 ppm
ADF skanavimo sparta (spalvotas, A4)	60 ppm
ADF skanavimo iš abiejų pusių sparta (nespalvota, A4)	120 ipm
ADF skanavimo iš abiejų pusių sparta (spalvota, A4)	120 ipm
Nespalvoto skanavimo režimas	Juoda ir balta, Monochromas
Konstrukcija	
Skenerio tipas	ADF skeneris
Produkto spalva	Juoda, Pilka
Veikimo charakteristikos	
Jutiklio tipas	CMOS
Šviesos šaltinis	RGB LED
Skanavimo tvarkyklės	ISIS, TWAIN
Įėjties talpa	
Automatinės dokumentų tiektuvo talpa	60 lapai
Popieriaus tiekimas	
Didžiausias ISO A serijos popieriaus dydis	A4
Ryšys	
USB prievadas	Taip
USB versija	2.0
Standartinės sąsajos	USB 2.0

Energijos valdymas

Maitinimo tipas	AC
Energijos suvartojimas	27 W
Energijos suvartojimas (PowerSave)	1,8 W

Svoris ir matmenys

Plotis	230,8 mm
Ilgis	248 mm
Aukštis	280 mm
Svoris	3,2 kg

Pakuotės turinys

Tvarkyklės įskaitytos	Taip
Siejama programinė įranga	Canon CaptureOnTouch CapturePerfect Nuance eCopyPDF Pro Office Kofax VRS AIPE

Tvarumas

Tvarumo sertifikatai	ENERGY STAR
----------------------	-------------

Sistemos reikalavimai

Palaikomos „Windows“ operacinės sistemos	Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Palaikomos MAC operacinės sistemos	Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks

Kitos savybės

Atitikties sertifikatai	RoHS
-------------------------	------

Logistikos duomenys

Darniosios sistemos (DS) kodas	84716070
--------------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	17,00cm × 28,00cm × 18,00cm
Svoris	4,72kg

Gamintojo ir saugos informacija

GAMINTOJAS

Canon

Shimomaruko 3-chome, Ohta-ku 30-2, 146-8501

Tokyo, JP

global.canon

ATSAKINGAS ASMUO ES

Canon Nederland N.V.

Brabantlaan 2, 5216 TV Hertogenbosch, NL

canon.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt