Axagon HMC-WL9 knyginių kompiuterių dokas / jungčių replikatorius Vielinis USB 3.2 Gen 2 (3.1 Gen 2) Type-C Pilka

Gamintojas: **AXAGON** · Modelis: **HMC-WL9** · EAN: **8595247908735** · Prekės kodas: **898703**



120,90 €

Kaina su PVM

Be PVM: **99,92 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Vielinis
- ✓ Priimančioji sąsaja: USB 3.2 Gen 2 (3.1 Gen 2) Type-C
- ✓ „USB Power Delivery“
- ✓ Ethernet LAN jungtis 10,100,1000 Mbit/ai
- ✓ „Plug and Play“ funkcija






















Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

The multi-port USB-C 10Gbps AXAGON HMC-WL9 WIRELESS CHARGING 9in1 hub expands your laptop, computer or phone with two video outputs, a LAN connector, USB ports and a wireless charger. You connect your laptop to the hub via a 60 cm long USB-C cable. This gives you immediate access to connectivity for two 4K monitors, four USB devices and an RJ-45 connector for a Gigabit Ethernet network. At the same time, you gain the option of powering your notebook using Power Delivery technology. Thanks to compatibility with Thunderbolt 3/4/5, the 9in1 docking station works with laptops such as the Apple MacBook Air or MacBook Pro.

Wireless charging for mobile phones with power up to 15 W is integrated directly into the body of the hub. Thanks to the magnetic mounting system, you only need to place your phone on the surface – it automatically aligns into the optimal position. Charging is therefore maximally efficient, safe and convenient. Naturally, it is compatible with the Qi1, Qi2 and MagSafe standards. To achieve maximum wireless charging performance, a 100 W PD charging adapter must be used.

The wireless charging technology is compatible with a wide range of devices, such as Apple iPhone, Samsung, Google Pixel, Xiaomi, Nothing Phone, as well as models from OnePlus, Huawei, Motorola and others. Thanks to the universal Qi standard, it is easy to charge older models with lower power output.

The USB hub with 4 USB ports offers high-speed connectivity – two USB-A and one USB-C with speeds up to 10 Gbps for fast data transfer, and one USB-A 480 Mbps ideal for a keyboard or mouse. Thanks to USB 3.2 Gen 2 interface, the hub's transfer rate is up to 10 Gb/s. The hub can also handle permanent connection of several external drives simultaneously.

The USB-C (PD) input is designed for a Power Delivery charger. This way, both the notebook and the dock are powered directly from a PD charger using Power Delivery 3.0 technology with power up to 100 W.

Two video outputs – HDMI and DisplayPort allows you to connect external monitors, TVs or projectors with up to 4K/60Hz Ultra HD resolution when two monitors are connected at the same time. Other resolutions are also supported, such as 2K/120Hz Quad HD or 1080p/240Hz Full HD and multichannel audio transmission trough HDMI. Thanks to HDR support, you can enjoy a significantly expanded range of colours and contrasts.

Gigabit network card extends your computer by a fast and stable network connection, adds the missing RJ-45 Ethernet connector or another network card.

The aluminum body not only looks great, but also provides mechanical durability and passive cooling. Thanks to the rubber pad on the base, the station stays firmly in place. USB-C hub is an ideal accessory for laptops without USB-A connectors and video output. Thanks to the Plug & Play and Hot Plug functions, connecting the hub is very simple without complicated installation, and peripherals can also be easily connected and disconnected while the computer is running.

For the proper function of the hub, the USB-C port of your notebook must support video output (DisplayPort Alternate Mode or Thunderbolt 3 and above) and Power Delivery power.

The hub can easily handle connection to phones and tablets with a USB-C connector. For example, you can connect a flash drive, keyboard, mouse, display, TV or projector to the phone.

Input (connection to a computer, tablet or phone):
• USB 10Gbps (USB 3.2 Gen 2), USB-C male connector.
• Compatible with USB 5Gbps, USB 20Gbps, USB 40Gbps, Thunderbolt 3/4/5.

Input (power supply):
• USB Power Delivery 3.0 – 100 W, USB-C female connector.
• Charging of the laptop from the power adapter via USB-C hub.
• PD power must be supported by the laptop (tablet, phone), the cable and the wall charger.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Wireless charging:
• Supports 5 W, 7.5 W, 10 W and 15 W wireless charging.
• Compatible with Qi1, Qi2 and Apple MagSafe technologies.
• Supports magnetic alignment for efficient charging.
• A 100 W PD charging adapter must be used to achieve maximum wireless charging performance.

Examples of compatible Qi1 and Qi2 wireless charging phones:
• Apple iPhone: Compatible with iPhone 8 to 17 models, including the X, 11, 12, 13, 14, 15, 16 and 17 series, and all mini, Plus, Air, Pro and Pro Max variants.
• Samsung Galaxy: Compatible with Samsung Galaxy S8 to S25 models, including the S, S+, S Ultra, Z Flip (Flip3–Flip6) and Z Fold (Fold3–Fold6) series.
• Google Pixel: Compatible with Google Pixel 4 to 10 models, including the Pixel 4 XL, 6 Pro, 7 Pro, 8 Pro, 9 Pro, 10 Pro and Pixel Fold.
• Note: To achieve the highest charging speed, the phone needs to be properly centred. Thanks to the magnetic ring in the device or its case, the smartphone easily aligns itself into the optimal position.

USB outputs:
• 1× USB 480Mbps port, USB-A female connector.
• 2× USB 10Gbps port, USB-A female connector.
• 1× USB 10Gbps port, USB-C female connector.
• USB-C hub can handle the connection of several external drives at the same time.
• Charging of mobile devices (including iPad) from the hub's USB-A and USB-C ports.

Video output:
• 1× DP port, DP female connector.
• 1× HDMI port, HDMI A female connector.

Maximum supported resolution:
• 1 monitor (DP) – up to 8K/30Hz Ultra HD, 4K/60Hz Ultra HD, 2K/120Hz Quad HD, 1080p/240Hz Full HD.
• 1 monitor (HDMI) – up to 4K/60Hz Ultra HD, 2K/120Hz Quad HD, 1080p/240Hz Full HD.
• 2 monitors (DP + HDMI) – up to 4K/60Hz Ultra HD, 2K/120Hz Quad HD, 1080p/240Hz Full HD.

Video features:
• For Apple devices running macOS, the maximum refresh rate is usually limited to 60 Hz.
• To achieve maximum resolution and frequency values on video outputs, the hub must be plugged into a USB-C port supporting DisplayPort Alternate Mode (DP Alt Mode) version min. 1.4 or a USB-C port supporting min. Thunderbolt 3. A suitable updated OS and up-to-date graphics drivers are also required.
• HDR support (High dynamic range, 10-bit support) - realistic reproduction of light and dark details.
• HPD (Hot-Plug-Detect) support.
• TMDS (Transition Minimized Differential Signalling) support.
• HDCP 1.4 and 2.3 (High-bandwidth Digital Content Protection) full support.
• HDMI support for 8-channel LPCM audio, compressed audio (AC-3, DTS) and HBR audio formats.
• HDMI support for sampling rates up to 192 kHz and up to 24-bit audio – depends on the source and destination device, i.e., notebook/phone and TV/monitor/AV receiver.

RJ-45 output:
• Gigabit Ethernet interface with RJ-45 connector for UTP or STP cable connection.
• Supported transmission rates for the Ethernet interface 10/100/1000 Mb/s.
• Supported IEEE 802.3i 10Base-T, IEEE 802.3u 100Base-TX, IEEE 802.3ab 1000Base-T specifications.
• 10/100/1000 Mb/s auto-detection.

Other features:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

• Possibility to connect your device while running thanks to the Hot Plug support.
• Full Plug and Play support.
• Standby mode support.
• Power supply via USB bus – USB bus power.
• Power supply via PD charger (not included).
• The LED indicates the connection of the dock to the computer with a steady glow.
• High quality shielded cable ensures fast communication speed and minimal unwanted interference.
• Dimensions: 84 × 84 × 140 mm (W × D × H).
• Weight: 440 g (without cable).
• USB-C – USB-C cable length 60 cm for connecting the dock to a laptop.

Supported operating systems:
• Windows 10 / 11, macOS, Linux, iPadOS, iOS, Chrome OS and Android.
• Compatibility depends on the operating system and device manufacturer support.
• DisplayPort Alternate Mode (DP Alt Mode) is only supported in updated OS and also depends on support from device (laptop, tablet, phone).
• Graphics card drivers may also affect the correct operation of the product. We recommend downloading the latest version of drivers.

Package contains:
• USB-C docking station,
• cable USB-C – USB-C length 60 cm,
• multilingual manual CZ / DE / DK / ENG / ESP / EST / FIN / FR / GR / HR / HU / IT / LT / LV / NL / NOR / PL / PT / RO / SK / SLO / SRB / SWE / TR / UA / ALB / BG / BOS / CN / ARA,
• packed in a cardboard box.

Techninė specifikacija

Ryšys	
Ryšio technologija	Vielinis
Priimančioji sąsaja	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 2.0 portų kiekis	1
HDMI portų kiekis	1
Mikrofonas, line-in jack	Ne
USB 3.2 2 kart. (3.1 2 kart.) A tipo prievadų skaičius	2
USB 3.2 2 kart. (3.1 2 kart.) C tipo prievadų skaičius	2
„USB Power Delivery“	Taip
USB maitinimo šaltinio peržiūra	3.0
USB maitinimo tiekimas iki	100 W
HDMI versija	2.0
„DisplayPort“ kiekis	1
„DisplayPort“ versija	1.4
Jungtinis ausinių / mikrofono prievadas	Ne
HDCP	Taip
HDCP versija	1.4/2.3

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

„USB Type C DisplayPort Alternate Mode“	Taip
Tinklas	
Ethernet LAN jungtis	Taip
Ethernet LAN (RJ-45) portų kiekis	1
Eterneto LAN duomenų perdavimo norma	10,100,1000 Mbit/ai
Veikimo charakteristikos	
Produkto spalva	Pilka
Integruotas kortelių skaitytuvas	Ne
Duomenų perdavimo sparta	10 Gbit/s
HD tipas	8K Ultra HD
Maksimalus atnaujinimo dažnis	240 Hz
Hot-Plug palaikymas	Taip
Palaikoma HDR	Taip
On/off mygtukas	Ne
Lizdo sąsajos	DisplayPort, HDMI, RJ-45, USB 2.0, USB 3.1 (3.1 Gen 2) Type-C, USB 3.2 Gen 2 (3.1 Gen 2) Type-A
LED indikatoriai	Taip
„Plug and Play“ funkcija	Taip
Įkrovimo funkcija	Taip
Guminės kojos	Taip
Korpuso medžiaga	Aliuminis
Kilmės šalis	Kinija
Modelio suderinamumas	Universalus
Suderinamumas	universal
Sertifikavimas	CE, RoHS
Garsas	
Įmontuoti garsiakalbiai	Ne
Įmontuotas mikrofonas	Ne
Aušinimas	
Įmontuotas ventiliatorius	Ne
Energijos valdymas	
Maitinimo šaltinio tipas	USB
Maitinimo jungtis	C tipo USB
USB kabelio ilgis	0,6 m
Belaidis įkrovimas	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Belaidžio įkrovimo galia	15 W
Programinė įranga	
Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos MAC operacinės sistemos	Taip
Palaikoma operacinė sistema „Linux“	Taip
Palaikomos serverio valdymo sistemos	Taip
Palaikomos mobiliosios operacinės sistemos	Taip
Kitos palaikomos operacinės sistemos	Taip
Svoris ir matmenys	
Plotis	84 mm
Ilgis	84 mm
Aukštis	140 mm
Svoris	440 g
Pakuotės duomenys	
Kiekis pakuotėje	1 vnt
Pakuotės plotis	133 mm
Pakuotės gylis	100 mm
Pakuotės aukštis	207 mm
Paketo svoris	815 g
Pakuotės turinys	
Pridėti kabeliai	Iš C tipo USB į C tipo USB
Instrukcija	Taip
Techninė informacija	
Garantinis laikotarpis	3 metai
Atitikties sertifikatai	CE, RoHS
Matmenys ir svoris	
Matmenys (I × P × A)	21,00cm × 13,00cm × 10,00cm
Svoris	0,82kg

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.