

NETGEAR GS108EP Valdomas L2/L3 Gigabit Ethernet (10/100/1000) Maitinimas per Eternetą (PoE) 1U Pilka

Gamintojas: **NETGEAR** · Modelis: **GS108EP-100EUS** · EAN: **606449174632** · Prekės kodas: **899081**



91,90 €

Kaina su PVM

Be PVM: **75,95 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Valdomas L2/L3
- ✓ Paslaugos kokybės (QoS) palaikymas
- ✓ Pagrindinių perjungimo RJ-45 eterneto prievadų skaičius: 8
- ✓ Adreso lentelės dydis: 4000 įrašai
- ✓ 1U
- ✓ AC/DC Maitinimas per Eternetą (PoE)



Aprašymas

More Capabilities beyond Plug-and-play Connectivity

Today's growing businesses are both placing more demands on and relying more on their network. Companies are putting more applications and demands on their Ethernet Infrastructure. Using VoIP phones and IP cameras require more than simple plug-and-play connectivity. Additionally, Internet-based applications such as Hotmail and Google Calendaring have made keeping the network up a business-critical need. However, companies do not necessarily have more money or advanced training to deal with complex managed switches. NETGEAR's new ProSafe Plus Switches meet this growing need by providing easy to use visibility and limited configuration capabilities. To provide more insight into the network behavior, ProSafe Plus Switches offer traffic monitoring for users to observe traffic behavior. Additionally, if there are connectivity issues, these switches offer a cable diagnostic test capability that can identify and even locate problems in the cables. To optimize traffic through the switches, ProSafe Plus Switches offer both port and tag-based prioritization to keep latency-sensitive traffic moving ahead of less critical packets. Also, as a means of improving security or managing collision domains, ProSafe Smart Switches offer VLAN technology. ProSafe Plus Switches offering these monitoring and configuration capabilities at a slight cost premium over unmanaged switches, delivering great value to the end user.

Additionally, furthering NETGEAR's support of the environment, ProSafe Plus Switches have power-saving Green Ethernet technology. The GS108E switch comes in a sturdy metal case with a fan-less design for silent operation.

NETGEAR Green

- Up to 60% lower power consumption than the non-Green version;
- Auto power-down and cable-length detection for energy savings;
- Packaging manufactured with at least 80% recycled materials.

Techninė specifikacija

Management features	
Switch type	Managed
Switch layer	L2/L3
Quality of Service (QoS) support	Yes
Ports & interfaces	
Basic switching RJ-45 Ethernet ports quantity	8
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Network	
Networking standards	IEEE 802.1Q, IEEE 802.1p, IEEE 802.3az
Port mirroring	Yes
Flow control support	Yes
Rate limiting	Yes
VLAN support	Yes
Virtual LAN features	Port-based VLAN
Number of VLANs	64
Port trunking	Yes
Data transmission	
MAC address table	4000 entries
Supported data transfer rates	10/100/1000 Mbps
Jumbo frames support	Yes

Jumbo frames	9216
Packet buffer memory	1.5 MB
Security	
DHCP features	DHCP client
IGMP snooping	Yes
Password protection	Yes
Queue scheduling algorithms	Priority queuing (PQ), Strict Priority Queue (SPQ), Weighted Round Robin (WRR)
Multicast features	
Number of multicast groups filtered	128
Design	
Product colour	Grey
Housing material	Metal
LED indicators	Activity, Link, PoE, Power, Speed, System
Performance	
Mean time between failures (MTBF)	859126 h
Power	
Power source	AC/DC
Power over Ethernet (PoE)	
Power over Ethernet (PoE)	No
Power over Ethernet plus (PoE+) ports quantity	8
Total Power over Ethernet (PoE) budget	62 W
Other features	
Connectivity technology	Wired
Bandwidth	16 Gbit/s
Power requirements	100 - 240 VAC
Networking features	Ethernet, Fast Ethernet, Gigabit Ethernet
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	0 - 90%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	0 - 3000 m
Weight & dimensions	
Weight	522 g

Certificates

Compliance certificates	BSMI, CE, Federal Communications Commission (FCC), KC, VCCI
Certification	CE, EN, FCC, VCCI

Matmenys ir svoris

Matmenys (I × P × A)	29,00cm × 22,00cm × 6,00cm
Svoris	1,09kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

NETGEAR

ATSAKINGAS ASMUO ES

NETGEAR Deutschland GmbH

Konrad-Zuse-Platz 1, 81829 München, DE
[netgear.com](https://www.netgear.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt