QNAP TS-253E NAS Tower „Intel® Celeron®“ J6412 8 GB 0 TB QNAP QTS Juoda

Gamintojas: **QNAP** · Modelis: **TS-253E-8G** · EAN: **4711103082171** · Prekės kodas: **899101**



657,90 €

Kaina su PVM

Be PVM: **543,72 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Smulkusis ir vidutinis verslas NAS Tower Juoda
- ✓ QNAP QTS 5,0,1
- ✓ Palaikomų saugojimo tvarkyklių skaičius: 2 HDD & SSD M.2, „Serial ATA III“
- ✓ „Intel® Celeron®“ J6412 2 GHz Intel® UHD Graphics
- ✓ 8
- ✓ Ethernet LAN jungtis DHCP serveris Jumbo Frames palaikymas iSCSI palaikymas Wake-on-LAN pasirengimas
- ✓ Aušinimo tipas: Aktyvus
- ✓ Atsarginio atkūrimo funkcijos: „Cloud“, USB atmintukas, iSCSI LUN








Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Aprašymas

TS-253E
Dual 2.5GbE, 8GB RAM, and long-term availability

The TS-253E features 2.5GbE connectivity, 8GB RAM, and M.2 slots for NVMe SSD caching to deliver high performance for applications such as surveillance systems, virtual machines, file servers or backup servers. Dual HDMI outputs also provide direct multimedia playback and robust surveillance monitoring. QNAP will provide long-term availability and support for the TS-253E, providing a great choice for businesses requiring matching NAS models deployed in multiple locations.

Intel quad-core processor burst up to 2.6 GHz with AES-NI encryption

Processor
Intel® Celeron® J6412 quad-core processor (burst up to 2.6GHz)

RAM
Onboard 8GB (non-expandable)

Encryption

The Intel® AES-NI encryption engine boosts encryption performance while maintaining the confidentiality of NAS data.

USB ports
• 2 x USB 3.2 Gen2
• 2 x USB 2.0

Long-term availability

The TS-253E is powered by an Intel® Celeron® J6412 processor and will be available and supported for an extended period. This long-term availability makes the TS-253E an ideal choice for MSP, SI, and other IT-related businesses requiring matching NAS models for long-term projects.

24/7 surveillance solution for stores and branch offices

The TS-253E is a one-stop surveillance solution for centrally recording/managing multiple cameras and surveillance servers based in your offices, stores, and other working spaces.

Record/monitor your environment

QVR Elite is QNAP’s subscription-based smart surveillance solution, allowing you to easily build a surveillance system with lower TCO and higher scalability. Recordings are saved as MP4 files, allowing playback on nearly every device. QVR Elite also integrates QNAP AI-based solutions to build smart facial recognition for retail and door access systems with QNAP NAS. You can arrange a dedicated, independent storage space for surveillance data on the TS-253E and enjoy simplified camera management, storage space allocation, camera live viewing and playback.

Centrally manage up to 32 surveillance servers

If your business requires simultaneously managing multiple recording servers, then install QVR Center on the TS-253E. With QVR Center you can manage up to 32 surveillance servers and 10,000+ cameras with an easy-to-use interface.

Faster image identification with integrated Intel® OpenVINO™ AI engine.
With integrated Intel® OpenVINO™ AI computing resources, the TS-253E accelerates AI image recognition performance without impacting other applications or services. QNAP AI Core primarily works with the QuMagie application.

Transform your network with a wallet-friendly 2.5GbE switch

Upgrading your network shouldn’t break the bank, and 2.5GbE connectivity provides immediately noticeable improvements compared to standard 1GbE. QNAP offers 2.5GbE switches that supports Multi-Gigabit NBASE-T™ and allows you to use existing CAT5e cables to connect multiple computers and NAS, assisting organizations in implementing high-speed, secure and scalable network environments without going over budget.

Dual 4K HDMI outputs for surveillance monitoring or multimedia display

The TS-253E supports hardware decoding and real-time transcoding*. The dual HDMI outputs support up to 4K (3840 x 2160p) @30Hz, providing great benefits for applications like surveillance, video production/editing, industrial design and professional photography that demand on-image resolution and color realism as well as intensive media storage, transfer and display.

Comprehensive backup and disaster recovery solution

The TS-253E supports various apps that cover all your backup needs. Practice safe IT habits by regularly backing up files and device content, allowing them to be easily restored when needed.

PC/Laptop backup

For Windows®, install NetBak Replicator to back up your PC to QNAP NAS. In macOS®, just set up the built-in Time Machine® to secure your data.

Remote backup for NAS

Hybrid Backup Sync makes it easy to back up data from a TS-253E to another QNAP NAS or remote server to fulfill your 3-2-1 backup strategy.

VM backup

Enjoy license-free VMware® and Hyper-V VM backup with source-side incremental backup, global deduplication, and recovery compression.

SaaS backup

Safeguard enterprise cloud data by backing up/syncing files, emails, calendars, and contacts from Google™ Workspace and Microsoft® Office 365® to the NAS.

Cloud backup for NAS

Hybrid Backup Sync supports mainstream cloud storage for NAS data backup. For backup to object cloud storage, VJBOD Cloud is especially useful to reduce bandwidth usage and backup time.

QuDedup technology

Hybrid Backup Sync eliminates redundant data at the source and then backs up the deduplicated data, helping to save time and storage costs while providing efficient multi-version backups.

WordPress backup

Enjoy efficient WordPress backup/restore and site migration by leveraging the user-friendly Multi-Application Recovery Service (MARS), and easily batch backup WordPress files and database to the TS-253E with backup scheduling.

Multi-version snapshots mitigate ransomware threats

The TS-253E supports block-based snapshots that record the state of the system at any time. It helps protect data, which can be restored back to a specific point of time, greatly helping in mitigating the threat of ransomware.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Volume and LUN snapshots

Take snapshots in seconds and revert the entire volume/LUN back to a specific point in time to prevent loss of important data.

Instantly restore snapshots

Snapshot content can be quickly restored to a local NAS, or restored on a folder/file basis to a local/remote NAS or cloud storage. You can also conveniently view and restore snapshots from the client side.

Back up snapshots

Multiply data protection by backing up snapshot files! Replicate volume/LUN snapshots in the TS-253E to a remote NAS (Snapshot Replica) by copying only the changes made. This helps save time & bandwidth, and can be run manually or on a scheduled basis.

All-in-one solution for hosting virtual machines and containers

By running multiple virtual machines and containers on the TS-253E, you can deploy multi-tenant environments and applications to increase management efficiency and save hardware costs. Coupled with the Network & Virtual Switch app that boosts interoperability between virtual machines, containers, QNAP NAS, and other physical devices on the network, you can flexibly allocate physical and virtual network resources to simplify network deployment.

Virtualization Station

Run multiple Windows®, Linux®, UNIX®, Android™, and QuTScloud virtual machines and access them via a web browser or Virtual Network Computing (VNC). Businesses can run virtualized server applications on a single NAS without needing additional physical servers.

Conainer Station

Experience Docker®, LXD, and Kata Containers lightweight virtualization technologies, download apps from the built-in Docker Hub Registry®, import/export containers, and create abundant microservices.

Linux Station

Run Linux® applications (including apps from the Software Center) directly on the NAS and remotely access the Linux® desktop from a web browser. The open-source Linux® platform is also ideal for Internet of Things development.

Comprehensive security and privilege settings

The TS-253E is loaded with flexible privilege settings and security measures. Besides IP blocking, 2-step verification, HTTPS connection, there are more apps that help ensure optimal NAS protection against threats like malware and hackers.

myQNAPcloud secures remote access

myQNAPcloud allows convenient connection to the TS-253E through the Internet without any complex DDNS settings. To ensure your remote access service is secure, myQNAPcloud strengthens keys on SSL Certificates to 2048-bits.

Simplified privilege settings

The TS-253E supports comprehensive access right settings for shared folders, Azure Active Directory Domain Services (Azure AD DS), LDAP, and Windows ACL to help IT staff efficiently manage user accounts and access rights for multiple NAS systems.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

QuFirewall protection

Supports IPv6, firewall access lists, and GeoIP filtering to restrict access based on geographical locations for higher NAS network security.

Superior security with QVPN

A virtual private network (VPN) allows secure access to network resources and services across public networks. QVPN supports creating a VPN client, using the TS-253E as a VPN server, and WireGuard® VPN service with an easy-to-use interface for setting up a secure connection.

QuWAN SD-WAN

To facilitate digital transformation, multi-site expansion and remote working, QuWAN SD-WAN helps automatically mesh multi-site VPN. It features IPsec encryption and cloud-centric management, allowing secure multi-site network including QNAP NAS and VMware ESXi platforms.

Security Counselor

A security portal for the TS-253E to check for weaknesses and offer recommendations for enhancing NAS security. It also integrates anti-virus and anti-malware scanning software.

Malware Remover

Regularly scan your TS-253E using the latest malware definitions. If infected files are detected, they will be immediately removed to ensure NAS data security.

TeamViewer remote access

TeamViewer app enables remote management and connectivity to multiple NAS devices from Windows® PCs with an unparalleled level of safety, while increasing IT efficiency and end user productivity.

The best file storage and collaboration center

The TS-253E integrates rich apps for storing, managing, synchronizing, searching, and archiving files. It supports SMB/CIFS, AFP, and NFS protocols for streamlined file sharing across Windows®, Mac®, and Linux®/UNIX®, and provides the smartest NAS solution for professionally managing your files.

File Station

Manage, access, and share all the files in the TS-253E and view snapshots files – all from your web browser. You can also easily mount remote NAS folders and cloud storage.

Qsync

Make any file uploaded to a TS-253E available to linked devices, such as computers, laptops and mobile devices. You can sync shared folders and team folders for group file sharing to enhance the flexibility of team projects and collaboration.

Qsirch

QNAP’s powerful, Google-like search tool helps you quickly find images, music, videos, documents, and emails by keywords, color, and more search conditions. It also supports Qfiling to perform one-time or automatic archival tasks based on your search criteria.

Qfiling

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Automate your file organization – all you need to do is categorize files, set a schedule, and Qfiling will do the rest. Qfiling also enables smart recycling that instantly moves filtered files to the Recycle Bin.

Flexible and economical storage expansion

QNAP provides easy ways to expand your storage capacity. Here are several ways to expand your TS-253E storage as needed to accommodate data and business growth.

Attach QNAP expansion enclosures

Connect expansion enclosures to the TS-253E, and manage NAS storage expansion with the user-friendly Storage & Snapshots Manager app.

Mount cloud storage or remote file servers

Mount cloud storage or remote file servers to expand the capacity of the TS-253E while also centrally managing files on the NAS, cloud storage, and remote devices.

Migrate to a new NAS

Install your NAS hard drives into a larger QNAP NAS and retain all your existing data and configurations.

Upgrade RAID capacity

Hot-swap lower-capacity drives with larger-capacity drives to expand your NAS capacity so it can grow with your business.

A health check for your hard drives

Hard drives are at the heart of your NAS, and ensuring their long-term health and reliability is absolutely crucial. QNAP provides various methods and tools to help you monitor hard drive health, ensuring that you can take proactive decisions to safeguard your data and files.

S.M.A.R.T. and back block scanning

If any of the S.M.A.R.T. values are reported as abnormal, or bad blocks are detected, you can take early action and replace drives before potential data loss occurs.

DA Drive Analyzer

The DA Drive Analyzer leverages ULINK cloud-based AI to predict the expected lifespan of drives, assisting you in planning future drive replacements to protect against NAS downtime and data loss.

Seagate® IronWolf™ Health Management

When using supported IronWolf™ or IronWolf Pro™ hard drives, overall system reliability is improved by providing you with actionable prevention, intervention, and recovery options.

Techninė specifikacija

Laikmenos	
Įrengti saugojimo kaupikliai	Ne
Bendras įrengtos saugyklos pajėgumas	0 TB

Įrengtų saugojimo tvarkyklių skaičius	0
Palaikomų saugojimo tvarkyklių skaičius	2
Įdiegtas kaupiklio tipas	Ne
Palaikomi saugojimo kaupiklių tipai	HDD & SSD
RAID palaikymas	Taip
Palaikomi saugojimo kaupiklių sąsajos	M.2, „Serial ATA III“
Palaikomi saugojimo kaupiklio dydžiai	2.5,3.5,M.2
M.2 (M ir B) angų skaičius	2
RAID lygiai	0, 1, JBOD
Tisioginė RAID migracija	Taip
Tiesioginė RAID plėtra	Taip
RAID atkūrimas	Taip
Neišjungus pakeičiami diskų skyreliai	Taip
Palikomų failų sistemos	FAT32, HFS+, NTFS, exFAT, ext3, ext4
Disko tarptinklinis ryšys	Taip

Procesorius

Procesoriaus šeima	„Intel® Celeron®“
Procesoriaus gamintojas	Intel
Procesoriaus modelis	J6412
Procesoriaus dažnis	2 GHz
Procesoriaus padidintas dažnis	2,6 GHz
Procesoriaus branduoliai	4
Temų skaičius	4
Procesoriaus podėlis	1,5 MB
Integruoto grafikos adapterio modelis	Intel® UHD Graphics

Atmintis

Vidinė atmintis	8 GB
Maksimali palaikoma RAM atmintis	8 GB
Flash atmintis	4000 MB

Tinklas

Ethernet LAN jungtis	Taip
Eterneto LAN duomenų perdavimo norma	10,100,1000,2500 Mbit/ai
DHCP serveris	Taip
Jumbo Frames palaikymas	Taip
iSCSI palaikymas	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Wake-on-LAN pasirengimas	Taip
Dinaminis DNS (DDNS)	Taip
Ryšys	
Ethernet LAN (RJ-45) portų kiekis	2
USB prievadas	Taip
USB 2.0 portų kiekis	2
USB 3.2 2 kart. (3.1 2 kart.) A tipo prievadų skaičius	2
HDMI portų kiekis	2
HDMI versija	1.4b
Konkurentinės jungtys	1500
Konstrukcija	
Bloko tipas	Tower
Aušinimo tipas	Aktyvus
Produkto spalva	Juoda
Ventiliatorių skaičius	1 ventiliatorius(iai / ių)
Ventiliatoriaus skersmuo	7 cm
Disko skyriaus užfiksavimas	Taip
LED indikatoriai	HDD, LAN, Energija, Būsena, USB
Kabelio spynos lizdas	Taip
Laido spynos lizdo tipas	Kensington
Veikimo charakteristikos	
Tipas	NAS
Įrenginio klasė	Smulkusis ir vidutinis verslas
Atsarginio atkūrimo funkcija	Taip
Atsarginio atkūrimo funkcijos	„Cloud“, USB atmintukas, iSCSI LUN
Zumeris	Taip
Kalbų palaikymas	Taip
Momentinė nuotrauka	Taip
Valdymo protokolai	SNMP V2/V3
Bendrinamo katalogo prieigos teisių valdymas	Taip
Apsaugos algoritmų palaikymas	FIPS 140-2, HTTPS, SNMPv2, SNMPv3, SSH
Prieigos kontrolės sąrašas (ACL)	Taip
Atstatymo mygtukas	Taip
On/off mygtukas	Taip
Įmontuotas FTP serveris	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Palaikoma naršyklė	Apple Safari, Google Chrome, Microsoft Edge, Mozilla Firefox
Sistemos žurnalas	Taip
Greito automatinio rezervo įjungimo įrenginys	Taip
Slaptažodžio nustatymas	Taip
Diskų nuskaitymas	Taip
S.M.A.R.T. palaikymas	Taip
Bendrinamas katalogas	512
Atsarginio atkūrimo mygtukas	Taip
USB kopijavimo funkcija	Taip

Programinė įranga

Numatyta operacinė sistema	QNAP QTS
Operacinės sistemos versija	5,0,1
Palaikomos „Windows“ operacinės sistemos	Windows 10, Windows 11, Windows 7, Windows 8
Palaikoma operacinė sistema „Linux“	Ubuntu 14.04
Palaikomos MAC operacinės sistemos	Taip
Palaikomos serverio valdymo sistemos	Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019

Energijos valdymas

Maitinimo šaltinio vieta	Išorinis
Maitinimo šaltinių skaičius	1
Energijos suvartojimas	24,238 W
Energijos suvartojimas (sleep mode)	20,943 W
AC įėjimo įtampa	100 - 240 V
Ventiliatoriaus įtampa	12 V

Svoris ir matmenys

Plotis	102 mm
Ilgis	220,5 mm
Aukštis	169,2 mm
Svoris	1,28 kg
Pakuotės plotis	275 mm
Pakuotės gylis	205 mm
Pakuotės aukštis	240 mm
Paketo svoris	2,57 kg

Pakuotės turinys

Išorinio maitinimo adapteris	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Pridėti kabeliai	AC, LAN (RJ-45)
Maitinimo laidų skaičius	1
Varžtų skaičius	16
Pridedamas laikmenų dėklo raktas	Taip
Pakuotės tipas	„Box“
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Darbo santykinės drėgmės diapazonas	5 - 95%
Sandėliavimo temperatūros norma (T-T)	-20 - 70 °C
Kitos savybės	
Garantinis laikotarpis	3 metai
Matmenys ir svoris	
Matmenys (I × P × A)	27,00cm × 24,00cm × 20,00cm
Svoris	2,56kg

Dokumentai ir vaizdo įrašai

- Naudojimo instrukcija
- Greitos pradžios vadovas
- Gaminio lankstinukas
- Vaizdo įrašas youtube.com/watch?v=B7A-QL1GvtU

Gamintojo ir saugos informacija

GAMINTOJAS

QNAP Systems
Zhongxing Rd., Xizhi Dist. No. 22, 221 New Taipei City, TW
qnap.com

ATSAKINGAS ASMUO ES

QNAP GmbH
Karl-Arnold-Straße 26, 47877 Willich, DE
qnap.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt