

KYOCERA ECOSYS PA2600cwx/Plus Colour 1200 x 1200 DPI A4 Wi-Fi

Gamintojas: **KYOCERA** · Modelis: **870B6110C0G3NL1** · EAN: **632983938065** · Prekės kodas: **899721**



684,90 €

Kaina su PVM

Be PVM: **566,03 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Up to 27 ppm B&W and Color printer
- ✓ Delivers high-resolution 1200x1200 dpi prints with sharp, vibrant colors
- ✓ Connects to Kyocera Cloud Access (KCA) for efficient workflows
- ✓ 2.7" color touch screen control panel
- ✓ Designed for easy set-up, enabling quick start-up



Aprašymas

The ECOSYS PA2600cwx prints high-resolution pages at 27 ppm, ensuring quality and efficiency.

ECOSYS makes your office more sustainable and efficient

Kyocera solutions always work with the environment in mind, but the ECOSYS range do this more than any other product on the market.

Printing solutions to make a business run smoothly

With the introduction of a Kyocera printer, printing can become reliable, quick, and low cost.

Powerful, reliable, and economical

For a printer that can be trusted to produce the goods whenever required.

ECOSYS: The sustainable solution

Unique to Kyocera, ECOSYS provides long-lasting and environmentally friendly MFPs and printers at an economical cost.

Techninė specifikacija

Printing	
Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	26 ppm
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	26 ppm
Warm-up time	29 s
Time to first page (black, normal)	9.5 s
Time to first page (colour, normal)	10.5 s
Economical printing	Yes
Features	
Maximum duty cycle	65000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PCL 5c, PCL 6, PCL XL, PDF 1.7, PostScript 3, TIFF, XPS
Recommended duty cycle	900 - 1500 pages per month
Printer fonts	PCL
Replacement cartridges	TK-5450K TK-5450Y TK-5450M TK-5450C

Input & output capacity

Total number of input trays	2
Total input capacity	300 sheets
Total output capacity	150 sheets
Paper tray 1 input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	550 sheets
Maximum output capacity	150 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Envelopes, Glossy paper, Labels, Plain paper, Pre-printed, Recycled paper, Semi-glossy paper, Thicker paper, Thin paper, Transparencies
ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 356 mm
Envelopes sizes	DL
Custom media width	70 - 216 mm
Custom media length	148 - 356 mm
Paper tray media weight	60 - 163 g/m ²
Multi-Purpose Tray media weight	60 - 220 g/m ²
Duplex media weight	60 - 163 g/m ²

Ports & interfaces

Direct printing	Yes
USB port	Yes

Network

Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Near Field Communication (NFC)	No
Bluetooth	No
Security algorithms	HTTPS, IPPS, IPSec, SNMPv3, TLS
Mobile printing technologies	Apple AirPrint, Chromebook Native Print, Kyocera Mobile Print, Mopria Print Service

Performance

Internal memory	1000 MB
Maximum internal memory	1000 MB
Card reader integrated	Yes
Compatible memory cards	SD, SDHC
Built-in processor	Yes
Processor family	ARM Cortex
Processor model	A53
Processor frequency	1000 MHz
Sound pressure level (printing)	49 dB
Sound pressure level (quiet mode)	44 dB
Sound power level (standby)	30 dB

Design

Market positioning	Home & office
Product colour	Black, White
Built-in display	Yes
Display	LCD
Colour display	Yes
Display diagonal	6.86 cm (2.7")
Control type	Touch

Power

Power consumption (printing)	380 W
Power consumption (max)	999 W
Power consumption (ready)	33 W
Power consumption (PowerSave)	0.3 W
Power consumption (off)	0.1 W
AC input voltage	120 V
AC input frequency	60 Hz

System requirements

Windows operating systems supported	Yes
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma

Sustainability

Sustainability certificates

Blue Angel, ENERGY STAR, EPEAT

Weight & dimensions

Width	410 mm
Depth	410 mm
Height	329 mm
Weight	21 kg

Packaging data

Package width	596 mm
Package depth	571 mm
Package height	459 mm
Package weight	28 kg

Packaging content

Cartridge(s) included	Yes
Included cartridge capacity (black)	1500 pages
Included cartridge capacity (CMY)	1500 pages
Cables included	AC
Quick installation guide	Yes

Matmenys ir svoris

Svoris	24,60kg
--------	---------

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Kyocera Group Global Network

Takeda Tobadono-cho, Fushimi-ku 6 T, 612-8501
Kyoto, JP
global.kyocera.com

ATSAKINGAS ASMUO ES

KYOCERA Document Solutions Nederland

B.V.
Beechavenue 25, 1119 RA Schiphol-Rijk, NL
kyoceradocumentsolutions.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt