

KYOCERA FS -1325MFP Laser A4 1800 x 600 DPI 25 ppm

Gamintojas: **KYOCERA** · Modelis: **1102M73NLO** · EAN: **632983029619** · Prekės kodas: **899810**



474,90 €

Kaina su PVM

Be PVM: **392,48 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Home & office Laser Mono printing
- ✓ 1800 x 600 DPI
- ✓ Printing colours: Black
- ✓ A4 25 ppm
- ✓ Mono copying Colour scanning Mono faxing
- ✓ USB port Ethernet LAN
- ✓ Internal memory: 64 MB ARM 390 MHz
- ✓ 10.1 kg



Aprašymas

- Up to 25 pages per minute in A4
- 250-sheet universal cassette
- Print, copy, scan and fax functionality as standard
- Automatic duplex print capability

- USB and network connectivity as standard
- Very compact size and small footprint
- Highly reliable thanks to long-life components
- High toner yield and exceptionally low printing costs

Duplex printing, network connectivity and fax features allow the KYOCERA FS-1325MFP to meet the demands of small offices and workgroups. With print speeds of 25 ppm in B/W and toner yields of 2100 pages this multifunctional easily scales up to handle bigger workloads. Its long life components significantly reduce running costs and environmental impact.

Note: The FS-1325MFP is only available in EU countries

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Mono printing
Duplex printing	Yes
Maximum resolution	1800 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	25 ppm
Duplex printing mode	Auto
Warm-up time	28 s
Time to first page (black, normal)	7.5 s
Copying	
Copying	Mono copying
Maximum copy resolution	600 x 600 DPI
Time to first copy (black, normal)	13 s
Maximum number of copies	99 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2, 4
Scanning	
Scanning	Colour scanning
Optical scanning resolution	600 x 600 DPI
Scanner type	ADF scanner
Maximum scan area	Legal (216 x 356)
Scan to	File, Image, USB
Scan speed (colour)	6 ppm
Scan speed (black)	18 ppm
Scan speed (black)	18 inch/min

Scan speed (colour)	6 inch/min
Image formats supported	BMP, JPG, PNG, TIF
Document formats supported	PDF
Greyscale levels	256
Scan drivers	TWAIN, WIA
Fax	
Faxing	Mono faxing
Fax transmission speed	4 sec/page
Modem speed	33.6 Kbit/s
Fax memory	150 pages
Fax memory	2.2 MB
Fax coding methods	MH, MMR, MR
Features	
Maximum duty cycle	15000 pages per month
Number of print cartridges	1
Printing colours	Black
Digital sender	No
All-In-One-multitasking	Yes
Replacement cartridges	TK-1125
Input & output capacity	
Total number of input trays	1
Total input capacity	250 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	1 sheets
Paper input type	Cassette, Paper tray
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	40 sheets
Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	100 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper
ISO A-series sizes (A0...A9)	A4, A5, A6

Maximum print size	216 x 356 mm
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Legal
Custom media width	70 - 216 mm
Custom media length	148 - 356 mm
Paper tray media weight	60 - 220 g/m ²
Multi-Purpose Tray media weight	60 - 220 g/m ²
Duplex media weight	60 - 120 g/m ²
Media thickness (min)	0.11 mm
Ports & interfaces	
Direct printing	No
Standard interfaces	Ethernet, USB 2.0
USB port	Yes
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100Base-T(X)
Ethernet LAN data rates	10,100 Mbit/s
Mobile printing technologies	Not supported
Performance	
Internal memory	64 MB
Card reader integrated	No
Processor family	ARM
Processor frequency	390 MHz
Sound pressure level (printing)	50 dB
Sound pressure level (copying)	50 dB
Sound pressure level (quiet mode)	49 dB
Sound power level (standby)	29 dB
Design	
Product colour	Black, White
Market positioning	Home & office
Built-in display	Yes
Display number of lines	2 lines
Power	

Power consumption (average operating)	345 W
Power consumption (PowerSave)	4 W
Power consumption (standby)	8 W
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz
System requirements	
Windows operating systems supported	Yes
Server operating systems supported	Windows Server 2003, Windows Server 2003 x64, Windows Server 2008, Windows Server 2008 R2, Windows Server 2008 x64
Certificates	
Certification	TÜV-GS, CE
Sustainability	
Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR
Weight & dimensions	
Width	390 mm
Depth	361 mm
Height	362 mm
Weight	10.1 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	2100 pages
Cables included	AC
Logistics data	
Harmonized System (HS) code	84433100
Technical details	
Compliance certificates	RoHS
Matmenys ir svoris	
Svoris	13,45kg

Gamintojo ir saugos informacija

GAMINTOJAS

Kyocera Group Global Network

Takeda Tobadono-cho, Fushimi-ku 6 T, 612-8501
Kyoto, JP
global.kyocera.com

ATSAKINGAS ASMUO ES

KYOCERA Document Solutions Nederland B.V.
Beechavenue 25, 1119 RA Schiphol-Rijk, NL
kyoceradocumentsolutions.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt