

Canon PowerShot SX740 HS Lite Edition 1/2.3" Compact camera 20.3 MP CMOS 5184 x 3888 pixels Black

Gamintojas: **CANON** · Modelis: **2955C039** · EAN: **4549292246100** · Prekės kodas: **902480**



672,91 €

Kaina su PVM

Be PVM: **556,12 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 40x Optical zoom
- ✓ DIGIC 8 Powerful processor
- ✓ 20.3 Megapixel CMOS sensor
- ✓ 10 fps Continuous shooting
- ✓ 4K Ultra High Definition
- ✓ 5-axis Stabilisation
- ✓ 180 degree Flip up LCD screen
- ✓ Bluetooth Always-on connectivity





Aprašymas

Canon PowerShot SX740 HS Lite Edition

The pocket-sized, compact travel zoom flagship featuring huge 40x optical zoom and amazing 4K movie resolution.

Tell your story in 4K with a powerful 40x travel superzoom

With 40x optical zoom, superfast DIGIC processing and spectacular 4K resolution in a pocket-sized body, the PowerShot SX740 HS Lite Edition is the ultimate 'all-in-one' solution to capture treasured moments in 20.3 Megapixel detail.

40x zoom in your pocket

Measuring just 39.9 mm deep, the PowerShot SX740 HS Lite Edition boasts a powerful 40x optical zoom and a 20.3 Megapixel CMOS sensor, plus DIGIC 8 for capturing high definition photos with ease.

Fast shooting speeds

Never miss a moment with incredibly responsive shutter release and 10 fps continuous shooting, plus snap the perfect selfie with Self Portrait mode and a flip up LCD screen.

Share and store photos with Wi-Fi and Bluetooth

Advanced Bluetooth, Wi-Fi connectivity and Auto Transfer allows you to easily share and back-up photos to compatible smart devices or home PC to keep your memories safe.

Get inspired

From colourful macros to misty mountain tops, here's how Alan Rowan uses the Canon PowerShot SX740 HS Lite Edition to get the perfect nature shot.

Techninė specifikacija

Picture quality	
Camera type	Compact camera
Megapixel (approx.)	20.3 MP
Sensor type	CMOS
Maximum image resolution	5184 x 3888 pixels
Image sensor size	1/2.3"

Still image resolution(s)	4:3 - (L) 5184 x 3888, (M) 3648 x 2736, (S) 2432 x 1824 16:9 - (L) 5184 x 2912, (M) 3648 x 2048, (S) 2432 x 1368 3:2 - (L) 5184 x 3456, (M) 3648 x 2432, (S) 2432 x 1616 1:1 - (L) 3888 x 3888, (M) 2736 x 2736, (S) 1824 x 1824
Image stabilizer	Yes
Supported aspect ratios	1:1, 3:2, 4:3, 16:9
Total megapixels	21.1 MP
Lens system	
Optical zoom	40x
Digital zoom	80x
Focal length range	4.3 - 172 mm
Minimum focal length (35mm film equiv)	24 mm
Maximum focal length (35mm film equiv)	960 mm
Minimum aperture number	3.3
Maximum aperture number	6.9
Lens structure (elements/groups)	13/11
Combined zoom	160x
Focusing	
Focus	TTL
Focus adjustment	Auto/Manual
Auto focusing (AF) modes	Continuous Auto Focus, One Shot Focus, Servo Auto Focus
Closest focusing distance	0.01 m
Auto Focus (AF) points	9
Auto Focus (AF) assist beam	Yes
Exposure	
ISO sensitivity (min)	100
ISO sensitivity (max)	3200
Light exposure correction	± 3EV (1/3EV step)
Light metering	Centre-weighted, Evaluative (Multi-pattern), Spot
ISO sensitivity	100, 3200
Auto Exposure (AE) lock	Yes
Shutter	
Fastest camera shutter speed	1/3200 s
Slowest camera shutter speed	15 s
Flash	
Flash modes	Auto, Flash off, Flash on, Manual, Slow synchronization

Flash range (wide)	0.5 - 5 m
Flash range (tele)	2 - 2.5 m
Flash exposure correction	±2EV (1/3 EV step)
Video	
Video recording	Yes
Maximum video resolution	3840 x 2160 pixels
HD type	4K Ultra HD
Video resolutions	1280 x 720,1920 x 1080,3840 x 2160
Motion JPEG frame rate	60 fps
Video formats supported	AVC, H.264, MP4, MPEG4
Audio	
Built-in microphone	Yes
Memory	
Compatible memory cards	SD, SDHC, SDXC
Display	
Display	LCD
Display diagonal	7.62 cm (3")
Display resolution (numeric)	922000 pixels
Field of view	100%
Ports & interfaces	
PictBridge	Yes
HDMI	Yes
USB connector	Mini-USB B
HDMI connector type	Micro
Network	
Bluetooth	Yes
Wi-Fi	Yes
Bluetooth Low Energy (BLE)	Yes
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Camera	
White balance	Auto, Cloudy, Custom modes, Daylight, Fluorescent, Shade, Tungsten
Self-timer delay	2,10 s
Histogram	Yes
GPS (satellite)	Yes

Built-in processor	Yes
Image processor	DIGIC 8
Design	
Product colour	Black
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery life (CIPA standard)	265 shots
Battery type	NB-13L
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	63.8 mm
Depth	39.9 mm
Height	110.1 mm
Weight (including battery)	299 g

Gamintojo ir saugos informacija

GAMINTOJAS

Canon

Shimomaruko 3-chome, Ohta-ku 30-2, 146-8501
Tokyo, JP
global.canon

ATSAKINGAS ASMUO ES

Canon Nederland N.V.

Brabantlaan 2, 5216 TV Hertogenbosch, NL
canon.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt