

Manhattan HDMI Switch 2-Port, 4K@30Hz, Bi-Directional, Black, Displays output from x1 HDMI source to x2 HD displays (same output to both displays) or Connects x2 HDMI sources to x1 display, Manual Selection, No external power required, 3 Year Warranty

Gamintojas: **MANHATTAN** · Modelis: **207850** · EAN: **766623207850** · Prekės kodas: **902660**



22,91 €

Kaina su PVM

Be PVM: **18,93 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Splits an Ultra-High-Definition (UHD) digital audio/video signal to one of two UHD HDMI displays or allows switching between two sources at one display
- ✓ 4K@30Hz resolution, full 3D video and Deep colour
- ✓ Convenient push button to quickly select display(s) in splitter function or source in switch function
- ✓ Supports video amplifier bandwidth up to 340 MHz and 3.4 Gbps per channel (10.2 Gbps total) for 4Kx2K displays
- ✓ Supports 36-bit Deep colour (12-bits per channel) and sYCC colour Space
- ✓ Supports compressed DTS-HD Master Audio, 7.1 surround sound, Dolby TrueHD and uncompressed LPCM 8 channel audio
- ✓ HDCP compliant
- ✓ Works with PlayStation and Xbox game systems, Blu-ray players, set-top boxes, satellite receivers; also works to capture gameplay on screen
- ✓ Plug and play
- ✓ Gold-plated contacts for corrosion-free connections



Aprašymas

Easily share a single Ultra-High-Definition (UHD) signal over two displays or switch between two sources on one display. The Manhattan 4K Bi-Directional 2-Port HDMI Splitter Switch with built-in booster makes it possible to share a 4K HDMI signal from a single UHD source on one of two UHD displays or to connect two UHD sources and switch between them on one UHD display. Best Possible Image Quality and Easy Installation Full compliance with HDMI and HDCP 1.4 ensures the Manhattan 4K Bi-Directional 2-Port HDMI Splitter Switch provides nothing short of high-quality performance and reliability. It delivers cinematic 4K resolution and supports 3D video, Deep colour as well as LPCM, DTS and Dolby TrueHD audio. Simply connect the HDMI cables (not included) to the device and create your desired setup. Power is drawn from the HDMI sources to support the signal(s). No software/hardware configuration or complicated settings are required to complete this cost-effective 4K solution.

Techninė specifikacija

Ports & interfaces	
Video port type	HDMI
HDMI ports quantity	3
HDMI version	1.4
HDMI in	1
Number of HDMI outputs	2
Features	
Material	Metal
Product colour	Black
Plug and Play	Yes
HDCP	Yes
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p
Bandwidth	10.2 Gbit/s
LED indicators	Yes
Bandwidth	340 MHz
Maximum resolution	4096 x 2160 pixels
Audio output channels	7.1 channels
Connector contacts plating	Gold
3D	Yes
HD type	4K Ultra HD
Audio decoders	DTS-HD Master Audio, Dolby TrueHD
Certificates	
Certification	CE, FCC
Weight & dimensions	
Width	52 mm

Depth	49 mm
-------	-------

Height	20 mm
--------	-------

Weight	100 g
--------	-------

Packaging content

Quick start guide	Yes
-------------------	-----

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Storage temperature (T-T)	-20 - 60 °C
---------------------------	-------------

Operating relative humidity (H-H)	0 - 96%
-----------------------------------	---------

Technical details

Compliance certificates	RoHS
-------------------------	------

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Manhattan

ATSAKINGAS ASMUO ES

IC Intracom Vertriebs GmbH

Löhbach Str. 7, D-58553 Halver, DE

intellinetnetwork.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt