

StarTech.com 150m (492ft) USB 2.0 Extender over Cat5e/Cat6 Ethernet Cable, Externally Powered USB Extender via RJ45/Network Cable, USB Over Ethernet Cable Extender/Adapter - TAA

Gamintojas: **STARTECH** · Modelis: **C15012-USB-EXTENDER** · EAN: **065030893176** · Prekės kodas: **902794**



269,90 €

Kaina su PVM

Be PVM: **223,06 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ **ULTRA LONG RANGE USB EXTENDER:** Extend a USB 2.0 connection up to 492 ft (150 m) over an Ethernet cable (CAT5e, CAT6, or higher) with data transfer rates up to 480Mbps; Power, Link & Activity status LEDs; For Webcams and USB peripherals
- ✓ **POWERED USB EXTENDER KIT:** The USB extender over Cat5/Cat6 cable (RJ45) includes a power adapter for the Receiver while the Transmitter is bus-powered. The Receiver's USB port provides 5V 500mA
- ✓ **DURABLE & COMPACT:** Durable metal construction for high wear and tear environments; Transmitter & Receiver each feature the same small form factor 1.3 x 1x 2.65 in (32 x 25 x 67.3 mm); Rubber feet help prevent sliding; 2 ft (61 cm) USB host cable included
- ✓ **PLUG-AND-PLAY:** The extender features driverless installation and is compatible w/ major operating systems incl. Windows, macOS, Linux; Compatible with USB 2.0/1.1/1.0; Point-to-Point, Does not work through network/LAN equipment (router, switch, etc.)
- ✓ **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this TAA USB 2.0 extender kit is backed for 2-years, including free lifetime 24/5 multi-lingual technical assistance





Aprašymas

Connect a remote USB 2.0 device to your computer over long distances

Extend a USB 2.0 connection up to 492 ft (150 m) with this USB Extender Kit. Connect the transmitter to the receiver, using existing Ethernet cabling that is Cat5e or better (e.g., Cat 6, 6a, etc.). No software or configuration is required. Conveniently control remote USB devices in warehouses, classrooms, board rooms, and other long-range application environments.

Overcome Distance Limitations

This USB Extender Kit enables you to exceed the limitations posed by traditional USB cable lengths, to establish long-range USB connections. Use this kit for a wide variety of applications such as remote surveillance and monitoring with a webcam (up to 1080p resolution), controlling machines at a distance, remote printing, connecting retail barcode scanners, and many other applications. In addition, the remote unit is connected to a power source, using the included power adapter, for applications requiring USB bus power.

Rugged Durability

The local and remote units feature a metal exterior for extra protection and longevity in harsher environments. With dimensions of only 1.3 x 1.0 x 2.65 in (32.2 x 25.4 x 67.3 mm), both units are very compact, allowing for installations in tight spaces.

Ease of Use

The USB over Ethernet cable extender kit is compatible with any operating system and does not require any additional software to work. Set up the units by connecting them on a point-to-point connection, using your existing Ethernet cabling (Cat5e or better). This kit is not compatible with network switches and routers. The Extender is compatible with USB 2.0, USB 1.1, and USB 1.0 peripherals.

The C15012-USB-EXTENDER is TAA compliant and backed for 2-years by StarTech.com, including free lifetime 24/5 multi-lingual technical assistance.

Techninė specifikacija

Technical details	
Type	Console transmitter & receiver
Data transfer rate	480 Mbit/s
Maximum transfer distance	150 m
Product colour	Black
Housing material	Metal
LED indicators	Power
Cable types supported	Cat5e, Cat6
Compliance certificates	CE, RoHS

Plug and Play	Yes
Ports & interfaces	
USB 2.0 Type-A ports quantity	1
USB 2.0 Type-B ports quantity	1
RJ-45 ports quantity	2
DC-in jack	Yes
Weight & dimensions	
Width	67 mm
Depth	32 mm
Height	25 mm
Weight	173 g
Package width	194 mm
Package depth	222 mm
Package height	62 mm
Package weight	173 g
Operational conditions	
Operating temperature (T-T)	0 - 50 °C
Storage temperature (T-T)	-20 - 70 °C
Operating relative humidity (H-H)	10 - 90%
Packaging content	
Cables included	USB Type-A to USB Type-B
AC adapter included	Yes
Power	
Power source type	DC
Power consumption (typical)	15 W
Input voltage	100 - 240 V
Input current	0.6 A
Output voltage	5 V
Output current	3 A
Power plug type	Type H
Logistics data	
Master (outer) case width	400 mm
Master (outer) case length	400 mm
Master (outer) case height	278 mm

Products per master (outer) case 12 pc(s)

Matmenys ir svoris

Matmenys (I × P × A) 22,00cm × 20,00cm × 6,00cm

Svoris 0,55kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA

startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL

startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt