

StarTech.com HDMI Over CAT5e/CAT6 Extender with Power Over Cable - 165 ft (50m) - TAA

Gamintojas: **STARTECH** · Modelis: **ST121SHD50** · EAN: **065030851404** · Prekės kodas: **902948**



143,91 €

Kaina su PVM

Be PVM: **118,93 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Power Over Cable allows a single power source to operate the Transmitter and Receiver
- ✓ Supports Cat5e or Cat6 Ethernet cabling (50m)
- ✓ No software/drivers required
- ✓ Supports HD resolutions up to 1080p (1920x1080)
- ✓ Includes transmitter (local) and receiver (remote) units



Aprašymas

Extend HDMI® up to 165ft (50m) over Cat5e/6 cabling with Power over Cable to Receiver

The ST121SHD50 HDMI® over Cat5e/Cat6 Video Extender kit lets you extend HDMI video and audio by up to 165 feet (50 Meters) over dual Cat5e cables or dual Cat6 cables. For added versatility the kit features Power Over Cable and only requires a single power adapter that can be connected to either the Transmitter or Receiver.

With support for High-Definition resolutions of up to 1920x1080 / 1080p and the accompanying digital audio, this cost-effective HD extender can easily be installed using new or existing Ethernet infrastructure wiring. For a convenient plug-and-play installation, the HDMI extender features built-in EDID monitor emulation, which ensures native resolution and maximum compatibility with your display or projector.

For added flexibility and convenience, HDMI cables up to 32ft (10m) can be connected to both the local and remote units, which lets you extend your HDMI signal to even further distances.

The HDMI extender kit offers a point-to-point digital signage solution right out of the box, including both local transmitter and remote receiver units, along with optional hardware that lets you mount the units as needed. Plus, with Power Over Cable, you can easily extend an HDMI signal in areas where access to power outlets is limited.

This product is TAA compliant and backed by a Startech.com 2-year warranty with free lifetime technical support.

Techninė specifikacija

Features	
Type	AV transmitter & receiver
Maximum resolution	1920 x 1080 pixels
Cable types supported	Cat5e, Cat6
Maximum transfer distance	50 m
LED indicators	Power
Supported video modes	1080i, 1080p
Supported graphics resolutions	1920 x 1080 (HD 1080)
Material	Aluminium
Rack mounting	Yes
Daisy chain	No
Product colour	Black
Certification	CE, FCC, REACH, TAA
Ports & interfaces	
Connectivity technology	Wired
Ethernet LAN	Yes
RJ-45 input ports	2
RJ-45 output ports	2
HDMI in	1

Number of HDMI outputs	1
DC-in jack	Yes
Power	
AC input voltage	100-240 V
Operating voltage	12 V
Input current	0.5 A
Output current	1.5 A
Power consumption (typical)	18 W
External power adapter	Yes
Power plug type	Type M
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	0 - 80%
Weight & dimensions	
Receiver dimensions (WxDxH)	51 x 80 x 21 mm
Receiver weight	157 g
Transmitter dimensions (WxDxH)	51 x 80 x 21 mm
Transmitter weight	157 g
Packaging data	
Package width	235 mm
Package depth	159 mm
Package height	66 mm
Package weight	935 g
Packaging content	
AC adapter included	Yes
Cables included	HDMI
Manual	Yes
Mounting brackets included	Yes
Technical details	
Compliance certificates	RoHS
Logistics data	
Master (outer) case width	416 mm
Master (outer) case length	326 mm

Master (outer) case height	269 mm
Products per master (outer) case	12 pc(s)
Matmenys ir svoris	
Matmenys (l × P × A)	24,00cm × 16,00cm × 7,00cm
Svoris	0,91kg

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

StarTech.com Ltd.

Artisans Crescent 45, N5V 5E9 Ontario, London,
CA
startech.com

ATSAKINGAS ASMUO ES

StarTech.com Limited

Laarderhoogtweg 25, 1101 EB Amsterdam, NL
startech.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt