

ASUS RS300-E12-RS4 Intel C262 LGA 1700 Rack (1U) Silver

Gamintojas: **ASUS** · Modelis: **90SF03A1-M00070** · EAN: **4711387500378** · Prekės kodas: **905013**



1 446,91 €

Kaina su PVM

Be PVM: **1 195,79 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Powered by eight-core Intel Xeon E-2400-series and Intel Xeon 6300 series processor with support for up to 95 W TDP
- ✓ Four 3.5-inch or 2.5-inch hot-swap drives on front panel and one M.2 to enable extensive storage
- ✓ Up to one PCIe 5.0 slots and one PCIe 4.0 proprietary slot to drive higher bandwidth
- ✓ High power efficiency with redundant 450 W 80 PLUS Platinum power supplies
- ✓ Dual Intel I210-AT gigabit Ethernet with teaming support
- ✓ Onboard ASUS ASMB11-iKVM for out-of-band management with ASPEED AST2600 controller
- ✓ Integrated PFR FPGA as the platform Root-of-Trust solution for firmware resiliency
- ✓ Chassis-intrusion for enhanced physical security



Aprašymas

Intel Xeon E-2400 processors/Intel Xeon 6300 processors

Designed for small- to medium-sized businesses (SMBs) and cloud-service providers, offering robust and secure solutions. These processors support up to eight cores and 16 threads, with a maximum frequency of 5.6 GHz and a 95 W TDP, ensuring rapid data processing and application responsiveness. They support up to 128 GB of DDR5 4400 MT/s memory (Intel Xeon E-2400) or up to 4800 MT/s memory (Intel Xeon 6300) and PCIe 5.0 interfaces, providing server-grade 24/7 reliability for business-critical services and customer data, and cost-effective performance for entry-level bare-metal cloud services.

Techninė specifikacija

Processor	
Motherboard chipset	Intel C262
Processor socket	LGA 1700
Number of processors supported	1
Intel Xeon series	6300
Memory	
Number of DIMM slots	4
Supported memory types	DDR5-SDRAM
Supported DIMM module capacities	8GB, 16GB, 32GB
Maximum internal memory	128 GB
Supported RDIMM clock speeds	4400,4000,3600 MHz
Memory channels	Dual-channel
Storage	
Number of storage drives supported	8
Hot-swap HDD bays	Yes
Number of 3.5" bays	4
Storage drive sizes supported	3.5"
Supported storage drive types	HDD & SSD
Supported storage drive interfaces	M.2, Serial ATA III, Serial Attached SCSI (SAS)
Network	
Ethernet LAN	Yes
Ports & interfaces	
USB 2.0 ports quantity	0
Ethernet LAN (RJ-45) ports	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	2

USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	3
VGA (D-Sub) ports quantity	1
COM ports quantity	1
Number of SATA III connectors	8
Expansion slots	
PCI Express x16 (Gen 5.x) slots	1
Design	
Chassis type	Rack (1U)
Product colour	Silver
LED indicators	Power, Reset, HDD
Power	
Power supply	450 W
80 PLUS certification	80 PLUS Platinum
Operational conditions	
Operating temperature (T-T)	10 - 35 °C
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	20 - 90%
Weight & dimensions	
Width	497 mm
Depth	439.5 mm
Height	44 mm
Weight	15.2 kg
Matmenys ir svoris	
Matmenys (I × P × A)	83,00cm × 60,00cm × 18,00cm
Svoris	15,80kg

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc

Li-Te Road 15, 112 Taipei, TW

[asus.com](https://www.asus.com)

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.

Allee bienvenue 10, 93160 Paris, FR

channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt