

Dahua Technology XVR5116HS-I3/T digital video recorder (DVR) Black

Gamintojas: **DAHUA** · Modelis: **XVR5116HS-I3/T** · EAN: **6937552414990** · Prekės kodas: **905163**



397,90 €

Kaina su PVM

Be PVM: **328,84 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ H.265+/H.265 dual-stream video compression
- ✓ Supports Full-channel AI Coding
- ✓ Supports HDCVI/AHD/TVI/CVBS/IP video inputs
- ✓ Max 24 channels IP camera inputs, each channel up to 6MP; Max 128Mbps incoming bandwidth
- ✓ Up to 2 channels video stream (analog channel) Perimeter Protection
- ✓ Up to 16 channels video stream (analog channel) SMD Plus
- ✓ Up to 2 channels video stream (analog channel) human face recognition
- ✓ IoT & POS functionalities



Aprašymas

Launched by Dahua Technology, WizSense is a series of AI products and solutions that adopt independent AI chip and deep learning algorithm. It focuses on human and vehicle with high accuracy, enabling users to fast act on defined targets. Based on Dahua's advanced technologies, WizSense provides intelligent, simple and inclusive products and solutions.

Dahua Technology, a world-leading video-centric smart IoT solution and service provider, debuted its new XVR series, XVR5000-I3 Series featuring max.full-channel SMD Plus to benefit customers from AI upgrade (The number of channels differs depending on the model. Please refer to the specifications below for information on the number of channels.). This series has been developed to reduce false-alarm rates and the cost of human

surveillance, thus bringing great value to customers in search of products with accurate human/vehicle alarm to raise the security level of various indoor and outdoor facilities.

Techninė specifikacija

Performance	
Product colour	Black
Maximum video resolution	3840 x 2160 pixels
Video compression formats	H.264, H.264+, H.265, H.265+
Audio formats supported	G.711 A-law, G.711 µ-law, PCM
Backup function	Yes
Video capturing speed (PAL)	25 fps
Video capturing speed (NTSC)	30 fps
Video loss detection	Yes
Video motion detection	Yes
Channels quantity	16 channels
Analog signal format system	NTSC, PAL
Operating system installed	Embedded LINUX
Video streaming	Yes
Dual stream support	Yes
Bit rate	32 Kbit/s
PTZ control	Yes
Rack capacity	1U
Certification	CE: CE-LVD: EN 60950-1/IEC 60950-1 CE-EMC: EN 61000-3-2, EN 61000-3-3, EN 55032, EN 50130, EN 55024 FCC: Part 15 Subpart B
Ports & interfaces	
BNC input ports	16
HDMI ports quantity	1
VGA (D-Sub) output ports	1
Audio input	1 RCA
Audio output	1 RCA
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
Video in	HDCVI/AHD/TVI/CVBS/IP
RS-485 ports	1
Network	

Ethernet LAN	Yes
Ethernet interface type	Fast Ethernet
Ethernet LAN (RJ-45) ports	1
Supported network protocols	HTTP, HTTPS, TCP / IP, IPv4, RTSP, UDP, SMTP, NTP, DHCP, DNS, DDNS, P2P
Hard drive	
HDD interface	SATA
Maximum HDD capacity	16 TB
Power	
Power supply type	DC
DC voltage	12 V
Weight & dimensions	
Width	260 mm
Depth	237.4 mm
Height	47.6 mm
Weight	1.17 kg
Packaging data	
Package width	89 mm
Package depth	333 mm
Package height	315 mm
Operational conditions	
Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 90%
Matmenys ir svoris	
Matmenys (I × P × A)	34,00cm × 29,00cm × 9,00cm

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd

Bin'an Road, Binjiang District No.1187 & 1199,
310053 Hangzhou, CN
dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH

Niederkasseler Lohweg 185, 40547 Düsseldorf,
DE
dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt