

Dahua Technology XVR5104HS-4KL-I3/T digital video recorder (DVR) Internal Black

Gamintojas: **DAHUA** · Modelis: **XVR5104HS-4KL-I3/T** · EAN: **6937552419414** · Prekės kodas: **905170**



284,89 €

Kaina su PVM

Be PVM: **235,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Dolyink cloud version: DMSS 2.3.0 and above, Dolyink Care 2.53.00 and above.
- ✓ 4-channel two-way talk over coaxial cable allows for seamless communication between the camera, client and recorder.
- ✓ 4-channel AcuPick for analog channels which improves the efficiency of target retrieval.
- ✓ 4-channel perimeter protection for analog channels which supports tripwire and intrusion detection powered by AI.
- ✓ 2-channel face recognition for analog channels which supports face comparison.
- ✓ 4-channel SMD Plus for analog channels or 8-channel SMD by camera which allows the device to trigger accurate alarms for humans and vehicles.
- ✓ 4-channel AI Coding saves on storage and bandwidth while maintaining the details of targets in videos.
- ✓ Supports HDCVI, AHD, TVI, CVBS and IP video input.
- ✓ Supports up to 8-channel IP camera input and each channel can be up to 8 MP. The incoming bandwidth reaches 64 Mbps.
- ✓ Supports accessing Wi-Fi cameras, making it suitable for a wide range of scenes.



Aprašymas

Launched by Dahua Technology, WizSense is a series of AI products and solutions that adopt independent AI chip and deep learning algorithm. It focuses on human and vehicle with high accuracy, enabling users to fast act on defined targets. Based on Dahua's advanced technologies, WizSense

provides intelligent, simple and inclusive products and solutions.

The XVR5000-4KL-I3/T series raises the bar on video recorders with its advanced high-resolution design, offering versatility to meet the demands of various applications and projects of different scales and budgets. Its strong compatibility with 5MP cameras ensures the delivery of clear and vivid live video feeds, making it highly recommended for use with 5MP cameras. Loaded with multiple AI functions, such as AcuPick, EPTZ and privacy protection, this series not only streamlines operations but also significantly reduces time and labor costs, contributing to a lower Total Cost of Ownership (TCO).

Two-way talk

Allows for seamless communication between the camera, client and recorder over coaxial cable, and offers instant voice intercom and timely audio alerts.

Face Recognition

Dahua Face Recognition technology extracts the features of captured faces and compares them with that in face database.

*Face Recognition conflicts with SMD Plus and Perimeter Protection.

Perimeter Protection

Automatically filters out false alarms caused by animals, rustling leaves, bright lights, etc. Enables system to act secondary recognition for the targets. Improves alarm accuracy.

AcuPick

This industry-leading search technology effectively utilizes back-end intelligence to help with searching through massive video data to quickly and conveniently locate targets with greater precision.

SMD Plus

With intelligent algorithm, Dahua Smart Motion Detection technology can categorize the targets that trigger motion detection and filter the motion detection alarm triggered by non-concerned targets to realize effective and accurate alarm.

Enhanced Encoding

Encoding Enhancement mode optimizes videos through real-time encoding to make them smoother and improve scene rendering.

Techninė specifikacija

Performance	
Product colour	Black
Maximum video resolution	3840 x 2160 pixels
Video compression formats	H.264, H.264+, H.265, H.265+
Internal	Yes
Backup function	Yes
Video capturing speed	30 fps
Video loss detection	Yes
Video motion detection	Yes

Channels quantity	8 channels
Playback modes	Backup selection, Fast, Full screen, Next, Pause, Play, Previous, Repeat, Shuffle, Slow, Stop, Zoom
Analog signal format system	NTSC, PAL
Operating system installed	Embedded LINUX
Audio system	2-way
LED indicators	HDD, Network, Power
Maximum frame rate	60 fps
USB connectivity	Yes
Multi-display supported	Yes
Multi-display modes	4, 8, 9
Video streaming	Yes
Dual stream support	Yes
Bit rate	32 Kbit/s
PTZ control	Yes
Rack capacity	1U
Certification	CE-LVD: IEC 62368-1:2014 CE-EMC: EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019, EN 55032:2015+A11:2020, EN 55035:2017+A11:2020, EN 55024:2010+A1:2015, EN 50130-4:2011+A1:2014
Ports & interfaces	
Video input channels	4 channels
HDMI ports quantity	1
VGA (D-Sub) output ports	1
Audio input	1
Audio output	1
USB 2.0 ports quantity	1
RS-485 ports	1
Network	
Ethernet LAN	Yes
Ethernet interface type	Fast Ethernet
Ethernet LAN (RJ-45) ports	1
Hard drive	
Number of HDDs supported	1
HDD interface	SATA
Maximum HDD capacity	10 TB

Power

Power supply type	DC
DC voltage	12 V
Power consumption (typical)	7 W
DC current (max)	2 A

Weight & dimensions

Width	260 mm
Depth	237.8 mm
Height	47.6 mm
Weight	880 g

Packaging data

Package width	344 mm
Package depth	89 mm
Package height	287 mm
Package weight	1.45 kg

Operational conditions

Operating temperature (T-T)	-10 - 55 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-20 - 60 °C
Storage relative humidity (H-H)	10 - 90%

Matmenys ir svoris

Matmenys (I × P × A)	35,00cm × 9,00cm × 29,00cm
----------------------	----------------------------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd

Bin'an Road, Binjiang District No.1187 & 1199,
310053 Hangzhou, CN

dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH

Niederkasseler Lohweg 185, 40547 Düsseldorf,
DE

dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt