

Dahua Technology TAM01GT01GT-75 Fast Ethernet, Gigabit Ethernet

Gamintojas: **DAHUA** · Modelis: **TAM01GT01GT-75W** · EAN: **6939554947698** · Prekės kodas: **905210**



110,90 €

Kaina su PVM

Be PVM: **91,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Supports PoE for Hi-PoE 75W high power consumption speed dome
- ✓ Wide working temperature: -30°C~ 65°C
- ✓ Indicator status: power (normal power on), PoE (normal power supply)
- ✓ Supports DoE Level VI
- ✓ Cooperate with PoE Extender (PFT1300), able to cascade level 2 PoE Extender, connect to 3 IPC, max transmission distance 300m
- ✓ Lighting Protection: Level 4

Aprašymas

- Supports PoE for Hi-PoE 75W high power consumption speed dome
- Indicator status: power (normal power on), PoE (normal power supply)
- Cooperate with PoE Extender (PFT1300), able to cascade level 2 PoE Extender, connect to 3 IPC, max transmission distance 300m
- Wide working temperature: -30°C~ 65°C
- Supports DoE Level VI
- Lighting Protection: Level 4

Summary: Dahua Technology TAM01GT01GT-75. Ethernet interface type: Fast Ethernet, Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s. Product colour: Black, Pin assignment & polarity: 1, 2, 4, 5 (V+), 3, 6, 7, 8 (V-). Output power: 75 W. Width: 210 mm, Depth: 75 mm, Height: 38.5 mm. Number of products included: 1 pc(s) | Vendor Homepage: <https://www.dahuasecurity.com/mena/products/productDetail/30117> | Ethernet interface type: Fast Ethernet/Gigabit Ethernet | Ethernet LAN data rates: 10/100/1000 | Power over Ethernet (PoE): Yes | Product colour: Black | LED indicators: Yes | Pin assignment & polarity: 1, 2, 4, 5 (V+), 3, 6, 7, 8 (V-) | RJ-45 input ports: 1 | RJ-45 output ports: 1 | Output power: 75 | Operating temperature (T-T): -30 - 65 | Operating relative humidity (H-H): 10 - 90 | Width: 210 | Depth: 75 | Height: 38.5 | Weight: 250 | Number of products included: 1 | Unit Calculated Weight: 0.81 | Product Net Weight: 0.25 | Units per Shipping Box: 20 | Unit Width: 13.5 | Units per Pallet: 0 | Unit Depth: 25 | Unit Height: 11 | Unit Calculated Volume: 0.004836 | Shipping Box Height: 25.8999996185303 | Name: NET POE INJECTOR/TAM01GT01GT-75W DAHUA | Model name: TAM01GT01GT-75

Techninė specifikacija

Network	
Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Power over Ethernet (PoE)	Yes
Features	
Product colour	Black
LED indicators	Yes
Pin assignment & polarity	1, 2, 4, 5 (V+), 3, 6, 7, 8 (V-)
Ports & interfaces	
RJ-45 input ports	1
RJ-45 output ports	1
Power	
Output power	75 W
Operational conditions	
Operating temperature (T-T)	-30 - 65 °C
Operating relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width	210 mm
Depth	75 mm
Height	38.5 mm
Weight	250 g
Packaging content	
Number of products included	1 pc(s)
Matmenys ir svoris	
Matmenys (I × P × A)	25,00cm × 14,00cm × 11,00cm

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd

Bin'an Road, Binjiang District No.1187 & 1199,
310053 Hangzhou, CN

dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH

Niederkasseler Lohweg 185, 40547 Düsseldorf,
DE

dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt