

Dahua Technology DH-XVR1B04-I/T digital video recorder (DVR) Black

Gamintojas: **DAHUA** · Modelis: **DH-XVR1B04-I/T** · EAN: **6939554956751** · Prekės kodas: **905228**



84,91 €

Kaina su PVM

Be PVM: **70,17 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4-channel two-way talk over coaxial cable allows for seamless communication between the camera, client and recorder
- ✓ 4-channel AI Coding saves on storage and bandwidth while maintaining the details of targets in videos
- ✓ 4-channel SMD Plus for analog channels which allows the device to trigger accurate alarms for humans and vehicles

Aprašymas

Launched by Dahua Technology, WizSense is a series of AI products and solutions that adopt independent AI chip and deep learning algorithm. It focuses on human and vehicle with high accuracy, enabling users to fast act on defined targets. Based on Dahua's advanced technologies, WizSense provides intelligent, simple and inclusive products and solutions.

Techninė specifikacija

Performance	
Product colour	Black
Maximum video resolution	1920 x 1080 pixels
Video compression formats	H.264, H.264+, H.265, H.265+
Audio formats supported	G.711 A-law, G.711u, PCM
Internal	No
Video motion detection	Yes

Channels quantity	4 channels
Operating system installed	Linux
Rack capacity	1U
Certification	CE-LVD: IEC 62368-1:2014 CE-EMC: EN IEC 61000-3-2:2019, EN 61000-3-3:2013+A1:2019, EN 55032:2015+A11:2020, EN 55035:2017+A11:2020, EN 55024:2010+A1:2015, EN 50130-4:2011+A1:2014
Ports & interfaces	
BNC input ports	4
HDMI ports quantity	1
VGA (D-Sub) output ports	1
USB 2.0 ports quantity	2
Network	
Ethernet LAN	Yes
Ethernet interface type	Fast Ethernet
Ethernet LAN (RJ-45) ports	1
Supported network protocols	HTTP; HTTPS; TCP/IP; IPv4; IPv6; RTSP; UDP; NTP; DHCP; DNS; SMTP; UPnP; Filtro IP; FTP; DDNS
Hard drive	
Number of HDDs supported	1
HDD interface	SATA
Maximum HDD capacity	6 TB
Power	
Power supply type	DC
DC voltage	12 V
DC current (max)	1.5 A
Weight & dimensions	
Width	197 mm
Depth	204.3 mm
Height	41.5 mm
Weight	540 g
Packaging data	
Package width	332 mm
Package depth	64 mm
Package height	240 mm
Package weight	940 g

Operational conditions

Operating temperature (T-T)	-10 - 45 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-20 - 60 °C

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Zhejiang Dahua Technology Co., Ltd

Bin'an Road, Binjiang District No.1187 & 1199,
310053 Hangzhou, CN
dahuasecurity.com

ATSAKINGAS ASMUO ES

Dahua Technology GmbH

Niederkasseler Lohweg 185, 40547 Düsseldorf,
DE
dahuasecurity.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt