

TP-Link Omada PoE+ Injector Adapter

 Gamintojas: **TP-LINK** · Modelis: **POE160S** · EAN: **1210002617284** · Prekės kodas: **905499**


29,90 €

Kaina su PVM

 Be PVM: **24,71 €**


Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2 Gigabit ports ensure faster transmission
- ✓ Complies with IEEE802.3af/at standards, supplies up to 30 W
- ✓ Reduces infrastructure costs by transmitting data and power simultaneously via an Ethernet cable
- ✓ Automatically determines and supplies the exact power to meet the device's need
- ✓ Wall-mounting and desktop design accommodates most installation scenarios
- ✓ Plug & Play installation, requires no configuration
- ✓ Integrated power supply



Aprašymas

The PoE+ Injector POE160S (TL-POE160S) fully complies with IEEE 802.3af/at standards, and can work with all IEEE 802.3af/at PoE compliant PDs (Powered Devices) or PoE Receiver Adapters, such as TP-Link's POE10R (TL-POE10R), or other equivalent product, to expand your network to where

there are no power line or outlet, where you wish to fix device such as AP, IP Camera or IP Phone, etc.

Techninė specifikacija

Network	
Ethernet interface type	Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Cabling technology	10/100/1000
Power over Ethernet (PoE)	Yes
Networking standards	IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u
Cable types supported	Cat3, Cat4, Cat5, Cat5e
Features	
Product colour	Black
Wall mountable	Yes
Plug and Play	Yes
Maximum operating distance	100 m
LED indicators	Power
Ports & interfaces	
Ethernet LAN (RJ-45) ports	2
RJ-45 input ports	1
RJ-45 output ports	1
Power	
Output power	30 W
AC adapter input voltage	100 - 240 V
AC adapter frequency	50/60 Hz
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 90%
Storage temperature (T-T)	-40 - 70 °C
Storage relative humidity (H-H)	5 - 90%
Weight & dimensions	
Width	125 mm
Depth	59.4 mm
Height	36.8 mm
Packaging content	

Number of products included	1 pc(s)
Wall mounting kit	Yes
Power cord included	Yes
Quick installation guide	Yes

Packaging data

Package width	170 mm
Package depth	230 mm
Package height	80 mm
Package weight	460 g
Package type	Box

Matmenys ir svoris

Matmenys (I × P × A)	23,00cm × 18,00cm × 8,00cm
Svoris	0,56kg

Dokumentai ir vaizdo įrašai[› Naudojimo instrukcija](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE
[tp-link.com](https://www.tp-link.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt