

Canon SELPHY CP1000 nuotraukų spausdintuvas Dažų sublimacija 300 x 300 DPI

Gamintojas: **CANON** · Modelis: **0011C012** · EAN: **8714574630489** · Prekės kodas: **905871**



137,90 €

Kaina su PVM

Be PVM: **113,97 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Namai ir biuras 300 x 300 DPI
- ✓ Dažų sublimacija
- ✓ 24 bitai
- ✓ Įmontuotas ekranas 6,86 cm (2.7") LCD
- ✓ USB prievadas



Aprašymas

Fast, easy lab quality photo printing - anytime, anywhere, anyone

Get instant lab quality prints anytime, anyplace. A small, elegant and portable photo printer with a choice of four print finishes and Dual ID printing that's easy for anyone to use.

- Compact and portable photo printer ideal for home or away
- Quick and easy printing from camera, USB or memory cards
- Make lasting memories with durable lab quality prints
- Selectable finishes with standard photo paper

- Create ID photos to widely accepted standards

Ultra-compact, portable photo printer

Ultra compact and easy to carry, the SELPHY CP1000 photo printer delivers fast, reliable, professional quality photo printing wherever you need it.

Simple to use

Anyone can print with the user-friendly design that includes a tilting 6.8 cm (2.7") LCD for easy viewing and intuitive menus with on-screen instructions for simple navigation. Easily store your favourite print settings for consistent results.

Lab-quality printing

Print professional quality long lasting photos in less than 1 minute. Dye sublimation technology provides superb depth and colour gradation without the wait.

Memories that last

A special coating protects each print against splashes, spills and fading for up to 100 years when stored in an album. You can even apply a choice of 3 semi-gloss finishes to further prevent fingerprints and create a similar feel to traditional lab prints without the need to change any consumables.

No surprises

The SELPHY CP1000 offers low printing costs, with great quality and convenience. Plus you can stay in full control with a defined number of prints from every pack of consumables. Enjoy even lower print costs with the larger media packs.

Print your way

For quick prints just connect your PictBridge-compatible camera directly to the printer. For greater flexibility you can also print from a range of memory cards or USB flash drives.

ID Photo Print

Whether for business or home use, ID Photo Print with Face Frame Guide lets you quickly and easily create and print ID photos in a wide range of accepted sizes. Dual ID print lets you print 2 different ID sizes on one sheet of paper, while printed cutting guides allow for accurate trimming.

Range of print sizes

The printer offers many ways to share your memories including postcard, square¹ or credit card¹ sized prints – all in super-quick time.

Enhance your photos

Auto Image Optimize with Scene and Face Detection ensures superb results. It intelligently corrects image imperfections while reducing unwanted noise, giving your prints extra clarity and richness.

Printing on-the-go

Print on the move indoors or out with the optional rechargeable Battery Pack NB-CP2L, which conveniently attaches to the back of the printer. A single charge delivers over 36 postcard size prints.

[1] Requires optional paper cassette PCC-CP400

Techninė specifikacija

Spausdinimo greitis

Spausdinimo technologija	Dažų sublimacija
Maksimali rezoliucija	300 x 300 DPI

Savybės

Pozicija rinkoje	Namai ir biuras
Produkto spalva	Balta
Spalvų gylis	24 bitai
Pilkosios skalės lygiai	256
Įmontuotas ekranas	Taip
Ekranas	LCD
Ekranas įstrižainė	6,86 cm (2.7")

Ryšys

Tiesioginis spausdinimas	Taip
PictBridge	Taip
USB prievadas	Taip
USB 2.0 portų kiekis	2
USB jungtis	USB Type-A / Mini-USB Type-B

Veikimo charakteristikos

Integruotas kortelių skaitytuvas	Taip
Suderinamos atminties kortelės	CF, MicroDrive, SD, SDHC, SDXC

Energijos valdymas

Maitinimo šaltinis	AC
Vidutinis energijos suvartojimas spausdinimo metu	60 W
Energijos suvartojimas (laukimo režimu)	4 W

Sistemos reikalavimai

Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos MAC operacinės sistemos	Taip

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)	5 - 40 °C
Darbo santykinės drėgmės diapazonas	20 - 80%

Svoris ir matmenys

Plotis	178 mm
--------	--------

Ilgis	135 mm
Aukštis	60,5 mm
Svoris	840 g
Pakuotės duomenys	
Kintamosios srovės adapteris	Taip
Logistikos duomenys	
Darniosios sistemos (DS) kodas	84433210
Matmenys ir svoris	
Svoris	1,74kg

Gamintojo ir saugos informacija

GAMINTOJAS	ATSAKINGAS ASMUO ES	PLATINTOJAS
Canon	Canon Nederland N.V.	MB KOMPIUTERIŲ GURU
Shimomaruko 3-chome, Ohta-ku 30-2, 146-8501 Tokyo, JP	Brabantlaan 2, 5216 TV Hertogenbosch, NL	V. Nagevičiaus g. 3, LT-08237 Vilnius
global.canon	canon.nl	info@shopro.lt