

ATEN 4-Port True 4K at 60Hz (4:4:4), HDMI Splitter

Gamintojas: **ATEN** · Modelis: **VS184B-AT-G** · EAN: **4719264645419** · Prekės kodas: **907049**



92,90 €

Kaina su PVM

Be PVM: **76,78 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Connects one HDMI source to four HDMI displays at the same time
- ✓ HDMI (3D, Deep Color, 4K); HDCP 2.2 Compatible
- ✓ Supports HDR10+
- ✓ Supports max resolutions of up to 4096 x 2160 / 3840 x 2160 @ 60 Hz (4:4:4)
- ✓ Long distance transmission- up to 15 m(1920x1200) / 1.8m (True 4K)
- ✓ Max pixel clock rate up to 600 MHz
- ✓ Max data rate up to 18 Gbps (6 Gbps per lane)
- ✓ LED indication of power status and source devices
- ✓ EDID Expert – Selects optimum EDID settings for smooth power-up, high-quality display and use of the best video resolution via EDID DIP Switch, allowing users to effortlessly switch among Port 1, Default, and Auto
- ✓ Plug-and-play – No software installation required



Aprašymas

The VS184B True 4K HDMI Splitter is the perfect solution for anyone who needs to send one source of digital high definition video to four displays at the same time. It supports all HDMI-enabled equipment, such as DVD players, satellite set-top boxes and all HDMI monitors, displays, projectors, or TVs.

The VS182B True 4K HDMI Splitter is HDMI 2.0 compliant, 4K at 60Hz (4:4:4), and supports multiple streaming audio, making it effective for use with all HDMI displays in home theater applications, as well as in corporate, educational and commercial settings.

Techninė specifikacija

Ports & interfaces	
Video ports quantity	5
Video port type	HDMI
Video out	4x HDMI
HDMI version	2
DC-in jack	Yes
Features	
Maximum resolution	4096 x 2160 pixels
Product colour	Black
Housing material	Metal
HD type	4K Ultra HD
3D	Yes
Maximum operating distance	5 m
Maximum refresh rate	60 Hz
Bandwidth	600 MHz
HDCP version	2.2
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
HDCP	Yes
Plug and Play	Yes
LED indicators	Yes
Power	
AC input voltage	5 V
Power consumption (typical)	4.84 W
Weight & dimensions	
Width	80 mm
Depth	200 mm
Height	25 mm
Weight	680 g
Packaging data	
Quantity per pack	1 pc(s)
Package width	59 mm
Package depth	239 mm
Package height	160 mm

Package weight	830 g
----------------	-------

Packaging content

Manual	Yes
--------	-----

Cables included	HDMI
-----------------	------

AC adapter included	Yes
---------------------	-----

Operational conditions

Operating temperature (T-T)	0 - 40 °C
-----------------------------	-----------

Storage temperature (T-T)	-20 - 60 °C
---------------------------	-------------

Operating relative humidity (H-H)	0 - 80%
-----------------------------------	---------

Storage relative humidity (H-H)	0 - 80%
---------------------------------	---------

Logistics data

Master (outer) case net weight	13.6 kg
--------------------------------	---------

Harmonized System (HS) code	85176990
-----------------------------	----------

Master (outer) case width	315 mm
---------------------------	--------

Master (outer) case length	490 mm
----------------------------	--------

Master (outer) case height	338 mm
----------------------------	--------

Master (outer) case gross weight	17.7 kg
----------------------------------	---------

Products per master (outer) case	20 pc(s)
----------------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	24,00cm × 6,00cm × 16,00cm
----------------------	----------------------------

Svoris	0,83kg
--------	--------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ATEN INTERNATIONAL CO., LTD.

Datung Road No.125, Sec. 2, 221 New Taipei City, TW

[aten.com](https://www.aten.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt