

Canon RF 24-70 mm F2.8L IS USM Camera Lenses, Black

Gamintojas: **CANON** · Modelis: **3680C005** · EAN: **4549292148381** · Prekės kodas: **907790**



2 426,90 €

Kaina su PVM

Be PVM: **2 005,70 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ For low light performance and shallow depth-of-field
- ✓ 5-Stops of stabilisation for shake-free images
- ✓ For exceptionally sharp images
- ✓ Smooth, fast and silent operation
- ✓ Extra control over ISO, aperture and shutter

Aprašymas

Canon RF 600 mm F11 IS STM Telephoto Camera Lenses for low light performance and shallow depth-of-field and for exceptionally sharp images. 5-stops of stabilisation for shake-free images for smooth, fast and silent operation. It is to prevent flare and ghosting. For extra control over ISO, aperture and shutter. Specifications: Image Size: Full Frame, Angle of View (Horizontal, vertical, diagonal): 74 degrees - 29 degrees, 53 degrees - 19 degrees 30', 84 degrees - 34 degrees, Lens Construction (Elements/Groups): 21/15, Number of Diaphragm Blades: 9, Minimum Aperture: 22, Closest Focusing Distance (m): 0.21 wide/ 0.38 Tele, Maximum Magnification (x): 0.30x (at 32mm), Distance Information: Yes, Image Stabilizer OIS1: 52, AF Actuator: Nano Usm, Lens Cap: E-82 II, Lens Hood: EW-88E, Lens Case/Pouch: LP1222.

Techninė specifikacija

Lens system

Component for	SLR
Lens structure (elements/groups)	21/15
Lens type	Telephoto zoom lens
Minimum aperture number	22
Closest focusing distance	0.21 m
Maximum aperture number	2.8

Zoom capability	Yes
Lens mount interface	Canon RF
Aperture range (F-F)	2.8 - 22
Focus adjustment	Auto/Manual
Focal length range	24 - 70 mm
Number of diaphragm blades	9
Number of aspheric elements	3
Performance	
Camera brands compatibility	Canon
Auto focus	Yes
Manual focus	Yes
Design	
Product colour	Black
Logistics data	
Country of origin	Japan
Quantity per pack	1 pc(s)
Weight & dimensions	
Diameter	8.85 cm
Filter size	82 mm
Length	125.7 mm
Weight	900 g
Packaging data	
Package width	250 mm
Package depth	250 mm
Package height	100 mm
Package weight	1 kg
Matmenys ir svoris	
Matmenys (I × P × A)	14,00cm × 14,00cm × 25,00cm
Svoris	1,23kg

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Canon

Shimomaruko 3-chome, Ohta-ku 30-2, 146-8501

Tokyo, JP

global.canon

ATSAKINGAS ASMUO ES

Canon Nederland N.V.

Brabantlaan 2, 5216 TV Hertogenbosch, NL

canon.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt