

QNAP TS-432XeU NAS Rack (1U) 4 GB DDR4 0 TB QNAP QTS Black, Grey

Gamintojas: QNAP · Modelis: TS-432XeU-4G · Prekės kodas: 907879



1 108,90 € ~~1 197,90 €~~

Kaina su PVM

Be PVM: **916,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Quad-core power for more workloads: A quad-core 1.7 GHz processor paired with 4 GB of non-ECC memory (upgradeable to 16 GB) delivers the performance needed for multitasking business applications.
- ✓ High-speed 10GbE SFP+: A single 10GbE SFP+ port delivers ultra-fast network performance, accelerating large file transfers, handling intense workloads, and reducing backup times.
- ✓ Dual 2.5GbE ports: Equipped with dual 2.5GbE ports that can use SMB Multichannel or port trunking to boost access speeds for individual users or multiple simultaneous connections.
- ✓ Short-depth design, space-saving: The 1U short-depth of only 292 mm (12 inches) is ideal for small media cabinets or wall-mounted racks.
- ✓ High-speed external expansion: Equipped with four USB 3.2 Gen 1 (5Gbps) ports, allowing connection to external storage—such as QNAP USB JBODs, external HDDs/SSDs, or flash drives—for data backup, import, or cold storage.
- ✓ Centralized backup and snapshot protection: Provides dedicated backup solutions for different data types and endpoints, combined with scheduled snapshots to defend against ransomware and other threats.





Aprašymas

TS-432XeU

A compact 4-bay ARM quad-core NAS, featuring high-speed 10GbE SFP+ and 2.5GbE connectivity.

TS-432XeU gives you 4-bay storage capacity and 10GbE networking performance. With support for a wide range of backup solutions, it serves as a secure and reliable data storage center. Combined with high-speed data transfer and containerized application support, it is a cost-effective NAS designed to boost productivity and reduce technical overhead.

TS-432XeU is compact yet powerful, delivering a high-value, business-grade NAS solution in a 12-inch short-depth rackmount chassis. Powered by a quad-core processor and featuring a built-in 10GbE SFP+ port and 2.5GbE connectivity, it helps businesses efficiently handle daily backup/restore, and team collaboration workflows. Its flexible 12-inch short-depth design fits perfectly in small media cabinets or cable-heavy racks without taking up valuable space.

TS-432XeU supports a rich set of business and multimedia applications—including file sharing and sync, snapshot protection, containerized apps, cloud storage gateway, and media streaming. With scalable storage and app expandability, it is the ideal entry-level rackmount NAS for growing teams and small businesses.

Techninė specifikacija

Storage	
Storage drives installed	No
Total installed storage capacity	0 TB
Number of storage drives installed	0
Number of storage drives supported	4
Installed storage drive type	No
Supported storage drive types	HDD & SSD
Storage drive capacity	0 GB
RAID support	Yes
Supported storage drive interfaces	Serial ATA II, Serial ATA III
Storage drive sizes supported	3.5"
RAID levels	0, 1, 5, 6, 10, 50, JBOD
Online RAID migration	Yes
Online RAID expansion	Yes
RAID rebuild	Yes
Hot-swap drive bays	Yes

Processor

Processor manufacturer	Annapurna Labs
Processor frequency	1.7 GHz
Processor cores	4

Memory

Internal memory	4 GB
Internal memory type	DDR4
Memory form factor	SO-DIMM
Flash memory	4000 MB

Network

Ethernet LAN	Yes
Ethernet LAN data rates	100,1000 Mbit/s
DHCP server	Yes
Jumbo frames support	Yes
iSCSI support	Yes
Wake-on-LAN ready	Yes

Ports & interfaces

Ethernet LAN (RJ-45) ports	2
USB port	Yes
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4
Fiber ports quantity	1
Fiber optic connector	SFP+

Design

Chassis type	Rack (1U)
Cooling type	Active
Product colour	Black, Grey
Number of fans	3 fan(s)
Fan diameter	4 cm

Performance

Type	NAS
Device class	Home & Home Office
Backup function	Yes
Buzzer	Yes

Software

Operating system installed	QNAP QTS
Operating system version	5.2.9
Power	
Power supply location	Built-in
Power supply unit (PSU) capacity	100 W
Number of power supply units	1
AC input voltage	100 - 240 V
Fan voltage	12 V
Weight & dimensions	
Width	482.6 mm
Depth	290.1 mm
Height	43.3 mm
Weight	4.91 kg
Package width	461 mm
Package depth	170 mm
Package height	582 mm
Package weight	5.28 kg
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	5 - 95%
Storage temperature (T-T)	-20 - 70 °C
Storage relative humidity (H-H)	5 - 95%
Matmenys ir svoris	
Svoris	1,00kg

Dokumentai ir vaizdo įrašai

- › Greitos pradžios vadovas
- › Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

QNAP Systems

Zhongxing Rd., Xizhi Dist. No. 22, 221 New Taipei City, TW
qnap.com

ATSAKINGAS ASMUO ES

QNAP GmbH

Karl-Arnold-Straße 26, 47877 Willich, DE
qnap.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt