

Epson PLQ-50 dot matrix printer 180 x 360 DPI 630 cps

Gamintojas: **EPSON** · Modelis: **C11CJ10401** · EAN: **8715946674476** · Prekės kodas: **908023**



538,90 €

Kaina su PVM

Be PVM: **445,37 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Reliable: Improved mean time between failures of 35,000 hours
- ✓ Fast performance: Prints up to 560 characters per second with 6+1 copies
- ✓ Ease of use: Featuring a new LCD screen
- ✓ Consumables: Same long-lasting ribbons compatible with all models

Aprašymas

24-pin dot matrix printer

Fast and reliable 24-pin dot matrix printer series, with the capability to handle passbooks and an LCD screen for better usability.

Ideal for the banking sector and post offices, the PLQ-50 models are a dot matrix printer series that is ultra-reliable and has the capability to handle passbooks. It is fast, economical to run, and it features an LCD screen for user convenience.

When upgrading existing passbook printers, the premium performance of the PLQ-50 series makes it the ideal choice. With an improved mean time between failures of 35,000 hours and reliable dot matrix technology, you can depend on these printers to deliver high-quality output with minimal intervention.

Equally, when time is tight, the PLQ-50 series delivers fast printing of up to 560 characters per second (High-Speed-Draft, 10cpi), utilising 24-pins and 94 columns. Additionally, up to 6 copies can be produced simultaneously with the original.

The printer's performance is matched by its cost-effectiveness. The ribbon is compatible across all of the Epson Passbook range and represents a budget friendly printing solution.

An LCD screen also provides valuable user convenience.

Techninė specifikacija

Printing	
Maximum print speed	630 cps
Maximum resolution	180 x 360 DPI
Maximum printing width (columns)	94
Maximum print speed (draft)	420 cps
Maximum print speed (LQ)	140 cps
Maximum print speed (NLQ)	210 cps
Character pitch	10 cpi
Maximum number of copies	6 copies
Built-in barcodes	CODABAR (NW-7), Code 128 (A/B/C), Code 39, EAN13, EAN8, Industrial 2/5, Interleaved 2/5, POSTNET, UPC-A, UPC-E
Character sets	PCAPTEC, PC437, PC708, PC720, PC850, PC858, PC864, PCAR864, ISO 8859-15, Roman 8, Italic
Number of characters	14
Features	
Product colour	White
Buffer size	128 KB
Sound pressure level (printing)	5 dB
Page description languages	Epson ESC/P2, PPDS
Country of origin	Indonesia
Ports & interfaces	
Standard interfaces	RS-232, USB 2.0
Endurance	
Print head	24-pin
Print head life	600 million characters
Mean time between failures (MTBF)	35000 h
Power	
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
Operational conditions	
Operating temperature (T-T)	5 - 38 °C
Operating relative humidity (H-H)	10 - 85%
Weight & dimensions	

Width	384 mm
Depth	280 mm
Height	203 mm

Packaging data

Quantity per pack	1 pc(s)
Package width	365 mm
Package depth	452 mm
Package height	260 mm
Package weight	9.41 kg

Other features

Print technology	Dot matrix
Needles	24 (2 x 12)

Logistics data

Products per pallet (UK)	48 pc(s)
Pallet weight (UK)	0 g
Harmonized System (HS) code	84433210

Matmenys ir svoris

Svoris	9,00kg
--------	--------

Dokumentai ir vaizdo įrašai[› Gaminio lankstinukas](#)**Gamintojo ir saugos informacija**

GAMINTOJAS

Seiko Epson

Owa, Suwa 3-3-5, Nagano, JP
[corporate.epson](mailto:info@shopro.lt)

ATSAKINGAS ASMUO ES

Epson Deutschland

Schiessstraße 49, D-40549 Düsseldorf, DE
epson.de

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt