

iiyama ProLite TF2234MC computer monitor 54.6 cm (21.5") 1920 x 1080 pixels Full HD LED Touchscreen Multi-user Black

Gamintojas: **IIYAMA** · Modelis: **TF2234MC-B3X** · EAN: **4948570114238** · Prekės kodas: **923058**



309,91 €

Kaina su PVM

Be PVM: 256,12 €

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 54.6 cm (21.5") Black
- ✓ Screen shape: Flat
- ✓ Response time: 8 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS



Aprašymas

ProLite TF2234MC uses Projective Capacitive Touch Technology, built into an eye catching bezel with edge-to-edge glass. Featuring IPS LCD Screen technology, it offers exceptional colour performance and wide viewing angles, making it a perfect interactive display for Interactive Digital Signage. In addition to the superb image quality, the screen comes with an IP65 Rating, making it dust and water resistant. Equipped with a rugged bezel making it suitable for demanding environments. The ProLite TF2234MC is the ideal screen for the kiosk integrators and a solution for Interactive Digital Signage, Instore Retail, Gaming and Interactive Presentations.

IPS

IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.

TOUCH TECHNOLOGY - CAPACITIVE

This technology uses a sensor-grid of micro-fine wires integrated into the glass that covers the screen. Touch is detected because electrical characteristics of the sensor grid change when human finger is placed on the glass. Thanks to the glass overlay this technology is highly durable, and the touch function remains unaffected even if the glass is scratched. It offers perfect picture performance and will work with human finger (also latex gloved) and stylus-pen.

OPEN FRAME BRACKETS

This open frame monitor comes equipped with external mounting brackets. It guarantees easy installation and makes it an ideal solution for kiosk integrators and Instore Retail.

FULL HD

With true 1920 x 1080p resolution your monitor is ready to display high definition images. This means you can accommodate more information on your screen; e.g. 60% more in comparison to a 1280 x 1024 monitor.

SCRATCH RESISTANCE

Scratch resistance is essential for touch solutions used in public places and schools. This is achieved thanks to a glass overlay covering the screen. It guarantees high durability of the touch function and even more importantly the touch function remains unaffected even if the glass is scratched.

Techninė specifikacija

Display	
Display diagonal	54.6 cm (21.5")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	Yes
HD type	Full HD
Panel type	IPS
Response time	8 ms
Screen shape	Flat

Contrast ratio (typical)	1000:1
Display number of colours	16.78 million colours
LED backlight	Yes
Touchscreen type	Multi-user
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Display brightness	220 cd/m²
Supported graphics resolutions	1920 x 1080 (HD 1080)
Supported video modes	1080p
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.247 x 0.247 mm
Digital horizontal frequency	31.5 - 82.3 kHz
Digital vertical frequency	56 - 75 Hz
Display diagonal (metric)	55 cm
Colour gamut	87%
Separate H/V sync	Yes

Performance

NVIDIA G-SYNC	No
AMD FreeSync	No
Windows operating systems supported	Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 Pro, Windows 10 Pro x64, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows CE, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64
Mac operating systems supported	Yes
Linux operating systems supported	Yes

Multimedia

Built-in camera	No
Built-in microphone	No

Design

Product colour	Black
Ports & interfaces	
DVI port	Yes
DVI-D ports quantity	1
HDMI ports quantity	0
DisplayPorts quantity	0
Network	
Ethernet LAN	No
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, German, English, Spanish, French, Italian, Japanese
Number of OSD languages	7
Plug and Play	Yes
Power	
Power consumption (typical)	27 W
Power consumption (standby)	2 W
AC input voltage	100-240 V
AC input frequency	50 - 60 Hz
AC adapter output voltage	12 V
Power supply type	DC
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	10 - 90%
Weight & dimensions	
Width (without stand)	517.5 mm
Depth (without stand)	46 mm
Height (without stand)	313.5 mm
Weight (without stand)	4.4 kg
Packaging content	

Cables included	AC, DVI, USB, VGA
Quick start guide	Yes
Other features	
International Protection (IP) code	IP65
Display viewable area (HxV)	476.6 x 268.1 mm
Placement supported	Horizontal/Vertical
Power management	Yes
Certification	CE, TÜV-Bauart, cULus, CU, VCCI
Supplied AC adapter type	AC
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Svoris	6,34kg

Dokumentai ir vaizdo įrašai

- > [Naudojimo instrukcija](#)
- > [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

iiyama International

Wijkmeerstraat 8, 2131 HA Hoofddorp, NL

[iiyama.com](https://www.iiyama.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt