iiyama ProLite TF1934MC-B5X computer monitor 48.3 cm (19") 1280 x 1024 pixels LED Touchscreen Black

Gamintojas: **IIYAMA** · Modelis: **TF1934MC-B5X** · EAN: **4948570116157** · Prekės kodas: **923062**



292.90€

Kaina su PVM

Be PVM: **242.07€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 48.3 cm (19") Black
- ✓ HDMI DisplayPorts quantity: 1
- ✓ Screen shape: Flat
- ✓ Response time: 14 ms
- ✓ 1280 x 1024 pixels Panel type: IPS

Aprašymas

19’’ open frame 10pt touch monitor featuring IPS panel

The ProLite TF1934MC 19" multi-touch screen is based on projective capacitive technology which thanks to a glass overlay covering the screen guarantees high durability, scratch-resistance and perfect picture performance. The IPS matrix guarantees high performance with accurate and consistent colour reproduction and wide viewing angles. The touch function remains unaffected even if the glass is scratched. The screen is IP65 rated which means it is dust and water resistant. For ease of installation in any environment, the ProLite TF1934MC comes equipped with external mounting brackets making it an ideal solution for kiosk integrators and Instore Retail.

Open frame brackets

This open frame monitor comes equipped with external mounting brackets. It guarantees easy installation and makes it an ideal solution for kiosk integrators and Instore Retail.

Techninė specifikacija

Display

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Display diagonal	48.3 cm (19")
Display resolution	1280 x 1024 pixels
Native aspect ratio	5:4
Display technology	LED
Touchscreen	Yes
Panel type	IPS
Response time	14 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness	225 cd/m²
Aspect ratio	5:4
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.294 x 0.294 mm
Display diagonal (metric)	48 cm
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Design	
Product colour	Black
Ports & interfaces	
HDMI	Yes
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
DisplayPorts quantity	1
HDCP	Yes
Ergonomics	
VESA mounting	Yes
Panel mounting interface	100 x 100 mm
Plug and Play	Yes
Power	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Power consumption (typical)	15 W
Power consumption (standby)	2 W
Weight & dimensions	
Width (without stand)	416 mm
Depth (without stand)	46.5 mm
Height (without stand)	344 mm
Weight (without stand)	4.4 kg
Other features	
International Protection (IP) code	IP65
Display viewable area (HxV)	301.1 x 376.5 mm
Certification	CB, CE, TÜV-Bauart, CU, cULus
Supplied AC adapter type	AC
Logistics data	
Harmonized System (HS) code	85285210
Matmenys ir svoris	
Svoris	6.56kg

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

iiyama International
Wijkermeerstraat 8, 2131 HA Hoofddorp, NL
iiyama.com

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt