

Yealink CP965 Microsoft Teams Edition IP conference phone

Gamintojas: **YEALINK** · Modelis: **CP965-TEAMS** · EAN: **6938818310766** · Prekės kodas: **923709**



612,90 €

Kaina su PVM

Be PVM: **506,53 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Android 11
- ✓ 5" capacitive touch screen
- ✓ Yealink Noise Proof Technology, Smart Noise Filtering
- ✓ 20-foot (6-meter) microphone pickup range
- ✓ 12 built-in 12-microphone array for 360-degree voice pickup
- ✓ 1 built-in microphone for noise cancellation
- ✓ Full-duplex speakerphone with AEC
- ✓ Built-in Bluetooth/Wi-Fi
- ✓ Power over Ethernet (IEEE 802.3at), class 4
- ✓ 1 USB 2.0 Type A port, 1 x USB 2.0 Type-C port



Aprašymas

A Whole Series of Teams Voice Devices Covering Multiple Scenarios

Deliver Microsoft Teams Experience

From Desktop to Conference Room

Yealink CP965 Team Edition is the flagship conference phone and is fully compatible with Teams functions, including Teams key calling, meeting features, and Outlook calendar, providing a rich and talented ecosystem. You can enjoy a tap-to-join experience by syncing the Outlook calendar for meeting schedules. Based on Android 11, the Teams user interface is reconciled to strike a delicate balance between simplicity and complexity.

Game-changing Audio Presence

Immersive Conversation Environment

Inside the stunning appearance, a set of powerful technology and professional components are wrapped to boost the CP965 with best-in-class audio performance. The 13-microphone array is elaborately positioned in every "foot" and the center of CP965 to assure omnidirectional voice pickup and effective noise-cancellation. Attendees from every corner of the room can hear and be heard with equitable clarity.

Algorithm of Intelligence

Engineered for Productivity

Diving into the audio communication field for more than 20 years, Yealink has developed a series of acoustic technology such as Smart Noise Filtering, Optimal HD audio, and Noise Proof Technology to eliminate all distracting sounds. The next-generation technology, powered by solid processing performance, significantly improves the audio quality in collaboration. The exchange of verbal messages can be more productive than ever.

Efficient Provisioning and Management

The CP965 is coupled with Yealink efficient auto-provisioning mechanism, including phone deployment and configuration. Administrators can take advantage of centralized deployment, management and updates. CP965 also supports other device management platforms, including Microsoft and Unify Square Device Management Platform.

Techninė specifikacija

Features	
Product type	IP conference phone
Built-in display	Yes
Built-in speaker(s)	Yes
Recommended room size	Large room
Control type	Touch
Product colour	Black
Display type	LCD
Display diagonal	12.7 cm (5")
Display resolution	720 x 1280 pixels
Touchscreen	Yes
Audio system full duplex	Yes
Voice codecs	AGC, AJB, CNG, G.711a, G.711u, G.722, G.722.1C, G.723, G.726, G.729, G.729A, OPUS, PCMA, PLC, VAD, iLBC
Microphone direction type	Omnidirectional
Number of microphone arrays	1
Frequency range	100 - 20000 Hz
Sound pressure level	94 dB
Echo cancellation	Yes
Noise reduction	Yes
Microphone pick-up range	6 m

Microphone mute	Yes
Conference call ways quantity	10
Wi-Fi	Yes
Top Wi-Fi standard	Wi-Fi 4 (802.11n)
Bluetooth	Yes
Bluetooth version	4.2
Ethernet LAN data rates	10,100 Mbit/s
Power over Ethernet (PoE)	Yes
Security algorithms	256-bit AES, HTTPS, MD5, WPA2, WPA3
Quality of Service (QoS) support	Yes
Conference call	Yes
Call forwarding	Yes
Call hold	Yes
Call waiting	Yes
Call blocking	Yes
Phonebook capacity	1000 entries
Call transfer	Yes
Call history	Yes
Call return	Yes
Cable lock slot	Yes
Cable lock slot type	Kensington
Speaker power	5 W
Speaker diameter	5.6 cm
Compatible products	Microsoft Teams
Certification	CE, FCC, RoHS, REACH, ISO 9001, CCC
Call management	
Do not disturb function	Yes
Ports & interfaces	
RJ-45 ports quantity	1
USB port	Yes
USB version	2
USB connector type	USB Type-A, USB Type-C
USB ports quantity	2
Power	
Power consumption (max)	14 W

Power consumption (Power over Ethernet (PoE))	20 W
---	------

Operational conditions

Storage temperature (T-T)	-10 - 40 °C
---------------------------	-------------

Operating relative humidity (H-H)	10 - 90%
-----------------------------------	----------

Weight & dimensions

Width	328 mm
-------	--------

Depth	322 mm
-------	--------

Height	62 mm
--------	-------

Package width	384 mm
---------------	--------

Package depth	398 mm
---------------	--------

Package height	105 mm
----------------	--------

Packaging content

Screws included	Yes
-----------------	-----

Number of screws included	5 pc(s)
---------------------------	---------

Screwdriver included	Yes
----------------------	-----

Ethernet cable	Yes
----------------	-----

Quick installation guide	Yes
--------------------------	-----

Logistics data

Products per master (outer) case	5 pc(s)
----------------------------------	---------

Master (outer) case gross weight	9.02 kg
----------------------------------	---------

Master (outer) case length	552 mm
----------------------------	--------

Master (outer) case width	392 mm
---------------------------	--------

Master (outer) case height	410 mm
----------------------------	--------

Master (outer) case net weight	7.96 kg
--------------------------------	---------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Yealink Network Technology Co., Ltd

Hu'an Road High Tech Park 666, Huli District Xiamen, CN

yealink.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt