Axagon CRE-SM2 Universal desktop USB contact Smart / ID and SD / microSD / SIM card reader.

Gamintojas: **AXAGON** · Modelis: **CRE-SM2** · EAN: **8595247904300** · Prekės kodas: **923902**



16,90 €

Kaina su PVM

Be PVM: **13,97 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Universal smart card reader
- ✓ Access control, Banking & payments, Healthcare
- ✓ SIM card support Plug and Play
- ✓ Interface: USB 2.0
- ✓ Power source: USB
- ✓ Black










Aprašymas

Desktop stand reader Smart card / ID card AXAGON CRE-SM2 with USB 2.0 interface include SD, microSD and SIM card slots.

Card reader supports all common Smart cards formats, chip cards and other contact cards including payment cards. The reader is fully compatible with eID application.

Thanks to the SIM card slot with SIM management software, SD slot, microSD slot, the reader can be used for backup and data transfer.

Compatibility with all common OS such as Windows, Linux and Mac OS allows wide range of applications. Sophisticated design, high-quality manufacturing, anti-slip pads and long cable ensure easy and trouble-free use.

Input:
• USB 2.0 CCID protocol.
• Backward compatible with USB 1.1.
• Connection via USB 2.0 type A male connector.

Card reader:
• Four slot reader supports the following formats:
• Smart Card slot supports ATM / CAC / ID / IC / SIS cards,
• microSD slot supports microSD / microSDHC / microSDXC / TransFlash cards,
• SD slot supports SecureDigital, SDHC, SDXC, MultiMedia Card, MMC 4.0, MMC Dual Voltage, MMC mobile, RS-MMC cards, miniSD, miniSDHC, MMC Micro cards with adapter,
• SIM slot supports standard size SIM cards (microSIM and nanoSIM with adapter).

Smart Cards specification support:
• Supports ISO 7816 Class A, B and C smart cards (5V, 3V and 1.8V).
• Supports ISO 7816, EMV 4.1 (EMV 2000 level 1) standards.
• Supports protocols T 0 and T=1, I2C, SLE 4432/42 (S=10), SLE 4418/28 (S=9).
• PC/SC 2.0 PC Smart Card support.
• Microsoft Smart Card for Windows support.
• Supports I2C cards SLE4418, SLE4428, SLE4432, SLE4442, SLE4436, SLE5536, SLE6636, AT88SC1608, AT45D041.
• Microsoft WHQL USB Smart Card Reader compliant.
• FIPS 201 standard compliant.
• 420 Kbps Smart Card interface speed (depends on card).

Memory Cards specification support:
• SD 1.0/1.1 (SD - Secure Digital, up to 2GB) compliant.
• SD 2.0 (SDHC - Secure Digital High Capacity, up to 32GB) compliant.
• SD 3.0 (SDXC - Secure Digital eXtended Capacity, up to 2TB) compliant.
• MMC and eMMC 3.x/4.0/4.1/4.2.

Other features:
• Microsoft USB-CCID driver compatible.
• Plug and Play support.
• Simultaneous SIM and microSD slot usage.
• Smart card insert detection.
• SIMedit SW for edit and backup contacts – download from „Product Support“ tab on www.axagon.eu.
• Reader power via USB bus (bus-power).
• Green LED indicates computer USB port connection (steady).
• Red LED indicates card insertion (steady) and data transfer (flashing).
• Dimensions 77 x 54 x 52 mm, cable length 130 cm.
• Weight 91 g.

Supported operating systems:
• MS Windows XP / Vista / 7 / 8 / 8.1 / 10 and later, Windows Server 2003 / 2008 / 2012 / 2016 and later (all 32- and 64-bit Windows OS versions supported), Mac OS X 10.x and later, Linux with 2.4.x kernel and later.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Package contains:
• USB card reader with 1.3 m hardwired cable,
• printed installation guide,
• packed in a cardboard box.

Techninė specifikacija

Features	
Product type	Universal smart card reader
Application area	Access control, Banking & payments, Healthcare
SIM card support	Yes
Compatible memory cards	MMC, MMC Mobile, MMC+, MicroSD (TransFlash), MicroSDHC, MicroSDXC, MiniSD, MiniSDHC, RS-MMC, SD, SDHC, SDXC, SmartMedia
Plug and Play	Yes
Easy to use	Yes
Design	
Placement supported	Indoor
Product colour	Black
Housing material	Plastic
Built-in display	No
LED indicators	Activity, Check, Link, Ready
Cable length	1.3 m
Country of origin	China
Ports & interfaces	
Interface	USB 2.0
Near Field Communication (NFC)	No
Bluetooth	No
Supported protocols	T=0, T=1, I2C, SLE 4432/42 (S=10), SLE 4418/28 (S=9)
Power	
Power source	USB
External power adapter	No
USB powered	Yes
Operating voltage	5 V
Technical details	
Warranty period	2 year(s)
Compliance certificates	RoHS, CE
Packaging content	

Manual	Yes
System requirements	
Windows operating systems supported	Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1 Pro, Windows 8.1 x64, Windows Vista, Windows Vista Home Premium x64, Windows XP, Windows XP Home x64
Linux operating systems supported	Yes
Mac compatibility	Yes
Mac operating systems supported	Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Other operating systems supported	Yes
Weight & dimensions	
Width	54 mm
Height	77 mm
Depth	52 mm
Weight	91 g
Sustainability	
Certification	CE, RoHS
Packaging data	
Smart card included	No
Quick installation guide	Yes
Package width	100 mm
Package depth	125 mm
Package height	40 mm
Package weight	120 g
Package type	Box
Matmenys ir svoris	
Matmenys (I × P × A)	4,00cm × 10,00cm × 12,00cm

Dokumentai ir vaizdo įrašai

› Naudojimo instrukcija

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt