Axagon CRE-S2N kortelių skaitytuvas USB 3.2 Gen 1 (3.1 Gen 1) Type-A Juoda

Gamintojas: **AXAGON** · Modelis: **CRE-S2N** · EAN: **8595247906137** · Prekės kodas: **923909**



9,90 €

Kaina su PVM

Be PVM: **8,18 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ MMC, MMC Mobile, MMCmicro, MicroSD (TransFlash), MicroSDHC, MicroSDXC, MiniSD, RS-MMC, SD, SDHC, SDXC
- ✓ Atminties kortelių angų skaičius: 2
- ✓ 5000 Mbit/ai Pakeitimas neišjungus
- ✓ Plastikas
- ✓ Juoda










Aprašymas

Slim USB 3.2 Gen 1 Memory Card Reader AXAGON CRE-S2N SUPERSPEED supports all current versions of SD and microSD cards including SDXC and microSDXC with capacity up to 2TB.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

With USB 3.2 Gen 1 (USB 3.0) interface, the reader achieves significantly higher data rates for UHS-I SD cards compared to USB 2.0 interface readers.

The card reader allows simultaneous handling of cards in both slots and direct copying between them.

The slim body of the reader does not prevent the use of secondary USB ports on the computer. Card reader matte surface limits the creation of fingerprints.

The installation is very easy - only plug the reader into the computer USB port and the rest is done automatically.

Card reader - two slots, supports the following formats:
• Micro SD slot: microSD / microSDHC / microSDXC / TransFlash,
• SD slot: Secure Digital, SDHC, SDXC, MultiMedia Card, MMC 4.0, MMC Dual Voltage, MMC mobile, RS-MMC, with miniSD, MMC Micro adapter.

The reader supports the following flash card specifications:
• SD 1.0 / 1.1 (SD - Secure Digital, up to 2GB).
• SD 2.0 (SDHC - Secure Digital High Capacity, up to 32GB).
• SD 3.0 (SDXC - Secure Digital eXtended Capacity, up to 2TB).
• MMC and eMMC 3.x/4.0/4.1/4.2/4.3/4.4/4.5/5.0 (8-bit).
• Support for SD 3.01 and SD Jukebox applications (CPRM functions).
• Ultra High Speed UHS-I support (SDR12/SDR25/SDR50/DDR50/SDR104) speeds up to 104 MB/s.
• Supports ECC (Error Correction Code) function and CRC (Cyclic Redundancy Check) function.
• 2 LUN - in file managers, the reader is indicated as two disk drives.
• FAT 12/16/32, NTFS, exFAT (FAT 64) file formats support.

Other features:
• SuperSpeed USB - USB 3.2 Gen 1 interface (before USB 3.1 Gen 1 / USB 3.0).
• Also compatible with USB 3.2 Gen 2, backward compatible with USB 2.0 and USB 1.1.
• Supports transmission rates 12 / 480 / 5000 Mbit/s (full / high / super speed).
• Full Plug and Play and Hot Swap support.
• Connects via USB type A male connector.
• Support for connection of phones with microUSB connector via OTG adapter.
• USB-bus card reader power supply.
• A blue LED indicating the connection to the computer's USB port (permanent light) and data transfer (blinking).
• Dimensions 68 x 21 x 10.
• Weight 11 g.

Supported Operating Systems:
• MS Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2003 / 2008 / 2012 / 2016 and later (all 32- and 64-bit Windows versions supported), Mac OS X 10.x and higher Linux with 2.4.x kernel and higher, Android all versions.
• Note: Drivers are included with supported operating systems and will be installed automatically. No other drivers need to be installed and are not even available.

Package contains:
• SuperSpeed USB card reader,
• USB connector cap,
• packed in a cardboard box with a hanging hole.

Techninė specifikacija

Veikimo charakteristikos	
Suderinamos atminties kortelės	MMC, MMC Mobile, MMCmicro, MicroSD (TransFlash), MicroSDHC, MicroSDXC, MiniSD, RS-MMC, SD, SDHC, SDXC
Vidinis	Ne
Produkto spalva	Juoda
Atminties kortelių angų skaičius	2
Duomenų perdavimo sparta	5000 Mbit/ai
Korpuso medžiaga	Plastikas
Pakeitimas neišjungus	Taip
„Plug and Play“ funkcija	Taip
LED indikatoriai	Taip
Sertifikavimas	CE, RoHS
Ryšys	
Sąsaja	USB 3.2 Gen 1 (3.1 Gen 1) Type-A
Svoris ir matmenys	
Plotis	68 mm
Ilgis	10 mm
Aukštis	21 mm
Svoris	11 g
Pakuotės duomenys	
Kiekis pakuotėje	1 vnt
Pakuotės plotis	150 mm
Pakuotės gylis	115 mm
Pakuotės aukštis	7 mm
Paketo svoris	26 g
Pakuotės tipas	Pakabinama dėžutė
Sistemos reikalavimai	
Palaikomos „Windows“ operacinės sistemos	Taip
Palaikomos MAC operacinės sistemos	Taip
Palaikoma operacinė sistema „Linux“	Taip
Palaikomos serverio valdymo sistemos	Taip
Palaikomos mobiliosios operacinės sistemos	Taip

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Suderinamos operacinės sistemos	MS Windows XP / Vista / 7 / 8 / 8.1 / 10 / 11 and later, Windows Server 2003 / 2008 / 2012 / 2016 and later (all 32- and 64-bit Windows versions supported), Mac OS X 10.x and higher Linux with 2.4.x kernel and higher, Android all versions.
Kitos savybės	
Garantinis laikotarpis	3 metai
Atitikties sertifikatai	RoHS, CE
Matmenys ir svoris	
Matmenys (I × P × A)	2,00cm × 12,00cm × 15,00cm

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt