HP OfficeJet Pro Wireless All-in-One Color Spausdintuvas, Instant Ink; Two-sided printing

Gamintojas: **HP INC** · Modelis: **403X8B** · EAN: **196786895975** · Prekės kodas: **924053**



315,89 €

Kaina su PVM

Be PVM: **261,07 €**

Sandėlyje

Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ HP+; HP Instant Ink eligible; Print from phone or tablet; Touchscreen; Smart Advance Scan; Instant Paper; Front USB flash drive port; Two-sided printing; Two-sided scanning; Automatic document feeder; Fax
- ✓ Print, copy, scan, fax
- ✓ Print speed up to 22 ppm (black) and 18 ppm (color)
- ✓ 1200 x 1200 rendered dpi

























Aprašymas

Print for your business like a Pro. Say hello to the professional colour inkjet printer for your growing business from the World’s #1 Printer Company, paired with the easiest-to-use print app. From budgets to reports, enjoy easy cloud sharing and printing across multiple devices.[1,2]. HP Instant Ink eligible

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

This is an HP+ enabled printer. Choose HP+ at product setup to activate benefits. HP+ requires an HP account, ongoing connection to the internet, and exclusive use of Original HP Ink cartridges for the life of the printer. More at: http://www.hp.com/plus

Techninė specifikacija

Printing	
Print technology	Thermal inkjet
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	4800 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	22 ppm
Duplex printing mode	Auto
Print resolution colour	4800 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	18 ppm
Print speed (black, draft quality, A4/US Letter)	32 ppm
Print speed (colour, draft quality, A4/US Letter)	32 ppm
Print speed (ISO/IEC 24734) black	22 ppm
Print speed (ISO/IEC 24734) colour	18 ppm
Time to first page (black, normal)	10 s
Time to first page (colour, normal)	11 s
N-in-1 print function	Yes
Secure printing	Yes
Booklet printing function	Yes

Borderless printing	Yes

Copying

Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Copy speed (black, normal quality, A4)	28 cpm
Copy speed (colour, normal quality, A4)	21 cpm
Copy speed (black, draft, A4)	28 cpm
Copy speed (colour, draft, A4)	21 cpm
Maximum number of copies	99 copies
Copier resize	25 - 400%
ID-card copy function	Yes
Auto fit function	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	1200 x 1200 DPI
Scanner type	ADF scanner
Maximum scan resolution	1200 x 1200 DPI
Maximum scan area	215.9 x 297 mm
Scan technology	CIS
Scan to	Software
Image formats supported	BMP, JPG, PNG, TIFF
Document formats supported	PDF, RTF, TXT
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	Colour faxing
Duplex faxing	Yes
Fax resolution (black)	300 x 300 DPI
Fax resolution (colour)	200 x 200 DPI
Fax transmission speed	4 sec/page
Modem speed	33.6 Kbit/s
Fax memory	100 pages

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Auto-redialing	Yes
Speed dialling	No
Fax forwarding	Yes
Fax delayed sending	Yes
Auto reduction	Yes

Features

Maximum duty cycle	25000 pages per month
Duplex functions	Print, Fax
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	0 - 1500 pages per month
Digital sender	Yes
Page description languages	PCL 3 GUI
All-In-One-multitasking	Yes
Country of origin	Thailand
Replacement cartridges	HP 937 Black Original Ink Cartridge (~1,250 pages) 4S6W5N; HP 937 Cyan Original Ink Cartridge (~800 pages) 4S6W2N; HP 937 Magenta Original Ink Cartridge (~800 pages) 4S6W3N; HP 937 Yellow Original Ink Cartridge (~800 pages) 4S6W4N. HP EvoMore planned to be available April 2024: HP 937e EvoMore Black Original Ink Cartridge (~2,500 pages) 4S6W9N; HP 937e EvoMore Cyan Original Ink Cartridge (~1,650 pages) 4S6W6N; HP 937e EvoMore Magenta Original Ink Cartridge (~1,650 pages) 4S6W7N; HP 937e EvoMore Yellow Original Ink Cartridge (~1,650 pages) 4S6W8N. Actual yield varies considerably based on content of printed pages and other factors. For details, see https://www.hp.com/go/learnaboutsupplies
HP segment	Small medium business

Input & output capacity

Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	60 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	35 sheets
Maximum number of input trays	1
Maximum input capacity	250 sheets
Maximum output capacity	60 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 356 mm
ISO C-series sizes (C0...C9)	C5, C6
Non-ISO print media sizes	Hagaki card
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	C5, C6
Photo paper sizes	10x15,13x18 cm
Photo paper sizes (imperial)	8.5x13"
Borderless printing media sizes	A4, Letter
Custom media width	76.2 - 215.9 mm
Custom media length	127 - 355.6 mm
Paper tray media weight	60 - 280 g/m²
Multi-Purpose Tray media weight	60 - 280 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Wi-Fi standards	Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a
Wi-Fi Direct	Yes
Bluetooth	Yes
Security algorithms	SSL/TLS, WPA2-Enterprise, HTTPS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	512 MB
Maximum internal memory	512 MB
Built-in processor	Yes
Processor frequency	1200 MHz
Sound power level (printing)	6.8 dB
Design	
Product colour	Grey

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Market positioning	Business
Built-in display	Yes
Colour name	Cement
Display	CGD
Display diagonal	6.86 cm (2.7")
Control type	Buttons, Touch
Colour display	Yes

Power

Power consumption (ready)	5.06 W
Power consumption (sleep)	1.22 W
Power consumption (off)	0.14 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Instant Ink	Yes
HP Dynamic security	Yes
HP Security tools	SSL/TLS (HTTPS); IPP over TLS; WPA2-Enterprise; WPA2-Personal; WPA3; Certificates configuration; Password protect EWS; Signed firmware;
HP GTIN (EAN/UPC) with options	(623) 198828196231; (687) 196786895999
HP GTIN (EAN/UPC)	198828196231, 196786895999

System requirements

Windows operating systems supported	Windows 10, Windows 11
Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	ChromeOS

Operational conditions

Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-40 - 60 °C
Operating temperature (T-T)	5 - 40 °C
Operating altitude	0 - 3000 m
Non-operating altitude	0 - 4500 m
Recommended humidity operating range	25 - 75%
Recommended operating temperature range (T-T)	15 - 32 °C

Certificates

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Certification	CISPR 32:2015 + AMD1:2019 / EN 55032:2015 + A11:2020 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B; VCCI-CISPR 32:2016 Class B
Sustainability	
Sustainability certificates	EPEAT
Sustainable technologies and materials	Recyclable through HP Planet Partners
Carbon footprint	
Total carbon footprint (kg of CO2e)	69
Carbon emissions, manufacturing (kg of CO2e)	56
Carbon emissions, logistics (kg of CO2e)	3
Carbon emissions, end-of-life (kg of CO2e)	4
Total carbon emissions, w/o use phase (kg of CO2e)	6
Weight & dimensions	
Width	439.3 mm
Depth	342.5 mm
Height	278 mm
Weight	9.29 kg
Packaging data	
Package width	487 mm
Package depth	325 mm
Package height	409 mm
Package weight	12.1 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	800 pages
Included cartridge capacity (CMY)	420 pages
Cables included	AC
Bundled software	HP Printer Software
Logistics data	
Pallet gross weight	446 kg
Layers per pallet	5 pc(s)
Products per pallet	35 pc(s)
Technical details	

General Product Safety Regulation (GPSR) URL	https://support.hp.com/gb-en/product/setup-user-guides/hp-officejet-pro-9120e-all-in-one-series/model/2101420683?sku=403X8B
Other EU Hazard statement(s)	EUH208: Contains sensitizing substance. May produce an allergic reaction
Box contents	HP OfficeJet Pro 9120e All-in-One Printer; HP 937 Setup Black Ink Cartridge; HP 937 Setup Cyan Ink Cartridge; HP 937 Setup Magenta Ink Cartridge; HP 937 Setup Yellow Ink Cartridge; Regulatory Flyer; Ink Caution Flyer; Power Cord; Setup Poster; Reference Guide [For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies]

Other features

Number of users	5 user(s)
Power supply type	Internal (Built-in) Universal Power Supply
Recommended system requirements	Windows 11; 10; 32-bit or 64-bit; 2 GB available hard disk space; Internet connection,Internet Explorer. macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Internet required.
Compatible operating systems	Windows 11; Windows 10; Windows Server; macOS 11 Big Sur; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Linux; Chrome OS
Processor frequency	1.2 GHz
Number of print heads	4
Manufacturer warranty	Standard one-year HP commercial hardware warranty. One-year extra HP warranty through HP+ activation at setup; and (3) One year bonus HP warranty through separate online registration, which must be completed at www.hp.com/eu/bonuswarranty/ within 60 days of printer purchase. For up to 3 years of warranty. Warranty and support options vary by product, country, and local legal requirements. See: http://www.hp.com/limitedwarranty.
Electromagnetic compatibility	CISPR 32:2015 + AMD1:2019 / EN 55032:2015 + A11:2020 Class B; CISPR 24:2010 / EN 55024:2010; CISPR 35:2016 / EN 55035:2017+A11:2020; EN 61000-3-2:2014 / IEC 61000-3-2:2014; EN 61000-3-3:2013 / IEC 61000-3-3:2013; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.4; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B; VCCI-CISPR 32:2016 Class B
Custom media sizes	Tray 1: 76.2 x 127 to 215.9 x 355.6 mm
Pallet dimensions (W x D x H)	1200 x 1000 x 2200 mm
UNSPSC-code	43212110

Matmenys ir svoris

Matmenys (I × P × A)	33,00cm × 49,00cm × 41,00cm
Svoris	9,29kg

Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas objects.icecat.biz/objects/111491718_71756281.mp4

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

Saugos dokumentai

› Gamintojo saugos informacija