Mainboard ASROCK AMD B650 Socket AM5 ATX RAM DDR5-SDRAM 4xSlots Wi-Fi Yes Bluetooth Yes 2xNumber of M.2 (M) slots B650ROCKWIFI7

Gamintojas: **ASROCK** · Modelis: **B650 ROCK WIFI 7** · EAN: **4711581494657** · Prekės kodas: **924559**



160,91 €

Kaina su PVM

Be PVM: **132,98 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt







Aprašymas

8 Layer PCB
The 8 Layer PCB provides stable signal traces and power shapes delivering lower temperature and higher energy efficiency for memory overclocking! Thus, it's able to support the latest memory modules with most extreme memory performance!

DDR5 XMP & EXPO Support
Derived from the “built for stable and reliable” designing concept, ASRock does not compromise on any details. This motherboard is built with high quality materials, enthusiasts are able to enjoy the boost of DDR5 memory overclocking performance by enabling the pre-tested profiles. Make sure the memory modules are Intel® XMP/AMD EXPO™ capable and overclocking can be made so affordable, satisfying and absolutely no sweat at all.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

PCIe Gen5 Blazing M.2

The Blazing M.2 accommodates the latest PCI Express 5.0 standard to perform twice the bandwidth compared to previous generation, with a breathtaking 128Gb/s transfer speed, it is ready to unleash the full potential of future ultrafast SSDs.

Aluminum Heatsink

The first thing that catches the eye is the optimized Aluminum Heatsink Design. Heatsinks are crucial for efficient heat dissipation, especially during heavy workloads like gaming or productivity tasks. Motherboard that built with heatsinks can effectively manage thermal performance, hence ensure system stability and durability effortlessly.

Built-in Bluetooth

Connect wireless peripherals and accessories with ease. From keyboards and mice to headsets, controllers, speakers, and smartphones, built-in Bluetooth helps reduce cable clutter and makes daily wireless pairing more convenient.

Dragon 2.5 Gb/s LAN

The intelligent 2.5Gb/s LAN platform is built for maximum networking performance for the demanding requirements of home networking, content creators, online gamers and high-quality streaming media. Boost networking performance up to 2.5X the bandwidth compared to the standard gigabit Ethernet, you’ll enjoy the faster and uncompromised connectivity experience for gaming, file transfers and backups.

Front USB 3.2 Gen1 Type-C

Front USB 3.2 Gen1 Type-C header delivers up to 5 Gbps data transfer rate and next generation reversible USB design to the front panel of computer case.

POLYCHROME RGB

This motherboard features onboard RGB headers and addressable RGB headers that allow motherboard to be connected to compatible LED devices such as strip, CPU fans, coolers, chassis and so on. Users may also synchronize RGB LED devices across the Polychrome RGB Sync-certified accessories to create their own unique lighting effects.

SignalRGB

SignalRGB unifies your RGB devices, offering seamless customization, game-reactive effects, macro automation, and system monitoring. The official partnership empowers ASRock motherboards with advanced lighting control, enhances compatibility with a diverse range of RGB devices, and provides greater customization flexibility.

64MB BIOS Ready for Future AM5 Processors

64MB BIOS provides expanded firmware capacity to support future AM5 processors, offering long-term compatibility and enhanced update capability.

One-Click to AI Agents – ASRock Claw Quickset

ASRock Claw Quickset is a Windows desktop utility that simplifies the deployment of OpenClaw and local AI models. It automates installation, configuration, and environment setup, allowing users to start using AI with minimal technical knowledge.

- Supports AMD Socket AM5 Ryzen™ 9000, 8000 and 7000 Series Processors
- 9+2+1 Power Phase, Dr.MOS for VCore+SOC+MISC
- 4 x DDR5 DIMMs Supports Dual Channel, up to 8000+ (OC)
- 1 PCIe 5.0 x16, 1 PCIe 4.0 x16, 2 PCIe 4.0 x1
- Graphics Output Options: 1 HDMI
- Realtek ALC897 7.1 CH HD Audio Codec
- 1 Blazing M.2 (PCIe Gen5x4) 1 Hyper M.2 (PCIe Gen4x4) 4 SATA3
- 1 USB 3.2 Gen2 Type-C (Rear)
- 1 USB 3.2 Gen2 (Rear)
- 1 USB 3.2 Gen1 Type-C (Front)
- 6 USB 3.2 Gen1 (2 Rear, 4 Front)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

- 8 USB 2.0 (4 Rear, 4 Front)
- Realtek 2.5G LAN
- 802.11be WiFi 7 + Bluetooth
- Supports 64MB BIOS

Summary: Asrock B650 Rock WiFi7. Processor manufacturer: AMD, Processor socket: Socket AM5, Compatible processor series: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Supported memory types: DDR5-SDRAM, Maximum internal memory: 256 GB, Memory slots type: DIMM. Supported storage drive interfaces: SATA III, M.2, RAID levels: 0, 1, 10. Ethernet interface type: 2.5 Gigabit Ethernet, LAN controller: Dragon RTL8125BG, Top Wi-Fi standard: Wi-Fi 7 (802.11be). Component for: PC, Motherboard form factor: ATX, Motherboard chipset family: AMD | Vendor Homepage: https://www.asrock.com/MB/AMD/B650%20Rock%20WiFi%207/index.asp#Overview | Pagrindinės plokštės lustas: AMD B650 | Garso lustas: Realtek ALC897 | Taikoma: PC | Motininės plokštės formos faktorius: ATX | Garso išvesties kanalai: 7.1 | Motininės plokštės sisteminio valdiklio šeima: AMD | Palaikomos „Windows“ operacinės sistemos: Windows 10/Windows 11 | Sertifikavimas: FCC, CE | Procesoriaus gamintojas: AMD | Procesoriaus lizdas: AM5 lizdas | Procesorių suderinamumas: AMD Ryzen 7000 Series/AMD Ryzen 8000 Series/AMD Ryzen 9000 Series | Palaikomi procesoriaus lizdai: AM5 lizdas | Palaikomi atminties tipai: DDR5-SDRAM | Atminties angų skaičius: 4 | Atminties angų tipas: DIMM | Atminties kanalai: Dviejų kanalų | ECC suderinamumas: EEB priklausančios ir nepriklausančios valstybės | Palaikomas atmintinės taktinis dažnis (didžiausias): 8000 | Maksimali vidinė atmintis: 256 | Nebuferizuota atmintis: Taip | Palaikomi saugojimo kaupiklių sąsajos: SATA III,M.2 | Palaikomų saugojimo tvarkyklių skaičius: 6 | RAID palaikymas: Taip | RAID lygiai: 0/1/10 | HDCP: Taip | USB 2.0 jungtys: 2 | USB 3.2 (3.1 1 kart.) jungtys: 2 | SATA III jungčių skaičius: 4 | Priekinio skydelio audio jungtis: Taip | ATX maitinimo jungtis: Taip | CPU fan jungtis: Taip | Centrinio procesoriaus ventiliatoriaus jungčių skaičius: 2 | Šasi fenų jungčių skaičius: 3 | EPS maitinimo jungtis (8-kaisčiai): Taip | EPS maitinimo jungčių (8 kontaktų) skaičius: 2 | 12 V maitinimo jungtis: Taip | TPM jungtis: Taip | RGB LED kontaktų pagrindas: Taip | USB 2.0 portų kiekis: 4 | USB 3.2 (3.1 1 kart.) A tipo prievadų skaičius: 2 | USB 3.2 2 kart. (3.1 2 kart.) A tipo prievadų skaičius: 1 | USB 3.2 2 kart. (3.1 2 kart.) C tipo prievadų skaičius: 1 | Ethernet LAN (RJ-45) portų kiekis: 1 | HDMI portų kiekis: 1 | HDMI versija: 2.1 | Įvedimas: Taip | Mikrofonas, line-in jack: Taip | Ethernet LAN jungtis: Taip | Eterneto sąsajos tipas: 2.5 Gigabit Ethernet | LAN kontroleris: Dragon RTL8125BG | „Wi-Fi“: Taip | „Wi-Fi“ standartas: Wi-Fi 7 (802.11be) | Wi-Fi standartai: Wi-Fi 7 (802.11be) | Bluetooth: Taip | Bluetooth versija: 5.4 | „PCI Express x16“ („Gen 5.x“) lizdai: 1 | M.2 (M) angų skaičius: 2 | BIOS tipas: UEFI AMI | BIOS atminties dydis: 512 | Plotis: 244 | Ilgis: 305 | Pridedama antena: Taip | Pridėti kabeliai: SATA | Bruto svoris: 1.88 | Neto svoris: 1.5 | Vienetų skaičius vienoje siuntimo dėžėje: 5 | Vieneto plotis: 8 | Vienetų skaičius ant paletės: 0 | Shipping Box Height: 31 | Vieneto gylis: 35 | Vieneto aukštis: 28.5 | Name: MB AMD B650 SAM5 ATX/B650 ROCK WIFI 7 ASROCK

Techninė specifikacija

Matmenys ir svoris	
Matmenys (I × P × A)	35,00cm × 8,00cm × 29,00cm