

Lindy HDMI 18G to DisplayPort 1.2 Converter

Gamintojas: **LINDY** · Modelis: **38303** · EAN: **4002888383035** · Prekės kodas: **924598**



76,90 €

Kaina su PVM

Be PVM: **63,55 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Converts an HDMI input into a DisplayPort signal
- ✓ Supports resolutions up to 3840x2160@60Hz
- ✓ Supports 7.1 channel surround audio
- ✓ Quick and simple Plug and Play installation
- ✓ 2 year warranty



Aprašymas

A converter allows devices which use different interfaces e.g. HDMI and DisplayPort to connect to one another by converting one signal to the other.

The Lindy HDMI 18G to DisplayPort 1.2 Converter allows the connection of HDMI source devices, such as a PC, Blu-ray player or media player to DisplayPort monitors digital signage and LFDs (Large Format Displays). Supporting resolutions up to 3840x2160@60Hz 4:4:4 8bit or 2560x1440@120Hz, this converter ensures superior clarity content within innovative workspaces, engaging collaboration environments and educational setups. Immersive multi-channel audio is supported up to 7.1CH to compliment the video on screen.

The converter can also be used to add another display to extend the available desktop workspace and increase productivity. It is also ideally suited for travelling due to its compact, lightweight form factor and convenient Plug and Play installation.

Techninė specifikacija

Features	
Cable length	0.095 m
Connector 1	HDMI Type A (Standard)
Connector 2	DisplayPort
Connector 1 gender	Female
Connector 2 gender	Male
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Power source	DC
HDMI version	2
HDCP	Yes
HDCP version	1.4
DisplayPort version	1.2
High Dynamic Range (HDR) supported	Yes
Maximum resolution	3840 x 2160 pixels
Data transfer rate	18 Gbit/s
Bandwidth	21600 MB/s
Product colour	White
Chipset	LT6711A
Jacket material	Acrylonitrile butadiene styrene (ABS)
Supported audio channels	7.1
Operational conditions	
Operating temperature (T-T)	-20 - 85 °C
Storage temperature (T-T)	-20 - 85 °C
Operating relative humidity (H-H)	20 - 95%
Certificates	
Compliance certificates	CE, REACH, RoHS
Weight & dimensions	
Weight	25 g
Width	20.5 mm
Depth	16.5 mm
Height	3.5 mm
Packaging data	

Package width	174 mm
Package depth	20 mm
Package height	194 mm
Package weight	30 g
Package type	Polybag
Logistics data	
Harmonized System (HS) code	84733080
Matmenys ir svoris	
Svoris	0,04kg

Gamintojo ir saugos informacija

GAMINTOJAS	ATSAKINGAS ASMUO ES	PLATINTOJAS
LINDY International Ltd.	LINDY-Elektronik GmbH	MB KOMPIUTERIŲ GURU
Sadler Forster Way Unit 103, TS17 9JY Stockton-on-Tees, GB	Markircher Str. 22, 68229 Mannheim, DE	V. Nagevičiaus g. 3, LT-08237 Vilnius
lindy.com	lindy.com	info@shopro.lt