

Battery charger SMALLRIG NP-F970

Gamintojas: **SMALLRIG** · Modelis: **4834** · EAN: **6941590018805** · Prekės kodas: **926261**



205,91 €

Kaina su PVM


Be PVM: **170,17 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt



Aprašymas

SMALLRIG NP-F970 Battery Charger

The set includes the SMALLRIG NP-F970 4834 four-channel battery charger, designed for fast and convenient charging of NP-F series batteries; it is compatible with the NP-F550, NP-F570, NP-F750, and NP-F970. The device supports USB-C Power Delivery up to 100 W and allows you to charge four batteries simultaneously. The set also includes four NP-F970 batteries, each with a capacity of 7,800 mAh and energy of 56.16 Wh, a 100 W USB-C to USB-C cable, and the necessary documentation. This solution is particularly useful when working with cameras, monitor screens, panel lights, or video transmitters, where having several fully charged batteries on hand helps minimize interruptions in recording.

Four Channels with Automatic Charging Adjustment

Each of the four channels can operate at a power level adjusted to the detected battery model, with available output parameters of 8.4 V at 0.9 A, 1.8 A, or 2.5 A. The charger automatically selects the appropriate current based on the type of battery inserted, making it easy to charge different models from the NP-F family simultaneously. The maximum USB-C power output is 100 W at up to 20 V / 5 A; therefore, to achieve high performance, it is recommended to use a USB-C power adapter with a power rating of at least 80 W. The design also features short-circuit and overcurrent protection for each port, enhancing safety during extended charging sessions.

Easy-to-read OLED screen with parameter display

The built-in OLED screen allows you to check the charging status of each of the four batteries in real time without the need for additional devices. With a short press of a button, you can toggle between information on the battery level and voltage of individual channels, USB-C input parameters, and operating temperature. The display shows, among other things, voltage, current, power, and temperature, making it easier to monitor the entire charging process. Holding the button down longer also displays information about the device model, specifications, and version.

Included in the set

- NP-F 4-Channel Charger
- NP-F970 7800 mAh battery x 4
- 100 W USB-C to USB-C cable
- User manual
- Warranty card

Manufacturer	SmallRig
Model	4834
Compatible batteries	NP-F550, NP-F570, NP-F750, NP-F970
Number of charging channels	4
Maximum input power	100 W
USB-C input	12 V / 3 A, 15 V / 3 A, 20 V / 5 A
Supported USB-C protocol	Power Delivery (PD)
Output specifications per channel	8.4 V / 0.9 A, 8.4 V / 1.8 A, 8.4 V / 2.5 A
Maximum charging voltage	8.45 V
Battery type included	Lithium-ion
Capacity of a single battery	7,800 mAh
Battery voltage	7.2 V
Battery energy	56.16 Wh
Display	OLED
Safety features	Short-circuit and overcurrent protection
Operating temperature during charging	5°C to 45°C
Material	ABS + PC
Product dimensions	155 × 135 × 35.1 mm
Product weight	1,571.5 ± 20 g
Applications	cameras, monitors, panel lights, video transmitters, and other devices compatible with NP-F batteries

GPSR Link: https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photo_accessories.pdf, PPWR: <https://ppwr.innpro.pl/en/smallrig>, Gross weight: 1970, Net weight: 1571, Box length: 18,00, Box width: 16,50, Box height: 9,50, Last delivery: 26.10.2026

Techninė specifikacija

Matmenys ir svoris	
Matmenys (l × p × A)	18,00cm × 16,00cm × 9,00cm
Svoris	1,97kg