

# Viewsonic IFP7551-3C interactive whiteboard 190.5 cm (75") 3840 x 2160 pixels Touchscreen Black

Gamintojas: **VIEWSONIC** · Modelis: **IFP7551-3C** · EAN: **766907039535** · Prekės kodas: **926825**



## 4 290,90 €

Kaina su PVM

Be PVM: **3 546,20 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ Write Away quick-start annotation, enhanced by 50-point touch and palm rejection for precise writing.
- ✓ 70W total output power speaker system with built-in 8-microphone array, for rich, immersive audio.
- ✓ EDLA-Certified with Android 14, integrated ViewSonic Education Software for seamless functionality.
- ✓ NFC and SSO sign-in for swift access to the intuitive launcher and personal settings.
- ✓ EPEAT Silver certified for enhanced energy efficiency and sustainability.



## Aprašymas

Bring energy-efficient performance to your classroom with the ViewBoard® IFP51 Series, available in sizes from 65" to 86" to suit any setup. Seamless interactivity is at your fingertips, thanks to its ultra-responsive 50-point touch technology and instant 'write away' annotation. Powered by Android 14 and EDLA-Certified, it offers secure access to Google Play apps, while NFC and SSO sign-in ensure instant access to personalized settings. Integrated ViewSonic Education Software completes the experience with tools for whiteboarding, casting, and device management—delivering a more dynamic and efficient teaching experience.

## Write with Precision

Keep lessons flowing with ultra-responsive writing that feels as natural as pen on paper. With 50 touch points, advanced palm rejection, and anti-fingerprint coating, every stroke is smooth, clean, and lag-free. And with the floating annotation feature activated, notes stay locked in place as you scroll\*, keeping key points always right where you need them.

## Tap In and Start Teaching

Step into the classroom and get straight to teaching. With options like NFC one-touch sign-in and SSO, your cloud-stored personalized settings, files, and profiles load instantly—no juggling passwords, no delays, just a seamless start to every lesson.

## Advanced Security to Safeguard Your Data

Enjoy peace of mind with built-in advanced security features unlocked by the EDLA certification—including automatic updates, Google Play Protect, data encryption, and two-way authentication—so classroom data stays protected and accessible only to authorized users.

## Expand Learning with Google Play

Get native access to fully functional Google apps like Docs and Slides with the familiar interface you know and trust. Plus, Bring lessons to life with hands-on experiences that keep students engaged—from interactive science tools to language apps and music platforms—thanks to thousands of educational resources on the Google Play Store.

## Make Every Lesson Interactive

Turn passive learning into active engagement with myViewBoard. Designed to adapt to any teaching style, its intuitive tools—like the infinite canvas, Spotlight, Immersive Reader, split-whiteboard Participation Mode, and AI-powered handwriting prediction—create a fluid whiteboarding experience where participation feels effortless.

## Cast Wirelessly, Share Seamlessly

Take control of screen sharing with AirSync. Cast up to four devices at once for collaborative learning, while Moderation Mode lets you decide what goes on the big screen. Plus, with Touchback Control, you're free to roam the room, interact with students anywhere, and keep lessons dynamic.

## Power Through with Fast Performance

Keep lessons flowing with an octa-core processor and 16GB RAM. Jump between apps, multitask, and stream content effortlessly—all with rapid responsiveness.

## Streamline Connectivity with Triple USB-C

Power up, plug in, and teach without limits with triple USB-C ports. Delivering up to 65W of power, these ports keep devices charged and connected effortlessly. A top-mounted port makes webcam setup a breeze, while front- and rear-facing ports put quick connections at your fingertips.

## Immerse Every Student in Powerful Audio

Keep every voice heard with an advanced 8-mic array featuring noise suppression, echo cancellation, and automatic gain control. Paired with a 70W audio system—dual 25W front-facing speakers and a 20W subwoofer—it delivers immersive sound that keeps lessons engaging.

## Teach Brighter, Spend Smarter

Keep every student engaged with a display that stays clear in any lighting. Enhanced brightness ensures crisp, easy-to-read content from every angle, while using 20% less energy than the previous generation. A smarter, brighter way to teach—without the extra cost.

## Simplify Display Management

Take full control of device management with ViewSonic Manager. From one intuitive dashboard, you can remotely manage apps, update firmware, and instantly broadcast multimedia messages. Plus, with real-time energy monitoring, remote screen on/off control, and ECO mode scheduling, optimizing energy usage has never been easier.

Note: The optional Advanced license is required for multimedia broadcasts and ECO mode control. Real-time energy monitoring will be available from H2 2025.

## Maximize Learning with Smart Accessories

Equip your classroom with accessories that adapt to every teaching style. Whether unlocking Windows access with a slot-in PC, hosting hybrid lessons with a webcam, moving freely with a motorized trolley cart, or capturing every detail with a document camera, ViewSonic accessories integrate seamlessly for a flexible and efficient teaching experience.

## Techninė specifikacija

| Display                            |                      |
|------------------------------------|----------------------|
| Display diagonal                   | 190.5 cm (75")       |
| Touchscreen                        | Yes                  |
| Working area                       | 1650.24 x 928.26 mm  |
| Display brightness                 | 500 cd/m²            |
| Display number of colours          | 1.07 billion colours |
| Display resolution                 | 3840 x 2160 pixels   |
| Panel type                         | TFT-LCD              |
| Contrast ratio (typical)           | 1200:1               |
| Contrast ratio (dynamic)           | 5000:1               |
| Response time                      | 6.5 ms               |
| Touch technology                   | Multi-touch          |
| Touchscreen type                   | Infrared             |
| Number of simultaneous touchpoints | 50                   |
| Touch resolution                   | 32767 x 32767 pixels |
| Viewing angle, horizontal          | 178°                 |
| Viewing angle, vertical            | 178°                 |

|                                                 |                                    |
|-------------------------------------------------|------------------------------------|
| Hardness                                        | 9H                                 |
| Palm rejection                                  | Yes                                |
| <b>Computer system</b>                          |                                    |
| Processor cores                                 | 8                                  |
| User memory                                     | 128 GB                             |
| RAM capacity                                    | 8 GB                               |
| <b>Audio</b>                                    |                                    |
| Built-in speaker(s)                             | Yes                                |
| Number of built-in speakers                     | 2                                  |
| Speaker power                                   | 25 W                               |
| Built-in subwoofer                              | Yes                                |
| Subwoofer RMS power                             | 20 W                               |
| Built-in microphone                             | Yes                                |
| Number of microphone arrays                     | 8                                  |
| <b>Projector</b>                                |                                    |
| Built-in projector                              | Yes                                |
| Service life of lamp                            | 50000 h                            |
| Aspect ratio                                    | 16:9                               |
| <b>Network</b>                                  |                                    |
| Near Field Communication (NFC)                  | Yes                                |
| <b>Ports &amp; interfaces</b>                   |                                    |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 4                                  |
| USB 2.0 ports quantity                          | 1                                  |
| USB connector type                              | USB Type-A, USB Type-B, USB Type-C |
| HDMI ports quantity                             | 4                                  |
| USB Type-C ports quantity                       | 3                                  |
| USB Type-C DisplayPort Alternate Mode           | Yes                                |
| HDMI version                                    | 2.1                                |
| HDMI output ports quantity                      | 1                                  |
| DisplayPorts quantity                           | 1                                  |
| Ethernet LAN (RJ-45) ports                      | 2                                  |
| VGA (D-Sub) ports quantity                      | 1                                  |
| Line-in                                         | Yes                                |
| Line-out                                        | Yes                                |

|                                |                                                                                                                                                                                                                                              |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| OPS slot                       | 1                                                                                                                                                                                                                                            |
| S/PDIF out port                | Yes                                                                                                                                                                                                                                          |
| <b>Ergonomics</b>              |                                                                                                                                                                                                                                              |
| Product colour                 | Black                                                                                                                                                                                                                                        |
| VESA mounting                  | Yes                                                                                                                                                                                                                                          |
| Panel mounting interface       | 800 x 400 mm                                                                                                                                                                                                                                 |
| Certification                  | cTUVus, FCC ID/IC ID, FCC SDoC, Energy Star 8.0, EMC/CE, CB/LVD, GOST-R/EAC, UkrSEPRO, EPEAT Silver, UK-EEL, BSMI, BIS, LBL( Low Blue Light Certification), Flicker Free, RoHS, ErP-Eco, REACH, SCIP, WEEE, TPCH , Packing waste, CA65, PAIA |
| <b>Performance</b>             |                                                                                                                                                                                                                                              |
| Ambient light sensor           | Yes                                                                                                                                                                                                                                          |
| Card reader integrated         | Yes                                                                                                                                                                                                                                          |
| Compatible memory cards        | MicroSD (TransFlash)                                                                                                                                                                                                                         |
| <b>Power</b>                   |                                                                                                                                                                                                                                              |
| Power consumption (typical)    | 99.84 W                                                                                                                                                                                                                                      |
| Power consumption (off)        | 0.5 W                                                                                                                                                                                                                                        |
| AC input voltage               | 100 - 240 V                                                                                                                                                                                                                                  |
| <b>Operational conditions</b>  |                                                                                                                                                                                                                                              |
| Operating temperature (T-T)    | 0 - 40 °C                                                                                                                                                                                                                                    |
| Storage temperature (T-T)      | 20 - 80 °C                                                                                                                                                                                                                                   |
| <b>Weight &amp; dimensions</b> |                                                                                                                                                                                                                                              |
| Width                          | 1709.1 mm                                                                                                                                                                                                                                    |
| Height                         | 1037.5 mm                                                                                                                                                                                                                                    |
| Depth                          | 85.5 mm                                                                                                                                                                                                                                      |
| Weight                         | 46.1 kg                                                                                                                                                                                                                                      |
| <b>Packaging data</b>          |                                                                                                                                                                                                                                              |
| Package width                  | 1863 mm                                                                                                                                                                                                                                      |
| Package depth                  | 225 mm                                                                                                                                                                                                                                       |
| Package height                 | 1163 mm                                                                                                                                                                                                                                      |
| Package weight                 | 57.5 kg                                                                                                                                                                                                                                      |
| Quantity per pack              | 1 pc(s)                                                                                                                                                                                                                                      |
| <b>Packaging content</b>       |                                                                                                                                                                                                                                              |
| Cables included                | AC, USB, HDMI                                                                                                                                                                                                                                |
| Remote control included        | Yes                                                                                                                                                                                                                                          |
| Batteries included             | Yes                                                                                                                                                                                                                                          |

|                  |                                                                                                                                                                                                         |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Stylus included  | Yes                                                                                                                                                                                                     |
| Bundled software | Basic Annotation Software: myViewBoard for Android Pro Annotation Software: myViewBoard for Windows (embedded in VPC) Wireless Presentation: AirSync Device Management: Manager ViewSonic Launcher: Yes |

#### Matmenys ir svoris

|        |         |
|--------|---------|
| Svoris | 51,08kg |
|--------|---------|

#### Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Greitos pradžios vadovas](#)
- › [Gaminio lankstinukas](#)

#### Gamintojo ir saugos informacija

##### GAMINTOJAS

**Viewsonic**

##### ATSAKINGAS ASMUO ES

**ViewSonic Technology GMBH**

Fürst-Leopold-Platz 1, 46284 Dorsten, DE

[viewsonic.com](https://www.viewsonic.com)

##### PLATINTOJAS

**MB KOMPIUTERIŲ GURU**

V. Nagevičiaus g. 3, LT-08237 Vilnius

[info@shopro.lt](mailto:info@shopro.lt)