

Vertiv Liebert GXT5 Lithium-Ion Online UPS 1500 VA/1500 W 230 V Rack/Tower

Gamintojas: **VERTIV** · Modelis: **GXT5-3000IRT2UXLN** · EAN: **4061471435261** · Prekės kodas: **926850**



4 296,90 €

Kaina su PVM

Be PVM: **3 551,16 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ It offers reliable, easy-to-manage power protection and battery backup with 3000VA(3000W) capacity
- ✓ It has UNITY Power Factor (1.0) for more usable power and more connected loads to save space and costs
- ✓ It includes a built-in Vertiv RDU101 network communications card for remote management
- ✓ It comes with a Vertiv 3-year warranty plus a 2-year extension for a total of 5 years in coverage
- ✓ It is ENERGY STAR® 2.0 certified with higher efficiency, for energy savings and improved reliability



Aprašymas

The Vertiv Liebert GXT5 Lithium-Ion UPS protects critical IT applications against outages and various power disturbances. This online UPS offers the highest level of power conditioning and battery backup in server rooms, network closets, and other edge or distributed IT locations. Lithium LFP batteries require fewer battery replacements and last up to 3x as long as traditional VRLA batteries reducing maintenance, labor, and replacement costs (resulting in the lowest TCO). Internal batteries offer industry-leading runtime (up to 14 minutes at full load (varies by model)) to protect critical equipment during an unexpected power loss. They offer better performance at higher temperatures, supports up to 10 times more discharge cycles, and delivers faster recharge times compared to VRLA batteries. Hot-swappable, user-replaceable batteries may increase the useable life of the UPS by allowing you to easily replace the batteries, if needed, without disrupting power to connected equipment.

Techninė specifikacija

Features	
UPS topology	Double-conversion (Online)
Output power capacity	3 kVA
Output power	3000 W
Waveform	Pure sine
Input operation voltage (min)	115 V
Input operation voltage (max)	288 V
Input frequency	40 - 70 Hz
Output operation voltage (min)	200 V
Output operation voltage (max)	240 V
Output voltage regulation	±3%
Efficiency	95%
Power factor	1
ECO mode	Yes
Noise level	48 dB
Surge protection	Yes
Audible alarm(s)	Yes
Ports & interfaces	
AC outlet types	C13 coupler, C19 coupler
Power plug	C20 coupler
AC outlets quantity	7 AC outlet(s)
USB port	Yes
USB 2.0 ports quantity	1
USB port type	USB Type-B
Modem (RJ-11) ports	1
Ethernet LAN (RJ-45) ports	1
Battery	
Battery technology	Sealed Lead Acid (VRLA)
Battery capacity	9 Ah
Battery voltage	12 V
Number of batteries included	6 pc(s)
Typical backup time at full load	6.5 min
Typical backup time at half load	14.5 min

Battery recharge time	3 h
Hot-swap battery	Yes
Design	
Form factor	Rackmount/Tower
Product colour	Black
Rack capacity	2U
Control type	Buttons
Display type	LCD
LED indicators	Yes
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-15 - 40 °C
Operating relative humidity (H-H)	0 - 95%
Storage relative humidity (H-H)	0 - 95%
Operating altitude	0 - 3000 m
Certificates	
Compliance certificates	REACH, RoHS, WEEE
Packaging content	
Cables included	USB cable
Manual	Yes
Quick installation guide	Yes
Safety regulation & standards	
Safety	EN 62040-1:2008+A1:2013
Sustainability	
Sustainability certificates	ENERGY STAR
Sustainability compliance	Yes
Weight & dimensions	
Width	430 mm
Depth	546 mm
Height	85 mm
Weight	19.5 kg
Packaging data	
Package width	570 mm
Package depth	597 mm

Package height	242 mm
----------------	--------

Package weight	27 kg
----------------	-------

Logistics data

Country of origin	China
-------------------	-------

Matmenys ir svoris

Svoris	36,00kg
--------	---------

Dokumentai ir vaizdo įrašai

› [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Vertiv

ATSAKINGAS ASMUO ES

Vertiv GmbH

August-Everding-Str 25, 81671 München, DE

[vertiv.com](https://www.vertiv.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt