

Hisense 100DM66E Signage Display Digital signage flat panel 2.54 m (100") LED Wi-Fi 500 cd/m² 4K Ultra HD Black Built-in processor Android 11 24/7

Gamintojas: **HISENSE** · Modelis: **100DM66E** · EAN: **6973172947081** · Prekės kodas: **927636**



5 069,90 €

Kaina su PVM

Be PVM: **4 190,00 €**

[Sandėlyje](#)



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Indoor Digital signage flat panel Black
- ✓ Ethernet LAN Wi-Fi
- ✓ 2.54 m (100") 3840 x 2160 pixels LED 500 cd/m²
- ✓ Built-in speaker(s) 30 W
- ✓ 60 Hz 8 ms

Aprašymas

Hisense Digital Signage is designed to serve multiple business applications: public spaces, transportation systems, museums, stadiums, retail stores, hotels, restaurants and corporate buildings. With DM series, it delivers powerful engagement from any devices, boost business with real-time updates, data-driven insights and visually appealing content, manage and control devices at anytime from anywhere, and simplify the cable management by connecting a series of displays to a single video output.

Android 11

Powered by smart OS, it offers flexible app integration, seamless OTA updates, and user-friendly controls. Its open ecosystem enables third-party app installations, ensuring smart, efficient, and scalable digital signage solutions.

Landscape and Portrait

The display seamlessly adapts to both portrait and landscape modes, enabling flexible installations in retail spaces, museums, stadiums, and corporate environments while maintaining 4K visual consistency across orientations.

Smart Power

A built-in ambient light sensor automatically adjusts the screen brightness according to current light conditions. This display is Energy Star certified to help you protect the environment and save costs.

500 nits

With 500 nits maximum brightness, the display panels can deliver amazingly vivid imagery maintaining vibrant color accuracy during daytime and nighttime conditions, ideal for high-traffic retail and outdoor advertising environments.

Content Management System

VisionInfo is a cloud-based platform providing end-to-end content management, scheduling, remote updates, and centralized device control. This powerful yet user-friendly platform enables seamless device management and real-time monitoring from any location.

Anti-glare with 25% Haze

The 25% haze panels effectively minimize reflections while maintaining optimal image quality, make sure the critical information are always visible. Additionally, the anti-glare coatings enhance the perceived contrast ratio, delivering a sharper and more vibrant visual experience.

Wireless Screen Sharing

Hisense Share's enterprise-grade native platform enables instant cross-platform casting with low-latency precision. Optimized for dynamic workflows from boardrooms to field operations. Redefining workplace connectivity through secure, smooth screen synchronization.

Captivating 4K Visuals

Featuring 90% DCI-P3 color gamut and 256-zone local dimming, it delivers more accurate color reproduction and superior image quality, offering a more immersive 4K UHD visual experience.

Techninė specifikacija

Display	
Display diagonal	2.54 m (100")
Display technology	LED
Display resolution	3840 x 2160 pixels
Display brightness	500 cd/m²
HD type	4K Ultra HD
Panel type	VA
Native aspect ratio	16:9
Response time	8 ms
Contrast ratio (typical)	5000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours	1.07 billion colours

Rated lifetime	50000 h
Native refresh rate	60 Hz
Haze rate	25%
Ports & interfaces	
HDMI ports quantity	3
DisplayPorts quantity	1
USB port	Yes
HDMI input ports quantity	2
DisplayPorts in	1
DisplayPort version	1.2a
USB ports quantity	2
Ethernet LAN (RJ-45) ports	1
RS-232 interface	Yes
Audio	
Built-in speaker(s)	Yes
Number of built-in speakers	2
RMS rated power	30 W
Design	
Product design	Digital signage flat panel
Product colour	Black
Placement supported	Indoor
VESA mounting	Yes
Orientation	Horizontal/Vertical
Panel mounting interface	600 x 600 mm
Bezel width (bottom)	1.9 cm
Bezel width (side)	1.32 cm
Bezel width (top)	1.32 cm
Performance	
Purpose	Commercial
On Screen Display (OSD)	Yes
Number of OSD languages	16
On Screen Display (OSD) languages	Simplified Chinese, English, French, German, Spanish, Polish, Russian, Italian, Finnish, Norwegian, Swedish, Hebrew, Arabic, Thai, Indonesian
Operating hours (hours/days)	24/7
Power	

Power consumption (typical)	240 W
Power consumption (standby)	0.4 W
Input voltage	100-240 V
Power consumption (max)	450 W
Energy efficiency class (SDR)	G
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	396 kWh
Computer system	
Built-in processor	Yes
Processor manufacturer	ARM
Processor model	A55
Internal memory	3 GB
On-board graphics card model	ARM Mali-G52
Internal storage capacity	32 GB
Operating system installed	Android 11
Weight & dimensions	
Display width	2234.6 mm
Display depth	86.5 mm
Display height	1285.6 mm
Display weight	58.7 kg
Packaging data	
Package width	2402 mm
Package depth	297 mm
Package height	1514 mm
Package weight	76.2 kg
Packaging content	
Remote control included	Yes
Batteries included	Yes
Cables included	Power, RS-232
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 80%
Certificates	
Certification	CB / CE / ERP / South Africa Energy Efficiency / cTUVus / CEC / FCC

Network


Ethernet LAN	Yes
Wi-Fi	Yes
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)

Other features

Bluetooth	Yes
Bluetooth version	5.1
Power supply type	Internal

Matmenys ir svoris

Svoris	90,00kg
--------	---------

Energijos efektyvumas ir ekologinis projektavimas


Energijos efektyvumo klasė

G A-G

- > [Energijos etiketė](#)
- > [Gaminio informacijos lapas](#)
- > [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- > [Naudojimo instrukcija](#)
- > [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Hisense International
Donghai Xi Road 17, 266071 Qingdao, CN
global.hisense.com

ATSAKINGAS ASMUO ES

Hisense Gorenje Germany GmbH
Parkring 31-33, 85748 Garching, DE
de.hisense.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt