

Philips B Line 152B1TFL/00 computer monitor 38.1 cm (15") 1024 x 768 pixels LED Touchscreen Black

Gamintojas: **PHILIPS** · Modelis: **152B1TFL/00** · EAN: **8712581772895** · Prekės kodas: **928551**



356,90 €

Kaina su PVM

Be PVM: **294,96 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 38.1 cm (15") Black
- ✓ HDMI HDMI version: 1.4 DisplayPorts quantity: 1.2 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 75 Hz Response time: 4 ms
- ✓ 1024 x 768 pixels Panel type: TN
- ✓ Energy efficiency class (SDR): D RoHS



Aprašymas

Philips open-frame touch monitor provides optimal flexibility for mounting. A sturdy, water and dust resistant, edge-to-edge design to fit your needs. Great brightness performance and anti-glare display creates outstanding picture clarity.

Techninė specifikacija

Display	
Display diagonal	38.1 cm (15")
Display resolution	1024 x 768 pixels
Native aspect ratio	4:3
Display technology	LED
Touchscreen	Yes
Panel type	TN
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	800:1
Maximum refresh rate	75 Hz
Display number of colours	16.2 million colours
LED backlight	Yes
Backlight type	W-LED
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness (typical)	450 cd/m²
Display brightness	450 cd/m²
Aspect ratio	4:3
Contrast ratio (dynamic)	50000000:1
Dynamic contrast ratio marketing name	SmartContrast
Viewing angle, horizontal	160°
Viewing angle, vertical	150°
Pixel pitch	0.297 x 0.297 mm
Pixel density	85 ppi
Horizontal scan range	30 - 60 kHz
Vertical scan range	50 - 75 Hz
Viewable size, horizontal	30.4 cm
Viewable size, vertical	22.8 cm
Display diagonal (metric)	38.1 cm
DDC/CI	Yes
Haze rate	5%

Surface hardness	7H
Colour gamut standard	sRGB, NTSC
Colour gamut	60%
NTSC coverage (typical)	60%
Display sRGB	Yes
Display panel size	15 inch/38.1 cm
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Component video sync	Separate Sync, Sync-on-green (SOG)
Flicker-free technology	Yes
Low Blue Light technology	Yes
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Other operating systems supported	Android
Palm rejection	Yes
Multimedia	
Built-in camera	No
Design	
Product colour	Black
Front bezel colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Number of upstream ports	1
USB Type-A downstream ports quantity	2
USB Touch port	Yes
VGA (D-Sub) ports quantity	1
DVI port	Yes
DVI-D ports quantity	1
HDMI ports quantity	1.4
HDMI version	1.4
DisplayPorts quantity	1.2
DisplayPort version	1.2
Audio output	Yes

I/O ports	USB 3.2 x 1 (Upstream), USB 3.2 x 2 (Downstream with 1 fast charge B.C 1.2), mini USB x 1
-----------	---

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot type	Kensington
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Number of OSD languages	21
Palm rejection area	30 x 30 mm
Plug and Play	Yes
LED indicators	Operation, Stand-by

Power

Energy efficiency class (SDR)	D
Power consumption (typical)	9.6 W
Power consumption (standby)	0.3 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	6.1 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External

Operational conditions


Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m

Weight & dimensions

Width (without stand)	350 mm
Depth (without stand)	49 mm
Height (without stand)	286 mm
Weight (without stand)	3.42 kg

Packaging data	
Package width	465 mm
Package depth	123 mm
Package height	350 mm
Package weight	4.13 kg
Packaging content	
Cables included	HDMI, DisplayPort, USB Type-A to USB Type-B, AC
Manual	Yes
Bundled software	SmartControl
Sustainability	
Doesn't contain	Mercury, PVC/BFR
Other features	
International Protection (IP) code	IP65
Compatible operating systems	Windows 10 / 8.1 / 8 / 7
Exterior finish type	Textured
Display viewable area (HxV)	304.128 x 228.096 mm
Monitor sync input signal	Separate Sync; Sync on Green
Signal input	VGA (Analogue); DVI-D (digital, HDCP); DisplayPort 1.2; HDMI 1.4
Heavy metals free	Hg (mercury)
EasyRead mode	Yes
LowBlue mode	Yes
Energy efficiency class (legacy scale)	D
Compliance certificates	RoHS
Mean time between failures (MTBF)	70000 h
Certification	CB, CE Mark, FCC Class B, SEMKO, UKRAINIAN, ICES-003, TUV/GS, TUV Ergo, CU-EAC, EAEU RoHS, TUV Eye Comfort certified
User controls	SmartImage; Input; Brightness; Menu; Power On/Off
Picture enhancement	SmartImage
Regulatory Approvals	CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; TUV/GS; TUV Ergo; CU-EAC; EAEU RoHS; TUV Eye Comfort certified
Touch method	Stylus, Finger, Glove*
Recycling data	
Packaging recyclability rate	100%
Logistics data	
Harmonized System (HS) code	85285210

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

D A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Philips Nederland B.V.

High Tech Campus 52, 5656 AG Eindhoven, NL

philips.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt