

EnGenius Managed AP Indoor Dual Band 11ax 574+2400Mbps 2T2R GbE PoE.af 4x3dBi ia

Gamintojas: **ENGENIUS** · Modelis: **ECW210L** · EAN: **4711488350414** · Prekės kodas: **929004**



198,90 €

Kaina su PVM

Be PVM: **164,38 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Wi-Fi 6 Technology: Dual concurrent 802.11ax architecture with backward compatibility for legacy Wi-Fi devices.
- ✓ High-Performance Speeds: Delivers 2,400 Mbps (5GHz) and 574 Mbps (2.4GHz) throughput.
- ✓ Advanced Security: Integrated WPA3 and WPA2-AES authentication protection.
- ✓ Professional-Grade Antenna: 5 dBi integrated 2x2 antenna system.
- ✓ Extended Coverage: Supports 5GHz DFS channels for broader wireless coverage.
- ✓ Flexible Installation: GE PoE port enables placement up to 328 feet from power source.
- ✓ Cloud Management: Free local and remote management via EnGenius Cloud.
- ✓ Flexible Deployment: Multiple operating modes with AP, STA, and Mesh support.



Aprašymas

EnGenius Cloud Managed Wi-Fi 6 2X2 Access Point ECW210L is a cost-effective model designed for small businesses. It support dual-concurrent 802.11ax architecture, delivering speeds up to 574 Mbps on the 2.4GHz and 2,400 Mbps on the 5 GHz band, providing high-performance connectivity. With seamless integration into the EnGenius Cloud platform, it offers easy management and robust security through WPA3, making it an ideal solution for businesses seeking enterprise-grade performance at an affordable price.

Techninė specifikacija

Features		
2.4 GHz		Yes
5 GHz		Yes
6 GHz		No
Maximum data transfer rate		2400 Mbit/s
Maximum data transfer rate (2.4 GHz)		600 Mbit/s
Maximum data transfer rate (5 GHz)		2400 Mbit/s
Ethernet LAN data rates		10,100,1000,2500 Mbit/s
Frequency band		2.4 - 5.85 GHz
Networking standards		IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Number of users		128 user(s)
Bluetooth		No
MIMO		Yes
MIMO type		Multi User MIMO
Spatial streams		2 x 2
Spread spectrum method		DSSS, OFDM, OFDMA
Wi-Fi Multimedia (WMM)/(WME)		Yes
Wi-Fi roaming		Yes
Fast roaming		Yes
VLAN support		Yes
Virtual LAN features		Tagged VLAN
Quality of Service (QoS) support		Yes
Maximum Tx power (2.4 GHz)		21 dBmW
Maximum Tx power (5 GHz)		21 dBmW
Security		
Security algorithms		WPA2-PSK, WPA3-PSK
MAC address filtering		Yes
Service Set Identifier (SSID) features		Hidden SSID
Ports & interfaces		
Ethernet LAN (RJ-45) ports		1
USB 2.0 ports quantity		0
DC-in jack		Yes
Power		

Power over Ethernet (PoE)	Yes
DC voltage range	12 V
Input current	1.5 A
Power consumption (max)	10.7 W

Design

Placement	Ceiling, Wall
Product colour	White

Antenna

Antenna type	Internal
Antenna direction type	Omni-directional
Antenna features	Integrated antenna
Antennas quantity	4
Antenna gain level (max)	7 dBi

Performance

Built-in processor	Yes
Processor model	ARM Cortex-A53
Processor frequency	1000 MHz

Certificates

Compliance certificates	CE, Federal Communications Commission (FCC), Industry Canada (IC), UKCA
-------------------------	---

Weight & dimensions

Width	160 mm
Depth	160 mm
Height	30 mm
Weight	380 g

Packaging data

Package width	266 mm
Package depth	165 mm
Package height	39 mm
Package weight	500 g

Packaging content

Mounting kit	Yes
--------------	-----

Operational conditions

Operating relative humidity (H-H)	0 - 90%
Operating temperature (T-T)	0 - 40 °C

Storage temperature (T-T)	-40 - 80 °C
---------------------------	-------------

Storage relative humidity (H-H)	0 - 90%
---------------------------------	---------

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Master (outer) case width	353 mm
---------------------------	--------

Master (outer) case length	428 mm
----------------------------	--------

Master (outer) case height	311 mm
----------------------------	--------

Master (outer) case gross weight	12.2 kg
----------------------------------	---------

Products per master (outer) case	20 pc(s)
----------------------------------	----------

Dokumentai ir vaizdo įrašai

› [Saugos duomenų lapas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

EnGenius Networks Europe B.V.

Fellenoord 180, 5611 ZB Eindhoven, NL

[engeniustech.com](https://www.engeniustech.com)

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt

Saugos dokumentai

› [Saugos duomenų lapas](#)