

TP-Link Deco X50-Outdoor Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Balta 1 Vidinis

 Gamintojas: **TP-LINK** · Modelis: **DECOX50-OUTDOOR(1-PACK)** · EAN: **4897098688564** · Prekės kodas: **930190**


146,89 €

Kaina su PVM

 Be PVM: **121,40 €**

Sandėlyje



Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stiprintuvų tinklo („Mesh“) sistema Balta
- ✓ Antenos tipas: Vidinis
- ✓ Didžiausias naudojimo paviršius: 230 m²
- ✓ Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax)
- ✓ WPA, WPA2, WPA3
- ✓ PTP protokolai per Eternetą (PPPoE) Dinaminis IP Statinis IP adresas
- ✓ Paslaugos kokybės (QoS) palaikymas Portų ekspedijavimas
- ✓ DHCP klientas DHCP serveris
- ✓ Eterneto WAN Maitinimas per Eternetą (PoE)





Aprašymas

- AX3000 Dual-Band Wi-Fi 6- Enjoy binge-watching your favorite series in 4K with combined speeds of up to 3000 Mbps (574 Mbps on 2.4 GHz and 2402 Mbps on 5 GHz)†
- Multiple mount options - Pole mount, wall mount, and tabletop
- Working outdoor - Industry-leading IP65 dust & water resistance
- Powered over Ethernet - Provide both data connection and electric power with a single cable
- Full Gigabit Ethernet - 2 × Gigabit WAN/LAN Ethernet ports provide solid internet access at high speeds.
- Work With All Decos - Compatible with every other Deco model to form a Mesh network.
- TP-Link HomeShield - Provides comprehensive network protection, robust parental controls, and real-time

Outdoor / Indoor, enjoy Your WiFi Wherever You Want

AX3000 Outdoor/Indoor Whole Home Mesh WiFi 6 Unit

AX3000 Dual-Band WiFi 6 Mesh

Ideal for Your Latest Phones and Laptops

Armed with WiFi 6 technology, Deco whole home mesh WiFi is designed to deliver a huge boost in coverage, speed, and total capacity. Get on the latest mesh WiFi to enjoy the future network that loads faster and connects more.

Ideal for Fast Outdoor Wi-Fi

Deco X50-Outdoor features a weatherproof enclosure and solid operating temperature, enabling strong Wi-Fi signals outside. Flexible installation and power supply make it even easier for outdoor use.

IP65 Weatherproof Enclosure for

Outdoor Environments

Rated as IP65 during Ingress Protection testing, a resilient weatherproof enclosure protects Deco X50-Outdoor against the harsh outdoor condition, such as dust ingress, shock, vibration, moisture and so on.

Versatile Mounting Solutions

Our mounting kits are flexible to deploy with pole mount, wall mount and tabletop options□ whether inside or outside.

Engineered for More Devices

Deco products are aimed to dramatically improve capacity and efficiency in traffic-dense environments. No matter how many screens or devices are on at once, everyone is able to enjoy a more efficient network that loads faster without dragging down performance.

Seamless Roaming, From Inside to Outside

TP-Link Mesh means Deco units work together to form one unified network. Your phone or tablet automatically connects to the fastest Deco as you move through your home, creating a truly seamless Wi-Fi experience.

Protect Your Network and Everything on It

TP-Link's premium security services keep your home network safe with cutting-edge features for network and IoT protection.

Detect cyber threats to keep your privacy and connected devices well protected.

- Real-Time IoT Protection
- Malicious Site Blocker
- Intrusion Prevention
- Home Network Scanner

Manage online time and block inappropriate content to keep families healthy online.

- User Profile by Age
- Content Filter
- Bedtime
- Time Rewards

Prioritize your bandwidth needs to get a faster networking experience.

- Device Priority

Gain full statistics and insights to help you know your home network better.

- Internet User Overview
- Online Time Analysis
- Browser History Analysis
- End Device Statistics

Simple. Easy. Yet Powerful.

Setup and manage your network anytime and anywhere on the friendly TP-Link Deco app. In just three easy steps your entire home can be blanketed in strong and reliable WiFi.

Control Anyway You Want**- Easy Management**

Manage your WiFi at home or away on the Deco app. See every connected device, prioritize your own, and set up a guest network.

- Voice Control

Use an Amazon Alexa or Google Assistant-enabled device to control Deco X50-Outdoor with just your voice.

- All Decos Work Together

Deco X50-Outdoor is compatible with every other Deco model to form a Mesh network. Expand Mesh WiFi coverage anytime by adding more Decos.

Techninė specifikacija

Konstrukcija	
Produkto spalva	Balta
Antenos tipas	Vidinis
Gaminio tipas	Stiprintuvų tinklo („Mesh“) sistema
Didžiausias naudojimo paviršius	230 m ²
Belaidžio interneto funkcijos	
„Wi-Fi“ dažnių juosta	Dviguba juosta (2,4 GHz / 5 GHz)
„Wi-Fi“ standartas	Wi-Fi 6 (802.11ax)
Wi-Fi standartai	Wi-Fi 6 (802.11ax)
WLAN duomenų perdavimo sparta (pirmoji juosta)	2402 Mbit/ai
WLAN duomenų perdavimo sparta (antroji juosta)	574 Mbit/ai
Tinklo standartai	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n

Apsaugos algoritmų palaikymas	WPA, WPA2, WPA3
Svečių tinklų (5 GHz) skaičius	1
Svečių tinklų (2,4 GHz) skaičius	1
PTP protokolas per Eternetą (PPPoE)	Taip
Dinaminis IP	Taip
Statinis IP adresas	Taip
IGMP tarpinis serveris	Taip
IGMP tinklinio judėjimo sekimas	Taip
Žymėtasis VLAN tinklas	Taip
Dinaminis DNS (DDNS)	Taip
Svečių prieiga	Taip
Palaikomos valdymo programos	TP-Link Deco

Savybės

Integruotas procesorius	Ne
Virtualus asistentas	Amazon Alexa & Google Assistant
Paslaugos kokybės (QoS) palaikymas	Taip
Palaikomos paslaugos debesyje	TP-Link ID
Portų ekspedijavimas	Taip
DHCP klientas	Taip
DHCP serveris	Taip
Universali „Plug and Play“ jungtis (UPnP)	Taip
Parental kontrolė	Taip
Veikia su „Amazon Alexa“	Taip
MU-MIMO technologija	Taip
MIMO	Taip

Ryšys

Ethernet LAN (RJ-45) portų kiekis	1
Maitinimas per Eternetą (PoE)	Taip
Eterneto WAN	Taip

Energijos valdymas

AC įėjimo įtampa	100-240 V
AC adapterio įėjimo srovė	0,5 A
AC įėjimo dažnis	50/60 Hz

Sertifikatai

Sertifikavimas CE, FCC, RoHS

Aplinkos sąlygos

Darbo temperatūros diapazonas (TT)	-30 - 60 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 70 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	5 - 90%

Svoris ir matmenys

Plotis	110 mm
Ilgis	121,3 mm
Aukštis	215,5 mm

Pakuotės turinys

Produktų skaičius pakuotėje	1 vnt
Kintamosios srovės adapteris	Taip
Eterneto laidas	Taip

Pakuotės duomenys

Pakuotės plotis	243 mm
Pakuotės gylis	276,5 mm
Pakuotės aukštis	139 mm
Paketo svoris	1,64 kg

Matmenys ir svoris

Matmenys (I × P × A)	28,00cm × 24,00cm × 14,00cm
----------------------	-----------------------------

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)
- › [Gaminio lankstinukas](#)

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt