KYOCERA ECOSYS P4140dn 1200 x 1200 DPI A3

Gamintojas: **KYOCERA** · Modelis: **1102Y43NL0** · EAN: **632983061176** · Prekės kodas: **930301**



1,856.90€

Kaina su PVM

Be PVM: **1,534.63€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Double-sided print
- ✓ Toner save mode
- ✓ Beneficial for the environment with long-life components and low energy consumption
- ✓ Print using direct Wi-Fi








Aprašymas

This compact A3 black and white printer offers an expandable paper capacity of up to 6 paper trays for flexible paper handling. Plus this device knows exactly how to impress with comprehensive standard security features for optional SSD and ECOSYS long-life technology.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Techninė specifikacija

Printing	
Colour	No
Print technology	Laser
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	40 ppm
Duplex printing mode	Auto
Print resolution black	1200 x 1200 DPI
Print speed (black, normal quality, A3)	22 ppm
Duplex print speed (black, normal quality, A4/US Letter)	28 ppm
Warm-up time	18 s
Time to first page (black, normal)	6.3 s
Watermark printing	Yes
Secure printing	Yes
Features	
Maximum duty cycle	150000 pages per month
Printing colours	Black
Number of print cartridges	1
Page description languages	Epson LQ, IBM ProPrinter XL24E, JPEG, OpenXPS, PCL 5c, PCL 6, PDF 1.7, TIFF, XPS
Recommended duty cycle	10000 - 15000 pages per month
Printer fonts	Barcode, Bitmap, PCL
Number of PCL fonts	93
Number of barcode fonts	79
Number of bitmap fonts	1
Linear (1D) barcodes supported	EAN 128, EAN-13, EAN-8, PDF417
Country of origin	Vietnam
Replacement cartridges	TK-7310 (15.000 pagina's)
Input & output capacity	
Total number of input trays	1
Total input capacity	500 sheets
Total output capacity	500 sheets
Paper tray 1 input capacity	500 sheets
Multi-Purpose tray	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Multi-Purpose tray input capacity	100 sheets
Maximum number of input trays	5
Maximum input capacity	2600 sheets
Maximum output capacity	750 sheets
Paper handling	
Maximum ISO A-series paper size	A3
Paper tray media types	Plain paper, Thick paper
ISO A-series sizes (A0...A9)	A3, A4, A4+, A5, A6
Maximum print size	297 x 432 mm
ISO B-series sizes (B0...B9)	B4, B5
Non-ISO print media sizes	Legal, Letter
Envelopes sizes	C5, DL
Custom media width	70 - 148 mm
Custom media length	297 - 1220 mm
Paper tray media weight	60 - 120 g/m²
Multi-Purpose Tray media weight	60 - 220 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	2
Optional connectivity	Ethernet, Parallel, Wireless LAN
Network	
Wi-Fi	No
Ethernet LAN	Yes
Network ready	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Near Field Communication (NFC)	No
Bluetooth	No
Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Performance	
Internal memory	512 MB
Maximum internal memory	2500 MB
Built-in processor	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Processor family	ARM Cortex
Processor model	A9
Processor frequency	1200 MHz
Sound pressure level (printing)	50.7 dB
Sound pressure level (quiet mode)	47.9 dB

Design

Market positioning	Business
Product colour	Black, White
Built-in display	Yes
Display	LCD
Colour display	No
Control type	Buttons
Certification	TÜV, GS, CE

Power

Power consumption (printing)	632 W
Power consumption (max)	1415 W
Power consumption (ready)	15 W
Power consumption (standby)	11 W
Power consumption (off)	0.5 W
Energy Star Typical Electricity Consumption (TEC)	1.9 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Yes
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.9 Mavericks
Linux operating systems supported	Yes

Operational conditions

Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	-20 - 40 °C
Operating relative humidity (H-H)	15 - 80%
Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 3500 m
Non-operating altitude	0.6 - 15000 m

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR
Weight & dimensions	
Width	477 mm
Depth	410 mm
Height	343 mm
Weight	21 kg
Packaging data	
Package width	581 mm
Package depth	542 mm
Package height	460 mm
Package weight	26 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	7500 pages
Cables included	AC
Logistics data	
Harmonized System (HS) code	84433210
Matmenys ir svoris	
Svoris	26.22kg

Dokumentai ir vaizdo įrašai

› User manual

Gamintojo ir saugos informacija

MANUFACTURER

Kyocera Group Global Network
Takeda Tobadono-cho, Fushimi-ku 6 T, 612-8501
Kyoto, JP
global.kyocera.com

EU RESPONSIBLE PERSON

KYOCERA Document Solutions Nederland B.V.
Beechavenue 25, 1119 RA Schiphol-Rijk, NL
kyoceradocumentsolutions.nl

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.